

To Be Discussed - Top of Meeting

1. Data and Misc Issues

- a. From Pat: Why are the calibrated quantities take up so much memory. Loaded the data without calibration and the output occupied ~200 MB, whereas the calibrated quantities are taking ~700 MB. This may be partly because more quantities are getting loaded when calibration occurs. When looking at one probe, I saw 14 quantities generated when raw EFI is loaded and 21 generated when calibrated is loaded. But if these quantities are at the same resolution that could only account for a 50% increase in memory allocation(300 MB). So we're still left with the issue of why the actual memory used is more than twice this.

2. Jim McFadden

3. Davin

- a. Enhanced SST and MOM Instrument Web Pages (post code check-in)
- b. Wiki Operational Changes

4. Harald

- a. Keograms being updated. Current status ASK through mid July 2008.
- b. The THEMIS movies are now up to date and finished until 04-25.  
Rest of April to be started Monday 5/11. There will be a ~4 days delay because we wait with the mosaic generation until we are sure that all the station data have been transmitted.
- c. Mosaic reprocessing post-February 2008 (Full Resolution).  
Process full resolution for March 1-15 2008, Jan 15 2009 and onward. (Jim M)
- d. From Harald: Overview plots for web site done though 3/31.
- e. From Harald: March CDF file up to date through 3/31. Update of April will be started Monday 5/11.  
*This is still true. During the tail season I kept these up to date every 10 days. Now I planned to keep up with this task only once a month somewhere around the 10th of the following month.*
- f. L2 ASI cdf's
- g. When L2 ASI available Quality Flags and History Status?

5. James Weygand (student) - Greenland data total magnetic field is only about 250 nT even if no baseline subtracted (from Harald). Waiting for student to have time.

6. John

- a. Enhanced EFI Instrument Web Pages - partial delivered and Amanda will start working on
- b. Wiki Operational Changes
- c. QA analysis on changed results

7. Uli

- a. Enhanced FGM Instrument Web Pages (done)

8. Olivier

- a. Enhanced SCM Instrument Web Pages (done)

9. Chris Cully

- a. Enhanced FBK, FFT and FIT Instrument Web Pages (May or later)

10. Chris Russell

- a. Enhanced GMAG Instrument Web Pages (not going to happen)

11. Web

12. To be assigned

~~1. FGM Calibration files into Prod (Jim M) and reprocess Probes B, C, D and E as specified by Hannes (Tim)  
— Started 5/4. Alsp Probe 'A' Reprocessed.~~

- Hannes

- ### Questions:

- 5/8/2009

Jim L.

1. V03-L2 cdf STATE - need code for missing variables -in progress. After some discussion with Hannes, we decided that the attribute structure for the new spin phase correction variable is incorrect.
  - a) I need to fix this in the master CDF, then reprocess (in the QA area) the V00, V01, and V02 state CDFs with the new master CDF. **This is still in progress. V00 reprocessing is done, V01 under way now, and V02 in the queue.**
  - b) Hannes will take the QA V02 files and build another set of V03 CDFs with the corrected attributes.  
**On Hold until step #a is complete.**  
While he's doing that,
  - c) Jim L be writing some code to fill in the position and velocity variables for GSE and GSM coordinates.  
**In progress, should have some code 5/8 -- the plan is to exercise the new code by filling in these variables, before handing the reprocessed V02 files off to Hannes. This will run concurrently with the step 1 "remastering" process. I think the reprocessing will probably finish over the weekend, so maybe on Monday 5/11 they'll be ready for Hannes.**  
  
**If the new cotrans code works well on the QA data, Tim Q. and I will work out the best way of incorporating it into the automated L1 state processing. This will probably involve building a new release of the tmttools server-side L1 processing tools.**
  - d) I need to add support to thm\_load\_state (and any load/cal routines that call thm\_load\_state, e.g. thm\_cal\_fgm) for specifying which version V00, V01, V02, V03 should be used for cotrans and calibration.
  - e) I need to enhance the spinmodel routines to use Hannes' spin phase correction, if present  
With these code changes in place, we can hopefully make some kind of comparison between FGM data calibrated/cotrans-ed with V02 vs. V03 state to verify that the V03 attitude and spin phase corrections are working properly.
  - ~~a. changes to tdas spin model routines to use spin phase offset provided by Hannes for V03 State.~~
  - ~~b. Work with Hannes to independently verify V03 QA State cdf's from reprocessed STATE files (#1e)~~
  - f. automate importing V3 STATE files from Hannes. g. discuss archiving V3 STATE data
  - i. revised QA script for STATE (path finder for other scripts to be revised later) **I'll probably be in a position to start this on Monday. When Hannes delivers a new batch of V03 files, I can use that as my test data to exercise the new QA script**
2. GOES 10-12 Test data: h. update labels (Howard's request - minor tweak) g. gui interface
3. SCW Minima's - review back real data as of impact to compression bug (Compression issue analysis)
3. J. Kissinger's cotrans routine (from GSE to SSE coordinates)
3. SM coord transformation in thm\_cotrans does not work: fixing that would be too drastic a change for a patch release, because it might break a lot of existing code. The issue is: if the in\_coord parameter is not explicitly specified, and the dlimits structure also does not specify the coordinate system, do we want to try to figure it out from the "in\_suffix" argument (current behavior, doesn't work for SM coords), or just fail with a message that a coordinate system must be specified with either the in\_coord argument or dlimit structure (probably a better solution, but might break existing code).
4. STATE Web Page (s)
4. L1 File definitions Document. BugZID=xx.
4. bad timing sun pulse times (early January 2009)
5. thm\_load\_state out\_coord velocity calculations wrong
5. L1 Data Processing History Info: SCM, EFI, STATE
6. FGM range changes in the mid packet. Post Proc maybe a solution to eliminate the spike. BugZID=44.  
Bfield mid-packet jumps.
6. Refactor repeated CDF library code in CDF processing tools BugZid=50
7. L0 to L1 processing: look ahead to the next packet before processing the current packet. BugZID=67
7. Repeated timestamps and gaps in spin fit data BugZid=113 (#67 may fix this one as well).
8. Create a more efficient & productive prototype QA Instrument Command Line Script - first template (s)  
functional blocks then scripts for FGM, ASK, SCM, FIT, MOM, ASI, EFI, FFT, FBK, Gmag, State, SST, ESA
9. Separate E and B timestamps for spin fits: a) make a revised V02 master CDF with E and B separated

- b) change thm\_load\_fit to support V01 and V02 of the L1 CDFs    c) change the L0->L1 processing code
- d) change the L1->L2 processing code    e) test the changes, then reprocess to create the V02 CDFs  
(keeping the V01 files around for a while to ease the transition) BugzID=45
- 10. FGS sample times and values, showing repeated timestamps. BugzID=113 (BugzID=67 must be done first)
- 11. Non Monotonic timestamps. BugzID=72
- 12. bau\_sunpulse\_met assumes x86 endiannes (BugzID=13)

### Jim L (continued)

13. FGL issue. We have learned that FGL data from probes C, D and E has a 0.25 sec timing error, starting in summer 2007, and continuing to the present (Feb 2008) time. We would like to fix these timestamps in the L1 CDF files. Process should be generic so future corrections can be easily handled. Low Priority steps or tasks:
    - a. create a flag for the affected L1 variables somehow, to prevent confusion about which corrections have or have not yet been applied. So each entry in the proposed correction file should have some sort of tag identifying what the correction is, which could be looked up in the CDF as a variable, variable attribute, or global attribute. (low priority)
    - b. Change L0-L1 code to take corrections into account. (low priority)
  14. "Phantom packets" cause non-monotonic distribution times. BugZid=25, low priority.
  15. Evaluate CDF compression algorithms BugZid=81, low priority.
  16. Spin modeling during shadows BugZid=43. low priority.
  17. Add "last processed" time to L1 (and L2?) CDFs BugZid=115, **low priority**
  18. transforming one data point from SM coordinates to GSM coordinates. Low Priority from Christine
- ```
ct=time_double('2008-02-16/04:50:00')      dipole=[[0],[0],[1]]      v=[1,2,3]
store_data,'dipole_sm',data={x:ct,y:dipole,v:v}  cotrans,'dipole_sm','dipole_gsm',/SM2GSM
cotrans,'dipole_gsm','dipole_gse',/GSM2GSE      get_data,'dipole_gse',data=dipole_gse  xdipgse=dipole_gse.y[0]
ydipgse=dipole_gse.y[1]      zdipgse=dipole_gse.y[2]  tilt=atan(xdipgse,zdipgse)
```
- When I check the data for 'dipole\_gsm', the values are 0,0,0. I'm not sure what they SHOULD be, but I know that their magnitude should equal 1.  $\sqrt{x^2+y^2+z^2}=1$

### Aaron

1. Phase II GUI (80%) - See Ph II Task List
2. Magnetometer Tasks (20 % after Ph II GUI released)
3. VMO file generation (20%)
  - a. One variable change to ASI files and possibly the whole repository  
- awaiting answer from Jan
  - b. L1 STATE - in progress
  - c. SCM and EFI L2 variables
  - d. L2 STATE (?)

Jim M.

1. Thomas ESA email - email sent awaiting reply from Thomas

1. Process full resolution for March 1-15 2008, Jan 15 2009 and onward. -

**Processing is hung since 5/5. It looks as if it's running out of memory on thailo.**

Talk to Jon Loran

1. Do we need to add RBAY mag site - added to list?

1. Issue with ESA data and Overview Plots. Pgm Change and reprocessing from Feb 2009-current ?

**Have a fix, will commit after MOM flags are up.**

2. MOM Quality Flags and MOM Processing History - in progress

**Debugging, probably this won't be finished until Monday, 5/11**

3. SCM CAL File Processing Doc: text completed. Put into std document format and send to Olivier for review.

3. SCM L2 cdf - keep Olivier in the loop. In repository.

3. found 3 errors in the new th\*\_l2\_esa masters - the good news is, with them fixed in our masters, all plotting issues w/ the ESA files (in CDAWeb) seem to have been resolved.

4. L2 Data Processing History Info Completed: ESA Still to be Done: SST, MOM, FGM, FBK, FFT, FIT

4. L2 cdf Quality Flags: Completed: ESA Still to be Done: MOM, SST

5. Alberta - At the moment the data files are from Dawson (daws), Churchill (fchu), Island Lake (isll) and Fort McMurray (mcmu). I will add Rabbit Lake and Taloyoak at some time but we have some issues with mag pointing at those 2 sites. If you recall, the agreement between Ian and Vassilis was that this data wouldn't be copied to become part of a mirrored archive like the existing data we provide. Instead, each file would be obtained from this site each time it is requested (using curl or some such). This means we can use our own logs to monitor data usage.

**Themis Software to be able to retrieve from Alberta**

5. Data Description Paragraphs

5. Summary Plot mods

a. Fix duplicate velocity units by removing 'km/s' from ytitle and maintaining 'km/s' in ysubtitle.

b. Either make velocity labels into ('X','Y','Z') or make velocity labels into 'VX','VY','VZ'.

So that the components are easier to distinguish.

c. Modify ytitles on esa eflux and sst eflux so that they do not collide.

(Insert '!C's or change setting to make tplot do this automatically).

d. Set the scales on the zoomed out(24 hr) plots so that they are not autoscaled.

Information on appropriate yranges should come from Vassilis.

e. Change labels on temperature lines so that they are done in different colors

(and possibly different linestyles).

f. If necessary, Update the plot key so that it reflects any of the changes above. It'd probably be best to give this task to me, since I've done the past modifications of the plot key.

6. Orbit Plot on Summary Plot web page - on the right side, 3 plots vertically, each overview plot there would be orbit panels (coordinate with Harald).

7. Administrator's Guide

8. Themis Developers Guide

9. thm\_load\_mom: for quantities like velocity, the coordinate system isn't stored in the meta data, and none of the units are stored in the place we normally try to store them (from Pat - Vassilis concurs) Will take a look.

9. Thm\_fgm\_overviews currently loads the data out of the fit file. It should probably load the data out of the fgm file. Only needs to load from one data source. Jim M thinks the thm\_load\_fit can be deleted.

9. routine that streamlines the generation of gmag stackplots and a crib to show how to do this. (< than a day)

10. Once Jim McFadden completes his mods for n\_3d\_new\_3 reprocess L2 cdf's - entire mission.

10. thm\_load\_mom changes - reconcile mods with Davin at an appropriate time.

10. AE Indexes Issue Jan 8-12, keyograms Jan 12-13, Stripes- Vassilis: minor nuisance - low priority

11. Overview plot change: mode bar seems thick (nothing we can do easily - low priority)

12. Mosaic Processing - permanent script needed (very low priority)

L2 Product Status:

Completed: ESA, MOM, FIT (onboard), FBK, FGM, SST (needs upgrades), GMAG, FFT (onboard)

Yet to be done: SCM (Jim M), EFI (Michael), ASI (Harald)

Pat

1. Science calibration/trending (20% after Ph II released)
1. Phase II GUI (100%) - see GUI Task List
- Other Tasks 30% after Ph II released -----
3. SPLIT\_VEC routine changes  
From Michael: SPLIT\_VEC should also split the labels (as well as the traces), if there are the same number of labels as traces. Otherwise, you get the error: MPLOT: Incorrect number of labels and often also the wrong label displayed for the split trace. From Vassilis - Colors also, preserving the dlimits
4. An option in tdegap so that if you provide several inputs, it will interpolate the outputs onto the same time cadence.(Given time to do this, it should be a pretty straightforward change for me to make.)
5. Be able to plot ASI & GMAG observatory positions and GOES data on the same plots that are generated by executing thm\_crib\_trace.pro
5. wavepol.pro and twavepol.pro - Put Olivier's into the distribution, test
6. str\_element does not add to embedded structures (BugzID=69)
6. Tplot enhanced crib - Davin should be involved and the cribs should not be too overwhelming.  
Possibly multiple cribs by functions.
7. boundary normal coordinates. On Hold. BugzID=59.
7. Christine's code to rotate the XY coord's along Earth direction was very effective. Also it was used by others. We need to streamline it, and it's very similar to the others you've already written.
8. Error msg for when timestamps of data do not match in tvector\_rotate, tdotp, and tcrossp.
8. Tplot auto scaling. BugzID=41.
9. invalid inputs to the version keyword
9. Clean-up of makepng and makegif
10. General Routine 'Add magnitude' vector - adding it's magnitude in its structure. 4 vectors, colors=BGRB.
10. GMAG L2 attributes error - from Pat (very low priority)

## Bryan

### 1. Phase II GUI (100%) - See GUI Task List

---- Other Tasks 50% after Ph II released -----

### 1. Think about making 2D slices through distribution. See medical imaging code in IDL demo."

- a. 2D first migrate code into crib - in progress
- b. 2D with med imaging code
- c. 3D slices

### 2. Check Pri with Vassilis after GUI:

- a. It looks like there's a bug that limits specplot's ability to handle short timespans of data when setting the DATAGAP. Until we can get a fix out, you should be able to get the output you want by using the options command to set the 'overlay' to 1 options, 'tha\_ffp\_??\_\*', 'overlay', 1. then you might have to reset the color bar with the zlim command: zlim, 'tha\_ffp\_??\_\*', 10e-14, 10e-5
- b. thm\_part\_moments2 so that it properly handles single-angle energy spectra when pitch/gyrophase constraints are requested by the user.

### 2. Get Spec - 1) Step 11,b,i: Throws a CL error (after the popup): Traceback Report from

THM\_UI\_PART\_GETSPEC\_OPTIONS\_EVENT: Array subscript for PASPEC must have same size as source expression. Execution halted at: THM\_PART\_MOMENTS2 1070

### 3. thm\_load\_state - phase II (consult with Ken)

- a. For STATE CDF files, the following variable attributes should be defined, consistent with they way they are defined in the L2 FGM file: units, coordinate\_system (consult with Jim L.)
- b. Once defined in the CDF, thm\_load\_state should take the values from the dlimits.cdf.vatt to set the metadata for the tplot variables: dlimits.data\_att.units, dlimits.data\_att.coord\_sys
- c. For thm\_load\_state, the suffix gets added to support data, but support data is not transformed: if you call thm\_load\_state, coord='gse', suffix='\_gse', /get\_support\_data only the pos and vel get transformed, but all get the \_gse suffix.
- d. in thm\_load\_state, the code to delete support data that was loaded for coordinate transformation should be just del\_data, '\*\_state\_temp'
- e. THC braid photoelectrons
- f. Finishing the coordinate transformation of the thm\_load\_state data at input, to include transformation of spinaxis attitude, need to determine keyword switch, implement the rotation of the spinaxis elevation/azimuth from gei to arbitrary coordinates (consult with Pat, Vassilis and Ken)

### 4. From Hannes:

- a. Provided is the most common plot used by scientists that look at magnetic field data. Four panels Bx By Bz Bt and the position X Y Z as variables. Often the radial distance R is another variable. It would be great if someone enters e.g. tplot,'tha\_fgs\_gsm' such a useful default plot would appear. I am currently not able to produce such a plot using tplot. Another useful plot would be instead of one trace per panel, 5 traces per panel. One for each spacecraft and 5 sets of positions as variables at the bottom. For example: tplot,'th?\_fgs\_gsm' could produce such a plot. Also some standard plots that combine ground and spacecraft data could be useful. Notes from Vassilis: define keyword /positions default 'none', allow GSM X Y Z, R Lat Long,.....
- b. The level 2 CDF files at [http://themis.ssl.berkeley.edu/data\\_download.shtml](http://themis.ssl.berkeley.edu/data_download.shtml) should contain position in various coordinate systems as well. Preferably in the same resolution as the data. Otherwise Scientists need to get the position from another source. Notes from Vassilis: option to introduce the data in RE with keyword (one RE =6,478 kilometers ???). Like thm\_load\_fgm /pos\_units= 'RE'. Also thm\_load\_state keyword out\_coord = 'GSM', 'GSE',...etc.
- c. If one loads fgm data from probe 'a' and let's say there are no data for the chosen interval. The variables tha\_fgl and tha\_fgl\_gsm etc. should all be empty. It could be those variables still contain data from the previously loaded interval.

### 5. Variable units – generic solution - thm\_load\_spin, \_state, \_hsk, \_sst, \_esa, \_bau, \_fgm, \_fbk, \_fft, \_fit, \_scm, \_efi, \_trg, \_asi, \_gmag, \_ask, \_mom, \_esa\_pkt

### 6. If requesting 1 hour of data using timespan, then load data using one of our load data routines.

Recommend if there is a fix at the load cdf level.

### 7. upgrade thm\_load to work with probe assignments

### 8. move functionality of thm\_load\_state2 into thm\_load\_state and delete thm\_load\_state2

### 9. Multiple enhancements concerning keywords, valid\_names and thm\_load routines



## Hithesh

### 1. 11hz noise

Analysis - how does the noise react when entering and leaving solar shadows. (waiting for next season)

Awaiting for specific dates from Derron (receive appx. end of January) - Hithesh will ping Derron who will talk to Sabine. Wait until length of shadow is determined. Awaiting shadowing tools (March 31/April 1)

Dynamic Power Spectra plots completed. Wavelets - spin change as probes enter the shadows.

**Made short time Fourier transform for themis B. Themis A in progress.**

1. Trigger Filter Bank Data - spikes , emailed Chris Cully - reproduce on flatsat. Ops needs to determine time for flatsat run. Try to reproduce the noise it and then try to fix with Vassilis filter idea. Ops needs Michael L. Made change on Probe 'D' - email plots to Cully, John B, Tai and Olivier.

Was implemented on A,D and E. Verified before/after noise.

**Implemented on themis B and C. Checked B. Still need to check C(data dump on satrunday).**

2. Peter wrote code to reset ETC Kicker (1/8 or 1/9) after hang-up.

Put together a simulation of ETC VHDL Design.

Working with Robert and may need MODELSIM software.

First learn VHDL - in progress and almost complete. Look at the ETC VHTL programs and understand themis

**Emailed Michael Ludlam to check for spare FPGAs**

**As far as they can tell, the flatsat ETC has not frozen anytime.**

3. Logic Analyzer - getting familiar with it and at some point will need to install at UCB. **in progress**
3. For Davin - dump the SST tables, awaiting Davin's reply as to the address of the tables, all probes?
4. Review FSW Specifications document for v5 changes.

Waiting review by Peter of last two paragraphs – in progress

5. ESA – investigate invalid configs from Survey to burst mode in IDPU scripts.

Talk to Jim Lewis and / or Jim McFadden to acquire details of the problem.

Did this occur before or after v4.0? How important is the problem?

6. Check recent overviews from the dawn sector, you will see that the FBK data have a lot of periodic noise. They seem to correlate with EFI spikes. Tai Phan sent me the attached showing FBK spikes in time series. Perhaps Tai has more information on the origin of this SCM noise; I think it's from the EFI bias current when the sphere is shadowed but it would be nice if Olivier can verify. Awaiting reply from Olivier.

7. Run the CPT tests for the following four modules - in progress and **On Hold**

a) SCI & SCI2 - 12 (3 done successfully) c) CMP - 4 d) EEPROM - 18

8. Review FSW code of all 24 modules and the CPT tests for each (ongoing)

9. Watch engineering is going along, tools for plotting (ongoing)

10. Review scripts and/or macros with Michael Ludlam (ongoing)

11. Leftover 512 burst packets

## Michael

### 1. Jim McFadden suggests use of his formula:

$$\text{npot} = 460 * 10^{((\text{offset} - \text{tmp.y})/1.5)} + 34 * 10^{((\text{offset} - \text{tmp.y})/7.)} + 1.6 * 10^{((\text{offset} - \text{tmp.y})/30.)}$$
 - in progress

- a. Write code to fit the formula for selected periods. This is already in hand except for some minor tweaks.
- b. Use the code to find the offset based on a variety of plasma regions (investigate existing region flags) -> this may be more reliable and less work than always finding the offset on the fly b/c of questions about how to extend the neighborhoods. - in progress
- c. Make plots of the fit performance on a variety of periods for Jim to take a look at.

### 1. Run review and validation code to calibrate local ADC offsets. If this works well, then think about how to incorporate the "offset on the fly" into the calibration code - in progress (eta next week)

Test run of "on the fly" calibration did work well. New tasks pursuant to incorporating "on the fly" offset subtraction into EFI code: Run new smoothing cases for THC and THD (Moser periods) to get an idea of the EDC offset variance: 40-spin box w/ point-by-point subtraction. Median (~ 6 hours) of above.

Run a normalized envelope, if time. (ETA: 4/27)

Result: Not using the block median improves the variance by about a factor of 2.

- Questions:
- a. DC offset between 4sdo and 2sdo in boom plane. Which is better? In John's ballpark.
  - b. Small (but significant) low frequency differences between various windowing methods esp. near rapidly changing (tens of spins) E fields. Which windowing is better?

Tasks:

- a. THC and THD hanning window vs. smoothing -- plots are w/ John.
- b. Simulated test data under various Hanning windows -- plots are w/ John.

### 1. Try to track down frequency scaling problem (dlimit setting? Compare to old plots?). **On Hold**

### 1. Plot Ex/Ey on the same panel (4 despun offsets in boom plane only, no spectra) for 20 Jul 2007 periods.

Sent to John for review. Relabeling requested and will send John new plots. **On Hold**

### 2. The 1 Hz bug fix (noted by John Bonnell) - **Still on hold -- current "on the fly" subtraction work likely supersedes this, but do not yet have official word from John.**

- a. Periods selected for 30-40 periods for Probe 'E'.
- b. Run the SDT Calibration. Plots have been regenerated for Probe 'C' and sent to John, Forrest and Vassilis for review. Sorting out questions from John. **Awaiting feedback from John B**
- c. Steps #a-#b will need to be completed for the other three probes as well.
  - c1. Probe 'D'
  - c3. Probe 'A'
  - c4. Probe 'B'Probe 'A' already done.

Installed new calibration formula and testing with data that has the new parameters.

### 2. There is an interface task for the High Frequency Calibration of wave burst data. This is something that Bob Ergun and an associate have just finished (as I understand), and John is now reviewing their code. This code takes care of gain vs. frequency calibration and phase shifts. John would like me to integrate it into our distribution. **John still does not have the LASP code, but has a promise from Ergun "this week" for nightside code**

### 2. Alter calibration formula in thm\_cal\_efi and thm\_get\_calpers, update calibration files – **On hold for "on the fly" calibration.**

### 2. The poor despinning bug fix in thm\_efi\_despin (awaiting completion of 1hz bug fix) **On hold for above**

### 3. Larry Kepko and efi offsets – emailed John with comments for his review. **Awaiting John's comments.**

### 3. FBK Frequencies

- a. ~~Resolve conflict bet C. Cully and John B's bin center values. Conflict resolved. John agrees with Chris.~~
- b. ~~Derive bin centers from CDFs (currently the bin centers are hard coded).~~
- c. Make sure that bin center assignment from L2 works with any changes that Jim M. makes.

John wants to calibrate by signal source – thm\_cal\_fbk

### 4. Get EAC offsets from J.B. -- this \*cannot\* be done until AC-coupled data is taken.

### 4. EFI L2 cdf                      5. EFI CAL Document

### Michael (continued)

6. "Case-by-case" calibration parameters ("short-term" high accuracy corrections).  
involves generalizing some code from Chris C. as a tool for the general user. The tool will look at short time ranges, and pass out high-resolution calibration parameters in a structure. We envision that this structure will be passed into THM\_CAL\_EFI disabling those parameters that are normally gotten from the calibration files. LASP is working on this and when done would be incorporated in the tdas software.
7. deconvolution, any other tasks to have a working load and cal efi.
8. The EFI program headers should include what inputs are valid for each keyword.
9. thm\_load\_efi - allow multiple coord's to be entered. Do not overwrite plot variables.
10. efs data deleted when thm\_load\_fit run twice, second time only fgs data requested
10. Modify THM\_CAL\_FIT to treat efs datatype - Install E12/E34 conditional based on th?\_fit\_code TPLOT variable. If E12 switched to E34 software needs to be revised to handle (low priority).
11. Correlate to onboard spin fits using EFP data. Look at FGM. Talk to Jim L.
12. Add the DATATYPE kw to KYOTO\_AE\_LOAD , and load only AE data by default (low priority).
13. Get the downloader (KYOTO\_AE\_DOWNLOAD based on the new version of  
FILE\_HTTP\_COPY ) working (low priority).

The following recommendations have been made by Jim McFadden and need to be reviewed and prioritized by John Bonnell:

1. The baseline offsets seem not to be sufficiently accurate, therefore spintone residuals remain in the data. It may be that only an on-the-fly calibration (a la SDT) will work, and that the EFI code would need to be modified from its current list-style calibration.
2. We should have code that duplicates the on-board spin fits in order to understand why the ground and on-board fits are different. I do not know if such code exists -- we should run this question by John Bonnell.

### Cindy

1. Phase II GUI (100%) - see Ph II GUI Task List
  - a. Maintain Ph II Gui Task List - on going
  - b. Create scenario for one on one sessions with scientists to be started after release of v5.00 - beta session with one student then roll out.
  - c. Minor tweaks to Users Guide and Reference Guide
2. An IDL crib sheet has been provided that generates magnetic field and position data with the same resolution. Scientists very often like to have a set of dayfiles of magnetic field data and position. So the crib sheet could be called inside a loop and for each day an output ASCII file could be produced. An option could be all 5 spacecraft merged with only one time column. Additionally a desired resolution could be another option From Hannes. 3-4 days

### Vladimir

- a. SST, ~~ESA~~ and EFI Wiki pages - initial entries
- b. Calibration
- c. Link to Plots
- d. Data contain engineering, deployment, maneuver, and science data are in the same stream. From the data description, only maneuver flag state\_man is provided. Do you provide information about the time intervals when the data are on, say, engineering level? This data, though valuable in many respects, may be confusing if interpreted as science data. To provide such information, it is possible, for example, to add some bits to existing state\_man flag. (from Vladimir) Quality flags (for each instrument to be added to L2 State cdf).

### Kate

What's cooking?

### Andreas

1. L2 File Definitions Document - awaiting L1 document to be completed to use as template.

### UCLA

1. Clean-up the power ripples from the FGM data. (Krishan).

### Christian Jacquey and Thomas Moreau

### Software Tasks To Be Assigned (TBA)

1. TBA - Tplot User's Guide (David and Vassilis to talk further)
2. TBA - print, dprint, msg continue, verbose options for a standard
3. TBA - Tplot FAQ's (Amanda) Maybe replaced by #1

## Non GUI Future Release Mods

1. Many of the data processing routines that are tested here do not inherit the plotting options from the tplot variable that they take as input. For data processing routines that I've written Vassilis has had me modify them so that they inherit these options. It shouldn't be very hard to do this, but whether we do it or not depends on whether we think these data processing routines are useful only for the gui or for the command line user as well. (from Pat).
2. Load routines to all support keywords suffix and relpathnames\_all.
3. tplot does not fail gracefully after illegal margin set. In this case: tplot\_options,'xmargin',[100,100], tplot does not fail gracefully after illegal margin set. In this case: tplot\_options,'xmargin',[-1,-1]  
-tplot does not fail gracefully after illegal margin set. In this case: tplot\_options,'ymargin',[100,100]
4. fac\_matrix\_make: do a better job putting the inputs into the correct coordinate system.
5. minvar\_matrix\_make documentation is a little sparse, so it couldn't hurt to improve the function header.
6. With a pre-mission and future dates, thm\_gen\_overplot does not exit gracefully. The user sees a lot of "Remote file not found messages", but is not offered any indication that the date requested is before the mission began. It would also be useful to have a check for when DATE plus DUR is greater than the current date, and then ignore the requested days beyond the current.
7. There's a possible bug thm\_gen\_overplot when an illegal device is set with the DEVICE keyword. The code doesn't check to make sure if the graphics device is valid. It passes the test script because thm\_gen\_overplot has its own catch error statement embedded in the code. The catch statement does report, "Graphics device not available: a", but only after data have been loaded and tplot vars have been created. If a long time range is requested this could be a significant waste of time to the user.
8. NO\_DOWNLOAD keyword missing from thm\_load\_fbz.
9. a. When thm\_load\_fit is called requesting a single data type it will also return some auxiliary data types. For example: thm\_load\_fit,probe='b',datatype='fgs' returns: 1 thb\_fit\_code 2 thb\_fit\_npts 3 thb\_fgs (low priority load bug or test script bug)    b. The relpathnames all keyword is broken. (low priority bug)
10. THM\_LOAD\_MOM doesn't recognize the datatype keyword for L1 data. (It does for L2).