| | | Date | | | Assigned | | Estimate (hrs) |
|--------------|--|------------------------|-----------------------|-----|------------------|--|----------------|
| Task # | Task Description | Opened | Reported By | Pri | То | Notes | (1113) |
| | To be Assigned or Discussed | | | | | | |
| 2280 | | | | | | | |
| 2281 | | | | | | | |
| 2282 2283 | | | | | | | |
| 2203 | General | | | | | | |
| 2186 | I noticed that the Data->Collaboration Tools->(subcategories) fall | 7/28/2009 | Michael | 2 | Amanda | | |
| | behind the ARTEMIS graphic. Revise ESA and MOM quality flag web pages | 10/14/2009 | David | 2 | Amanda | | |
| | Revise the Data Products Web page and send to Amanda | 10/11/2000 | David | _ | David | | |
| | Incorporate electron calibration into data | 10/25/2009 | Vassilis | | Davin | | |
| 2103 | Enhanced SST and MOM Instrument Web Pages EAC offsets | 8/1/2009 | David John Bonnell | 2 | Davin John B | John has taken AC coupled data -> he will get | |
| 2100 | 270 01303 | 0/1/2003 | OOTHI DOTHICH | _ | JOHN B | me the offsets and the switch-over times. Etc | |
| 0040 | F' 4 ' ' 1 (0 (| 0/40/0000 | | | | November | |
| 2216 | Fix the sign reversal of e34. one outstanding issue with THM_LOAD/THM_CAL_EFI is that for | 8/13/2009 9/8/2009 | Michael Jim M | tbd | John B John B | Etc 10/23 Review Jim's fix, Eta 10/23 | |
| | some reason when I ask for the calibrated data in SPG (which should | 0/0/2000 | OIIII IVI | | OOI III D | 1101011 011110 1100, Eta 10120 | |
| | just be adjustment of gains and offsets, and conversion from ADC | | | | | | |
| | units to physical units, the code is trying to do some despin operations. Since this has direct impact on my ability to evaluate the | | | | | | |
| | EFI data quality, | | | | | | |
| | Harald | | | | | | |
| | Harald ASI software - running fine as of October 19, 2:20pm | | | | Harald | | |
| | | | | | | | |
| | Thumbnail Data (updates will come around November 10): - cdf files done until September 30, 2009 | | | | Harald | Updates ready 7-10th of the next month | |
| | - overview plots done until September 30, 2009 | | | | | | |
| | - movies done until July 31, 2009 | | | | | | |
| | Full-resolution raw data: | | | | Harald | mid October 09 2 new Calgary disks | |
| | - complete for 2007 and 2008 | | | | riaraia | This Colober 03 2 new Galgary disks | |
| | - reasonably complete until February-2009, waiting for transfer disks | | | | | | |
| | from Calgary | | | | | | |
| | Full resolution data: | | | | Harald | | |
| | - data cdf done for all 2007 and 2008 and for everything available for 2009 | | | | | | |
| | keogram cdf done for 2007 and 2008 and for everything available for | | | | | | |
| | 2009 | | | | | | |
| | Web site mosaics and movies: | | | | | | |
| | - Mosaics and movies reprocessed for 2007/2008 season | | | | | | |
| | Mosaics for 2008/2009 season 90% done movies for 2008/2009 season will be reprocessed soon | | | | | | |
| | - movies for 2008/2009 season will be reprocessed soon | | | | | | |
| | Web site overview plots with full resolution data: | | | | | | |
| | - overview plots done for 2007 and 2008 and for everything available for 2009 | | | | | | |
| | - overview plots done for 2007 and 2008 and for everything available | | | | | | |
| | for 2009 | | | | | | |
| 2069d | UCLA – mirror site set-up | | Vassilis | 1 | Harald | UCB has sent 4 bricks to UCLA. After brick | |
| 20090 | OOLA - militor site set-up | | Vassilis | | Tialaiu | transfer UCLA will need to supply SSH key - | |
| | | | | | | RSYNC Key. | |
| 2400 | Hannes | 0/0/0000 | \/aaai!!- | 4 | Цорт | on going | |
| | AE Index - quality control check plots for traces without gaps Attitude Determination changed based on spin tone removals? | 8/3/2009 10/19/2009 | Vassilis Hannes | 1 | Hannes Hannes | on going | |
| 2258 | When V03 State is reprocessed - reprocess Ascii Files | 10/8/2009 | Jim L | 1 | Hannes | | |
| | quality flag for FGM data Spin modeling during shadows BugZid=43 | | Vassilis Vassilis | 2 | Hannes Hannes | on hold Jim L to write routine. Hannes send info. | |
| 20028 | Spin modeling during snadows BugZid=43 Vladimir | | v assilis | | i iaililes | Juli E to write routine. Harries send into. | |
| 2114 | Load routines to all support keywords suffix | | | 2 | Vladimir | moved to JimM to check and committ | |
| 2120 | NO_DOWNLOAD keyword missing from thm_load_fbk. | | | 2 | Vladimir | Jim M to check and committ | |
| | change plot key | | Vassilis | 1 | Pat | when 2085a-f completed | |
| 2200 | FIT web pages info | | David | 2 | Vladimir | in progress | |
| | Aaron | | | | | | |
| | VMO file generation | | David | 1 | Aaron | | |
| 2033a | One variable change to ASI files and possibly the whole repository | | David | 1 | Aaron | changes sent to Jan | |
| | SCM and EFI L2 variables V03 L2 STATE - revision needed? | | David David | 1 | Aaron Aaron | awaiting Jim M sign-off send Jan an email | |
| | If requesting 1 hour of data using timespan, then load data using one | | Vassilis | 1 | Aaron | in progress | |
| | of our load data routines.: EFI and SCM | | | | | | |
| | 2-D, 3-D slices enhancements | | | | | Talk to Andrea, Christine, Shanshan | |
| 2013g | Integrate into gui - load slices in idl medical imagery software | | Vassilis | 1 | Aaron | data analysis gui section | |

| | Part I - 2D/3D option to Analysis pull down menu 2. Create new window allowing user to select options including widgets for | | | | | in progress - Part I almost ready and then when will be reviewed with researchers |
|---------------|--|-----------|------------------|---|----------------|---|
| | a. data type b. type of slice 2D or 3D, | | | | | milet will be reviewed with receding to |
| | c. calendar date, | | | | | |
| | d. left/right arrow keys to allow user to scroll through data Part II 3. From the new window | | | | | |
| | a. If 2D selected launch the 2D window b. If 3D selected launch both the 2D and 3D windows | | | | | |
| | c. TBD how the two windows will interact 4. Modifications will need | | | | | |
| | to be made to Bryans code for this application 5. Will need to handle automatic loading of calibration and/or ancillary | | | | | |
| 2013j | Make plot_part_slice2d.pro more complete by adding in plotting keywords/options available in thm_esa_slice2d. | | Vassilis | 1 | Aaron | on hold until Part II of 2013g |
| 2013k | Create our own version of slicer3.pro that can take user input to setup colors, orientation, etc. when it's called. | | Vassilis | 1 | Aaron | will be completed when 2013g Part II completed |
| 20131 | Integrate our own slicer3.pro gui with regular 2-D slice plots. | | Vassilis | 1 | Aaron | will be completed when 2013g Part II completed |
| 2253 | Fix crib errors - Christine's list of 9/23/09 | 9/23/2009 | Christine | 2 | Aaron | |
| 2027e | Finishing the coordinate transformation of the thm_load_state data at input, to include transformation of spinaxis attitude, need to determine keyword switch, implement the rotation of the spinaxis elevation/azimuth from gei to arbitrary coordinates (consult with Pat, Vassilis) | | Vassilis | 2 | Aaron | not allow velocity to go bad |
| 1579 | When importing a variable with a valid 'V' component in its data struct, but no spec flag set in its meta data, the loaded data object fails to load the y-axis. This should be fixed, as it ends up | | Pat | 3 | Aaron | |
| 2121 | incorrectly loading certain spectral quantities. When thm_load_fit is called requesting a single data type it will also return some auxiliary data types. For example: thm_load_fit,probe='b',datatype='fgs' returns: 1 thb_fit_code 2 thb_fit_npts 3 thb_fgs. load bug or test script bug) b. The | | | 3 | Aaron | |
| 2028 | relpathnames all keyword is broken. Variable units – generic solution - thm_load_spin, _state, _hsk, _sst, | | Vassilis | 3 | Aaron | |
| | _esa, _bau, _fgm, _fbk, _fft, _fit, _scm, _efi, _trg, _asi, _gmag, _ask, _mom, _esa_pkt | | | | | |
| 2029 2029a | From Hannes Provided is the most common plot used by scientists that look at | | Hannes Hannes | 3 | Aaron Aaron | |
| | magnetic field data. Four panels Bx By Bz Bt and the position X Y Z as variables. Often the radial distance R is another variable. It would be great if someone enters e.g. tplot, 'tha_fgs_gsm' such a useful default plot would appear. I am currently not able to produce such a plot using tplot. Another useful plot would be instead of one trace per panel, 5 traces per panel. One for each spacecraft and 5 sets of positions as variables at the bottom. For example: tplot,'th?_fgs_gsm' could produce such a plot. Also some standard plots that combine ground and spacecraft data could be useful. Notes from Vassilis: define keyword /positions default 'none', allow GSM X Y Z, R Lat Long, | | | | | |
| 2029b | The level 2 CDF files at http://themis.ssl.berkeley.edu/data_download.shtml should contain position in various coordinate systems as well. Preferably in the same resolution as the data. Otherwise Scientists need to get the position from another source. Notes from Vassilis: option to introduce the data in RE with keyword (one RE =6,478 kilometers???). Like thm_load_fgm /pos_units= 'RE'. Also thm_load_state keyword out_coord = 'GSM', 'GSE',etc. | | Hannes | 3 | Aaron | |
| 2029c | If one loads fgm data from probe 'a' and let's say there are no data for the chosen interval. The variables tha_fgl and tha_fgl_gsm etc. should all be empty. It could be those variables still contain data from the previously loaded interval. | | Hannes | 3 | Aaron | |
| 2030 | upgrade thm_load to work with probe assignments | | Vassilis | 3 | Aaron | |
| 2031 | move functionality of thm_load_state2 into thm_load_state and delete thm_load_state2 | | Vassilis | 3 | Aaron | |
| 2032 | Multiple enhancements concerning keywords, valid_names and thm_load routines | | Vassilis | 3 | Aaron | |
| | Cindy | | | | | |
| | Gilluy | | | | | |

| 2220 | It looks like we may pood to make some small modifications to the | 0/40/2000 | Dot | 4 | Cindu | in progress, etc 10/20 | |
|-------|---|------------|----------------------|---|--------|---|------|
| 2239 | It looks like we may need to make some small modifications to the Load Themis Data panel to make it work correctly with the changes in thm_load_state. Bug #1 I just got the new version and noticed that if I load probe state/pos with gei coords selected, it correctly load tha_state_pos(in GEI), but now also loads tha_state_pos_gse and tha_state_pos_gsm. This is almost certainly because these new coordinate systems were just added to the state file. It should have only loaded the coordinate system requested. Also, if you request another coordinate system using the interface, it will transform all three into that coordinate system. So if I select coord='dsl', I will get tha_state_pos,tha_state_pos_gse,tha_state_pos_gsm, but despite their names, they will all actually be in DSL coordinates. Bug #2 We need to modify the panel so that it does not transform velocities incorrectly. Right now, if I load probe a/state/vel in spg coords, it will perform an incorrect transformation of the velocity into SPG. (incorrect as per our discussion on the limitations of the cotrans routine with resp | | Pat | 1 | Cindy | in progress, etc 10/30 | |
| 2268 | QA Prep - Revise GUI Test Suites and determine QA Reqd Tests | 10/19/2009 | David | 1 | Cindy | 4 hours per week etc 11/13-11/20 | 16 |
| | Jim L | | | , | | | |
| | Anyway, I have found a burble (not monotonic) in the eff data type time series in this cdf file: thc_l1_eff_20070720_v01.cdf | 8/11/2009 | Michael | 0 | Jim L | Reprocessing of L1 efi and scm into QA complete. Comparing QA and production for records changed in progress. These records will then be updated into prod. Then L2 reprocessing will be needed. | |
| | It appears that the drift described below by Jim Lewis was responsible for the early drift in the attitude and the correct attitude is the average from the data after the flight software correction on May 4th. So we do need to put an ~1deg correction to the files affecting all instruments, and that should also be part of the absolute attitude in the state files. This offset is simply due to more accurate science modeling by Hannes. Let me know if you agree. | | Vassilis | 1 | Jim L | It means that the cal routines for EFI and SCM need to pass a couple of keywords to thm_cotrans and/or spinmodel routines, so that the spin phase and spin attitude corrections will be used. | |
| 2266 | Timing of Spin Fit data | 10/16/2009 | Jim McFadden | 1 | Jim L | Hold FGM L2 reprocessing until this is done | |
| 2247 | Another undesirable change between tdas_5_11 and the trunk has to do with the 'probe' keyword argument to thm_cotrans. In tdas_5_11, either the single letter 'a b c d e' or the longer 'tha thb thc thd the' names were accepted. In the trunk version, the longer 'thx' values are no longer accepted. | 9/10/2009 | Jim L | 1 | Jim L | | 1 hr |
| 2034f | revised QA script for FGM (path finder for other scripts to be revised later) | | Vassilis | 1 | Jim L | Jim will do for FGM and then Pat will do 2034g | |
| 2149g | write a routine to check time tag monotonicity and repair tplot variable if necessary (with options for "replace with NaN" and "delete") | | Jim L and Michael | 1 | Jim L | assign when 2149e started. Michael: Since it is difficult or impossible (in post-processing) to identify all of the bad time tags (or even some of them e.g., the fast->slow case), I recommend that we just remove what is needed to make the time tags monotonic, and issue a warning indicating that the user should consult the THEMIS software team about that data. | |
| | integrate time tag fixer-upper with TDAS load routines | | Jim L | 1 | Jim L | | |
| 2248 | once in a while (maybe 10-20 occurrences per probe during the entire mission), the FGM range doesn't change on all three axes at once: | 9/10/2009 | Jim L | 1 | Jim L | see 2149g and h | |
| 2082a | Spin modeling during shadows BugZid=43 | | Vassilis | 2 | Hannes | Jim L to write routine. Hannes send info. | |
| 2035 | Split L1 ESA (using Thomas's routine) in master ESA data cdf | | Vassilis | 2 | Jim L | On Hold - awaiting Jim McFadden release: Then send David Sub Task List; Calibration variables removed from L1 data master CDF. (Side note: found and reported a bug in SKTEditor, which the Goddard team has agreed to fix) Waiting for feedback from Jim McFadden about how calibration data should be handled (TH-A ASCII calibration file (used for all probes) doesn't match anything I removed from the data CDF). | |
| 1563 | We were just griping about how long the Overview plots take to load, and I was thinking, what if the Overview Plot window, had a list of check boxes that would enable the user to turn off certain plots? That way if they don't care about the AE index plot, they could turn it off and speed up the load of the rest of overview plots. Here's some more food for thought: didn't we recently discuss the possibility of making an AE index CDF, and let the users download that instead of downloading all the data necessary to recalculate it client-side? Another candidate for that sort of treatment might be the time intervals for slow survey, fast survey, particle burst, and wave burst that's another calculation that requires a large volume of data to be downloaded to produce a tiny product, but only a trivial amount of extra work if it's done on the server side. | | Bryan/JimL | 2 | Jim L | Separate L1 | |
| 2036 | GOES 10-12 Test data: h. update labels (Howard's request - minor tweak) | | Vassilis | 2 | Jim L | determine if to be reassigned | |

| 2038 | STATE Web Page (s) | | Vassilis | 2 | Jim L | review web pages | |
|--|--|---|---|-------------|---|--|--|
| 2039 | bad timing sun pulse times (early January 2009) | | Vassilis | 2 | Jim L | Clarification needed | |
| 2040 | L1 Data Processing History Info: SCM, EFI, STATE | | Vassilis | 2 | Jim L | Old Michael Michael | |
| 2042 | FGM range changes in the mid packet. Post Proc maybe a solution to eliminate the spike. BugzID=44. Bfield mid-packet jumps. | | Vassilis | 2 | Jim L | | |
| 2043 | Refactor repeated CDF library code in CDF processing tools BugZid=50 | | Vassilis | 2 | Jim L | | |
| 2046 | Create a more efficient & productive prototype QA Instrument Command Line Script - first template (s) functional blocks then scripts | | Vassilis | 2 | Jim L | | |
| 2047 | Separate E and B timestamps for spin fits: a) make a revised V02 master CDF with E and B separated b) change thm_load_fit to support V01 and V02 of the L1 CDFs c) change the L0->L1 processing code d) change the L1->L2 processing code e) test the changes, then reprocess to create the V02 CDFs (keeping the V01 files around for a while to ease the transition) BugzID=45 | | Vassilis | 2 | Jim L | | |
| 2047a | FGS sample times and values, showing repeated timestamps. BugzID=113 (BugzID=67 must be done first) | | Vassilis | 2 | Jim L | | |
| 2047b | Repeated timestamps and gaps in spin fit data BugZid=113 (#67 may fix this one as well). | | Vassilis | 2 | Jim L | | |
| 2077 | Non Monotonic timestamps. BugzID=72 | | Vassilis | 2 | Jim L | | |
| 2078 | bau_sunpulse_met assumes x86 endiannes (BugzID=13) | | Vassilis | 2 | Jim L | | |
| 2080 | Phantom packets" cause non-monotonic distribution times. BugzID=25, low priority. | | Vassilis | 3 | Jim L | | |
| 2081 | Evaluate CDF compression algorithms BugZid=81 | | Vassilis | 3 | Jim L | | |
| 2083 | Add "last processed" time to L1 (and L2?) CDFs BugZid=115 | | Vassilis | 3 | Jim L | | |
| 2084 | . transforming one data point from SM coordinates to GSM | | Christine | 3 | Jim L | | |
| | coordinates. ct=time_double('2008-02-16/04:50:00') dipole=[[0],[0],[1]] v=[1,2,3] store_data, 'dipole_sm', 'data={x:ct,y:dipole,v:v} cotrans, 'dipole_sm', 'dipole_gsm', 'SM2GSM cotrans, 'dipole_gsm', 'dipole_gse',/GSM2GSE get_data, 'dipole_gse',data=dipole_gse xdipgse=dipole_gse.y[0] ydipgse=dipole_gse.y[1] zdipgse=dipole_gse.y[2] tilt=atan(xdipgse,zdipgse) When I check the data for 'dipole_gsm', the values are 0,0,0. I'm not sure what they SHOULD be, but I know that their magnitude should equal 1. sqrt(x^2+y^2+z^2)=1 | | | | | | |
| | | | | | | | |
| | Jim M | | | | | | |
| 2270 | · · · · · · · · · · · · · · · · · · · | 10/19/2009 | David | 0 | Jim M | if data is missing then we will investigate | |
| 2270 2272 | gmag warnings - blank site names review beta site quality flag web pages and add maneuver flag to described by the site of the | 10/19/2009 : 10/19/2009 | David David | 0 | Jim M Jim M | if data is missing then we will investigate | |
| 2270 2272 2275 2199 | gmag warnings - blank site names | 10/19/2009 : 10/19/2009 10/22/2009 8/3/2009 | | | | if data is missing then we will investigate Hannes will take on this task | |
| 2272 2275 | gmag warnings - blank site names review beta site quality flag web pages and add maneuver flag to desc FGM L2 reprocessing taking much longer than usual - review | 10/19/2009 | David David | 1 | Jim M Jim M | | |
| 2272 2275 2199 | gmag warnings - blank site names review beta site quality flag web pages and add maneuver flag to desc FGM L2 reprocessing taking much longer than usual - review AE Index - quality control check plots for traces without gaps | 10/19/2009 | David David Vassilis | 1 1 1 | Jim M Jim M Jim M | Hannes will take on this task March 1-15, 2008 complete. at Feb 6,2009 and processing. Second processor Feb | |
| 2272 2275 2199 2048 | gmag warnings - blank site names review beta site quality flag web pages and add maneuver flag to described beta site quality flag web pages and add maneuver flag to described beta site quality control check plots for traces without gaps Process full resolution for March 1-15 2008, Jan 15 2009 and onward. SCM L2 cdf one outstanding issue with THM_LOAD/THM_CAL_EFI is that for some reason when I ask for the calibrated data in SPG (which should just be adjustment of gains and offsets, and conversion from ADC units to physical units, the code is trying to do some despin operations. Since this has direct impact on my ability to evaluate the | 10/19/2009 | David David Vassilis Vassilis | 1 1 1 | Jim M Jim M Jim M | Hannes will take on this task March 1-15, 2008 complete. at Feb 6,2009 and processing. Second processor Feb 27,2009. Going to March 15, 2009 test files to be re-sent to SPDF with enhanced meta data. Will send Test Data to Olivier. | |
| 2272 2275 2199 2048 | gmag warnings - blank site names review beta site quality flag web pages and add maneuver flag to described beta site quality flag web pages and add maneuver flag to described beta site quality flag web pages and add maneuver flag to described beta for traces without gaps Process full resolution for March 1-15 2008, Jan 15 2009 and onward. SCM L2 cdf one outstanding issue with THM_LOAD/THM_CAL_EFI is that for some reason when I ask for the calibrated data in SPG (which should just be adjustment of gains and offsets, and conversion from ADC units to physical units, the code is trying to do some despin | 10/19/2009 10/22/2009 8/3/2009 | David Vassilis Vassilis Vassilis | 1 1 1 1 | Jim M Jim M Jim M Jim M | Hannes will take on this task March 1-15, 2008 complete. at Feb 6,2009 and processing. Second processor Feb 27,2009. Going to March 15, 2009 test files to be re-sent to SPDF with enhanced meta data. Will send Test Data to Olivier. Olivier will send feedback by 10/30. | |
| 2272 2275 2199 2048 2056 2228 | gmag warnings - blank site names review beta site quality flag web pages and add maneuver flag to desc FGM L2 reprocessing taking much longer than usual - review AE Index - quality control check plots for traces without gaps Process full resolution for March 1-15 2008, Jan 15 2009 and onward. SCM L2 cdf one outstanding issue with THM_LOAD/THM_CAL_EFI is that for some reason when I ask for the calibrated data in SPG (which should just be adjustment of gains and offsets, and conversion from ADC units to physical units, the code is trying to do some despin operations. Since this has direct impact on my ability to evaluate the EFI data quality, | 9/3/2009 | David David Vassilis Vassilis Vassilis | 1 1 1 1 1 1 | Jim M Jim M Jim M Jim M | Hannes will take on this task March 1-15, 2008 complete. at Feb 6,2009 and processing. Second processor Feb 27,2009. Going to March 15, 2009 test files to be re-sent to SPDF with enhanced meta data. Will send Test Data to Olivier. Olivier will send feedback by 10/30. fix awaiting JB review, eta 10/15 in progress all done except quality flags. That to come 10/15. Then test files to be sent to | |
| 2272 2275 2199 2048 2056 2228 2225 | gmag warnings - blank site names review beta site quality flag web pages and add maneuver flag to descrete f | 9/3/2009 8/31/2004 9/8/2009 | David Vassilis Vassilis Vassilis Vassilis Vassilis | 1 1 1 1 1 1 | Jim M Jim M Jim M Jim M Jim M | Hannes will take on this task March 1-15, 2008 complete. at Feb 6,2009 and processing. Second processor Feb 27,2009. Going to March 15, 2009 test files to be re-sent to SPDF with enhanced meta data. Will send Test Data to Olivier. Olivier will send feedback by 10/30. fix awaiting JB review, eta 10/15 in progress all done except quality flags. That to come 10/15. Then test files to be sent to SPDF and Jon Bonnell test files have been sent SPDF. Awaiting | |
| 2272 2275 2199 2048 2056 2228 2225 | gmag warnings - blank site names review beta site quality flag web pages and add maneuver flag to described beta site quality flag web pages and add maneuver flag to described beta site quality control check plots for traces without gaps Process full resolution for March 1-15 2008, Jan 15 2009 and onward. SCM L2 cdf one outstanding issue with THM_LOAD/THM_CAL_EFI is that for some reason when I ask for the calibrated data in SPG (which should just be adjustment of gains and offsets, and conversion from ADC units to physical units, the code is trying to do some despin operations. Since this has direct impact on my ability to evaluate the EFI data quality, L2 EFI cdf (quality flags) ESA velocity (thb - 8/11/09) less than 10 to the -10 change to nan's MOM - quality flags converted to binary, saturation flag, solar wind flag and maneuver flag, data desc and processing history web page updates. Change pointer to Processing History in master cdf. | 9/3/2009 8/31/2004 9/8/2009 | David David Vassilis Vassilis Vassilis Vassilis Vassilis Vassilis | 1 1 1 1 1 1 | Jim M Jim M Jim M Jim M Jim M Jim M | Hannes will take on this task March 1-15, 2008 complete. at Feb 6,2009 and processing. Second processor Feb 27,2009. Going to March 15, 2009 test files to be re-sent to SPDF with enhanced meta data. Will send Test Data to Olivier. Olivier will send feedback by 10/30. fix awaiting JB review, eta 10/15 in progress all done except quality flags. That to come 10/15. Then test files to be sent to SPDF and Jon Bonnell test files have been sent SPDF. Awaiting Vladimir and SPDF feedback. | |
| 2272 2275 2199 2048 2056 2228 2225 2234 | gmag warnings - blank site names review beta site quality flag web pages and add maneuver flag to described by the site quality flag web pages and add maneuver flag to described by the site quality control check plots for traces without gaps Process full resolution for March 1-15 2008, Jan 15 2009 and onward. SCM L2 cdf one outstanding issue with THM_LOAD/THM_CAL_EFI is that for some reason when I ask for the calibrated data in SPG (which should just be adjustment of gains and offsets, and conversion from ADC units to physical units, the code is trying to do some despin operations. Since this has direct impact on my ability to evaluate the EFI data quality, L2 EFI cdf (quality flags) ESA velocity (thb - 8/11/09) less than 10 to the -10 change to nan's MOM - quality flags converted to binary, saturation flag, solar wind flag and maneuver flag, data desc and processing history web page updates. Change pointer to Processing History in master cdf. ESA - quality flags converted to binary, maneuver flag, data desc and processing history web page updates. Change pointer to Processing | 9/3/2009 8/31/2009 8/31/2009 8/31/2009 9/8/2009 | David David Vassilis Vassilis Vassilis Vassilis Vassilis Vladimir | 1 1 1 1 1 | Jim M | Hannes will take on this task March 1-15, 2008 complete. at Feb 6,2009 and processing. Second processor Feb 27,2009. Going to March 15, 2009 test files to be re-sent to SPDF with enhanced meta data. Will send Test Data to Olivier. Olivier will send feedback by 10/30. fix awaiting JB review, eta 10/15 in progress all done except quality flags. That to come 10/15. Then test files to be sent to SPDF and Jon Bonnell test files have been sent SPDF. Awaiting Vladimir and SPDF feedback. test files have been sent SPDF. Awaiting Vladimir and SPDF feedback. | |
| 2272 2275 2199 2048 2056 2228 2225 2234 | gmag warnings - blank site names review beta site quality flag web pages and add maneuver flag to described by the site quality flag web pages and add maneuver flag to described by the site quality control check plots for traces without gaps Process full resolution for March 1-15 2008, Jan 15 2009 and onward. SCM L2 cdf one outstanding issue with THM_LOAD/THM_CAL_EFI is that for some reason when I ask for the calibrated data in SPG (which should just be adjustment of gains and offsets, and conversion from ADC units to physical units, the code is trying to do some despin operations. Since this has direct impact on my ability to evaluate the EFI data quality, L2 EFI cdf (quality flags) ESA velocity (thb - 8/11/09) less than 10 to the -10 change to nan's MOM - quality flags converted to binary, saturation flag, solar wind flag and maneuver flag, data desc and processing history web page updates. Change pointer to Processing History in master cdf. ESA - quality flags converted to binary, maneuver flag, data desc and processing history web page updates. Change pointer to Processing History in master cdf. ESA and MOM Reprocessing when 2232-2234 are done, update data | 9/3/2009 8/31/2009 8/31/2009 8/31/2009 9/8/2009 | David David Vassilis Vassilis Vassilis Vassilis Vassilis Vassilis Vladimir Vladimir | 1 1 1 1 1 1 | Jim M | Hannes will take on this task March 1-15, 2008 complete. at Feb 6,2009 and processing. Second processor Feb 27,2009. Going to March 15, 2009 test files to be re-sent to SPDF with enhanced meta data. Will send Test Data to Olivier. Olivier will send feedback by 10/30. fix awaiting JB review, eta 10/15 in progress all done except quality flags. That to come 10/15. Then test files to be sent to SPDF and Jon Bonnell test files have been sent SPDF. Awaiting Vladimir and SPDF feedback. test files have been sent SPDF. Awaiting Vladimir and SPDF feedback. test files have been sent SPDF. Awaiting Vladimir and SPDF feedback. | |

| 2227 | L2 SST cdf revisions | 8/31/2004 | Vassilis | 2+ | Jim M | awaiting SST calibrations |
|-------|--|------------|------------------|----|-----------|---|
| 2061 | Data Description Paragraphs - EFI, SCM, FFT, ASI and GMAG | | David | 2+ | Jim M | |
| 2057 | SCM CAL File Processing Doc | | Vassilis | 2 | Jim M | text completed. Put into std document format and send to Olivier for review |
| 2058 | found 3 errors in the new th*_l2_esa masters - the good news is, with | | Vassilis | 2 | Jim M | and sorte to crivier let review |
| 2060 | them fixed in our masters, all plotting issues w/ the ESA files (in L2 cdf Quality Flags: for SST | | Vassilis | 2 | Jim M | |
| | L2 File Definitions Document - awaiting L1 document to be completed | | David | 2 | Jim M | |
| 2173 | to use as template. | | David | | JIIII IVI | |
| 2062 | Alberta - At the moment the data files are from Dawson (daws), Churchill (fchu), Island Lake (isll) and Fort McMurray (mcmu). I will add Rabbit Lake and Taloyoak at some time but we have some issues with mag pointing at those 2 sites. If you recall, the agreement between Ian and Vassilis was that this data wouldn't be copied to become part of a mirrored archive like the existing data we provide. Instead, each file would be obtained from this site each time it is | | Vassilis | 2 | Jim M | |
| | requested (using curl or some such). This means we can use our own logs to monitor data usage. Themis Software to be able to retrieve | | | | | |
| | from Alberta | | | | | |
| 2087 | Administrator's Guide | | Vassilis | 2 | Jim M | |
| 2088 | Themis Developers Guide | | Vassilis | 2 | Jim M | |
| 2224 | thm_load_mom: for quantities like velocity, the coordinate system isn't stored in the meta data, and none of the units are stored in the place we normally try to store them (from Pat - Vassilis concurs) Will take a look. | | Vassilis | 2 | Jim M | |
| 2090 | that streamlines the generation of gmag stackplots and a crib to show | | Vassilis | 2 | Jim M | |
| 2091 | how to do this. (< than a day) Once Jim McFadden completes his mods for n_3d_new_3 reprocess L2 cdf's - entire mission | | Vassilis | 2 | Jim M | |
| 2092 | thm_load_mom changes - reconcile mods with Davin at an appropriate time. | | Vassilis | 2 | Jim M | |
| 2055 | ESA L2 from L1 (not packets) - create L2 and test thoroughly, then | | Vassilis | 2+ | Jim M | On Hold; awaiting Jim L to split L1 into master |
| 2093 | reprocess ESA AE Indexes Issue Jan 8-12, keyograms Jan 12-13, Stripes- Vassilis: | | Vassilis | 3 | Jim M | cdf |
| 2094 | minor nuisance Overview plot change: mode bar seems thick | | Vassilis | 3 | Jim M | nothing we can do easily |
| | Mosaic Processing - permanent script needed | | Vassilis | 3 | Jim M | nothing we can do easily |
| | EFI calibration | | John Bonnell | 3 | Jim M | |
| | DC offset between 4sdo and 2sdo in boom plane | | John Bonnell | 3 | Jim M | Which is better? Assigned to J. B. (low |
| | | | | | • | priority). |
| 2100h | Try to track down frequency scaling problem in DPWRSPC (dlimit setting? Compare to old plots?). | | John Bonnell | 3 | Jim M | On Hold - low priority |
| 2100p | Modify THM_CAL_FIT to treat efs datatype - Install E12/E34 conditional based on th?_fit_code TPLOT variable. If E12 switched to E34 software needs to be revised to handle | | John Bonnell | 3 | Jim M | |
| | Pat | | | | | |
| 2069 | Support Mirror Sites | | Vassilis | 0 | Pat | |
| | Japan (ISAS) | | Vassilis | 0 | Pat | |
| | Austria | | Vassilis | 0 | Pat | |
| 2069c | France | | Vassilis | 0 | Pat | (Rumi - not always up to date for gmags) |
| | Support gmag data remote sites | | Vassilis | 0 | Pat | |
| | Augsburg (MACC's) | | Vassilis | 0 | Pat | |
| 2070b | | | Vassilis | 0 | Pat | |
| | Greenland | 40/04/000 | Vassilis | 0 | Pat | |
| 22/6 | When looking at the summary plots and copying them into other files the plots jump to a different time slot. For example I was displaying a summary plot with a 2 hour duration then I changed it to a six hour duration it kept jumping back to the 2 hour version while it was copied. In some cases it was not possible to copy the frame the user | 10/21/2009 | Stephen Mende | 0 | Pat | |
| | When new FGM Cal files come from David Fisher reprocess last 6 months. | 10/16/2009 | Pat | 0 | Pat | ongoing |
| | there used to be a tool on the themis server which gave us the cumulative web access stats for website summary plot access and data downloads via the THEMIS IDL software. | 10/22/2009 | Dave Milling | 0 | Pat | |
| 2274 | I noticed a GUI slow-down that seems to occur when a lot of data is | 10/20/2009 | Pat | 4 | Pat | |
| 2214 | loaded. For example, it was taking 7 seconds to open the loaded data panel. I think we should list it as a task, as I have a feeling that the problem can be avoided by some careful optimization. | 10/20/2009 | rai | 1 | rdl | |
| 2279 | How's it going with the stats? I noticed the query takes some time because it's looking at the whole table. It could be refined for specific time periods. The delay in return could be what's causing Dave to have access problems - or the SSL firewall? | 10/23/2009 | Tim | 2 | Pat | see 2277 |
| 2034g | revised QA script for STATE (path finder for other scripts to be revised later) | | Vassilis | 1 | Pat | On hold until Jim L finishes 2034f |
| 2085h | change plot key | | Vassilis | 1 | Pat | change in progress - one more change to |
| | | | | | | make |

| 2263 | I think the way log minor ticks are spaced when the ticks have more than order of magnitude spacing isn't quite right. By which I mean that I see it done differently on publication plots. Right now, the minor ticks are placed so that they logarithmically divide an entire tick interval. On publications I often see it with the minor ticks only spanning a single order of magnitude, even if the major ticks span multiple orders of magnitude. | 10/12/2009 | Pat | 1 | Pat | | 2-3 hrs |
|-------|--|------------|-----------|---|-----|--|---------|
| 2147c | Reprocess L2 FGM products with enhanced code | | FGM Team | 2 | Pat | should hear from FGM review team by 10/30 | |
| | Few tweaks to the FGM: 1. As Ferdinand updates his code, he's been making small changes and sending me new versions. 2. Edita would like me to add keywords so that the FGM Team can get copies of the data after each stage in the calibration process so that they can validate the calibrations | 10/19/2009 | FGM Team | 2 | Pat | completed - awaiting awaiting feedback from Ferdinand and David Fisher | |
| | with new FGM processing - update load routine with warning | 10/19/2009 | David | 2 | Pat | aveiting appropriate of 04474 leaves and a | |
| 2147f | Send out notification to users a month before fgm reprocessing. Using bleeding edge that can generate the new data. | | | | | awaiting completion of 2147d. Incremental 5.2? | |
| 2269 | Notify Jim M to make FGM keywords standard for L2 Processing. | 10/19/2009 | FGM Team | 2 | Pat | on hold until before fgm reprocessing | |
| 2136 | When we implemented tplot_gui, we gave it support for the most important tplot options, but not many of the more obscure ones. It might be worthwhile to create a task for someone to go through exhaustively and implement as many tplot options as is feasible. That way people can more easily use the gui like an interactive version of tplot. Right now I feel like the more obscure options end up leading to gui plots that still look reasonably different from tplot plots. | | Pat | 2 | Pat | in progress | 16 |
| 2115 | tplot does not fail gracefully after illegal margin set. In this case: tplot_options,'xmargin',[100,100], tplot does not fail gracefully after illegal margin set. In this case: tplot_options,'xmargin',[-1,-1]tplot does not fail gracefully after illegal margin set. In this case: tplot_options,'ymargin',[100,100] | | | 2 | Pat | | 40 |
| 2267 | if you want to load a template, you need to pass the template path in via a keyword, or select an option to open it from the THEMIS->File Menu. I think we should consider adding the template path to the configuration file that we save, so that it can be loaded automatically. | 10/19/2009 | Pat | 2 | Pat | | |
| 2176 | I ran into a small annoyance today when loading a themis document. I had originally loaded ESA and SST data for one time period, then overwrote that data by loading the same quantities but for a different time period. I did this several times and then saved the document for later. When re-opening the document I got a series of prompts asking whether I would like to re-write each quantity. It would speed up and streamline the process in this case if data that was later overwritten is not loaded when you open the document. | | Aaron | 2 | Pat | I spoke to Pat about this yesterday and we both agreed that while we cannot be sure which quantities should be re-loaded and which shouldn't (some may have been used temporarily for calculations). However, we can store the users's original choice to overwrite the data or not. So while we may not be able to save on loading time we can still keep the user from having to click multiple messages and from having to remember what they chose originally. The latter is particularly important since they may receive errors or get corrupted data if they do not choose the correct option | |
| 2201 | One feature that was never implemented for the mini-language is globbing.(The ability to use "* and '?' to reference multiple tplot variables at once.) This is a feature that is standard with many of our other tplot data processing routines. I think it would be very useful to include in the mini-language. | 8/5/2009 | Pat | 2 | Pat | | |
| 2187 | I noticed a bug in the x-axis options panel. It probably also applies to the y-axis options. If the set-all button is selected on the grid tab, then changing panels doesn't update the settings on the grid tab to the settings currently displayed for that panel. | | Pat | 2 | Pat | set to most recent user action for all routines | |
| 2041 | thm_load_state out_coord velocity calculations wrong | | Vassilis | 2 | Pat | | |
| 2135 | I didn't realize the cotrans messed up the velocities for earth centered coordinates. Maybe what we really need to do is modify cotrans so that it correctly transforms velocities. Users can incorrectly transform velocities just as easily using thm_cotrans on the command line, as they can using the coord keyword. | | Pat/Jim L | 3 | Pat | | |
| 2124 | I loaded a plot which had the line color as white. Because the legend plots in the same color as the line, the legend text did not show up. We should probably just put in a check for this case. If the line is white and the background is white then draw the text in black | | Pat | 3 | Pat | | |

| | | | 1 | | | | |
|------|---|-----------|-------|---|-----|--|------------|
| 2063 | Problem with edit3dbins is being caused by IDL's mouse system variable not being updated correctly on Macs. The ctime procedure, used to interactively select a time from a tplot window, relies on this variable to determine when a selection has been made in the tplot window. If the variable is never updated then ctime gets caught in an infinite loop. It's unclear whether this is specific to a particular OS version, but the routine should probably be modified at some point to maximize compatibility with Macs. In the meantime the alternate method of calling gettime that I copied you on yesterday should provide a temporary way around this bug. | | Aaron | 3 | Pat | verify note in quick reference guide and then task will be closed | 4-8 hrs |
| 2106 | Add the ability to right-click on a variable in the widget-tree and display a popup with basic information about the quantity such as dimensions, range, or other meta data as well as the ability to rename variable | | Pat | 3 | Pat | originally part of task 64, however, after further evaluation, it was determined this best belonged with the widget tree rather than the analysis window | 4 hrs |
| 2220 | I found a small bug in the z-axis panel in the gui. If I change the z-axis annotation size of a layout with 2-panels each with one spectrogram, when I apply this change, it gets applied to both panels, even if set-all is off. | 8/27/2009 | Pat | 3 | Pat | | |
| | | | | | | | 16-24 hour |
| | Misc | | | | | | |
| 447 | Save THEMIS document: Attempting to save to a read only file in Windows outputs the correct error message, but IDL crashes immediately afterwards. | | | 1 | | IDL Error report to ITT | 4 hrs |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |