Task #	Task Description	Date Opened	Reported By	Pri	Assigned To	Notes	Estimate (hrs)
	To be Assigned or Discussed						
2286							
2287							
2288							
2289							
2290							
	General						
2186	I noticed that the Data->Collaboration Tools->(subcategories) fall	7/28/2009	Michael	2	Amanda		
	behind the ARTEMIS graphic.	44/E/2000	Dovid	2	Amondo		
	Revise ESA and MOM Data Historyweb pages Revise the Data Products Web page and send to Amanda	11/5/2009	David David	2	Amanda David		
	Incorporate electron calibration into data	10/25/2009	Vassilis		David		
	Enhanced SST and MOM Instrument Web Pages	10/23/2003	David		Davin		
2103	EAC offsets	8/1/2009	John Bonnell	2	John B	John has taken AC coupled data -> he will get me the offsets and the switch-over times. Etc November	
2216	Fix the sign reversal of e34.	8/13/2009	Michael	tbd	John B	Etc 10/23	
	one outstanding issue with THM_LOAD/THM_CAL_EFI is that for some reason when I ask for the calibrated data in SPG (which should just be adjustment of gains and offsets, and conversion from ADC units to physical units, the code is trying to do some despin operations. Since this has direct impact on my ability to evaluate the EFI data quality,	9/8/2009	Jim M		John B	Review Jim's fix, Eta 10/23	
	Harald ASI software - running fine as of October 19, 2:20pm				Harald		
	ASI Software - Turining line as of October 19, 2.20pm				Патаіц		
	Thumbnail Data (updates will come around November 10): - cdf files done until September 30, 2009				Harald	Updates ready 7-10th of the next month	
	- overview plots done until September 30, 2009						
	- movies done until July 31, 2009						
	Full repolution row date:				Horold	2 now Colored disks containing full recolution	
	Full-resolution raw data:				Harald	2 new Calgary disks containing full resolution data until mid April 2009. Finished processing everything until 1/31/2009. February in process.	
	- complete for 2007 and 2008 - reasonably complete until February-2009, waiting for transfer disks from Calgary						
	Full resolution data: - data cdf done for all 2007 and 2008 and for everything available for				Harald		
	- data coi done for all 2007 and 2008 and for everything available for 2009						
	- keogram cdf done for 2007 and 2008 and for everything available for 2009						
	Web site mosaics and movies:						
	Mosaics and movies reprocessed for 2007/2008 season     Mosaics and movies reprocessed for 2008/2009 season					November 2008 mosaics to be reprocessed	
	- Mosaics and movies reprocessed for 2006/2009 season					November 2006 mosaics to be reprocessed	
	Web site overview plots with full resolution data: - overview plots done for 2007 and 2008 and for everything available						
	for 2009 - overview plots done for 2007 and 2008 and for everything available for 2009						
2069d	UCLA – mirror site set-up		Vassilis	1	Harald	UCB has sent 4 bricks to UCLA. After brick transfer UCLA will need to supply SSH key - RSYNC Key.	
	Hannes						
2199	AE Index - quality control check plots for traces without gaps	8/3/2009	Vassilis	1	Hannes	on going	
	Attitude Determination changed based on spin tone removals?	10/19/2009	Hannes	1	Hannes	in progress; on hold until new calibration file comes in december	
2258	When V03 State is reprocessed - reprocess Ascii Files	10/8/2009	Jim L	1	Hannes	on hold	
	quality flag for FGM data Spin modeling during shadows BugZid=43		Vassilis Vassilis	2	Hannes Hannes	on hold  Jim L to write routine. Hannes send info.	
	Vladimir						
	Aaron						
2033	VMO file generation		David	1	Aaron		
	One variable change to ASI files and possibly the whole repository		David	1	Aaron	changes sent to Jan	
	SCM and EFI L2 variables		David	1	Aaron	awaiting Jim M sign-off	
2033c	V03 L2 STATE - revision needed?		David	1	Aaron	send Jan an email	
2020b	If requesting 1 hour of data using timespan, then load data using one of our load data routines.: EFI and SCM		Vassilis	1	Aaron	in progress	
2013	2-D, 3-D slices enhancements					Talk to Andrea, Christine, Shanshan	
2013g	Integrate into gui - load slices in idl medical imagery software		Vassilis	1	Aaron	data analysis gui section	

1

	Part I - 2D/3D option to Analysis pull down menu 2. Create new					in progress - Part I almost ready and then
	window allowing user to select options including widgets for					when will be reviewed with researchers
	a. data type					
	b. type of slice 2D or 3D,					
	c. calendar date, d. left/right arrow keys to allow user to scroll through data Part II 3.					
	From the new window					
	a. If 2D selected launch the 2D window					
	b. If 3D selected launch both the 2D and 3D windows					
	c. TBD how the two windows will interact 4. Modifications will need					
	to be made to Bryans code for this application 5. Will need to handle					
	automatic loading of calibration and/or ancillary					
2013j	Make plot_part_slice2d.pro more complete by adding in plotting		Vassilis	1	Aaron	on hold until Part II of 2013g
,	keywords/options available in thm_esa_slice2d.					
2013k	Create our own version of slicer3.pro that can take user input to setup		Vassilis	1	Aaron	will be completed when 2013g Part II
	colors, orientation, etc. when it's called.					completed
20131	Integrate our own slicer3.pro gui with regular 2-D slice plots.		Vassilis	1	Aaron	will be completed when 2013g Part II
0050	Fig. with a series Obsistinate list of 0/00/00	0/00/0000	Ob sinking	0	Λ	completed
2253 2027e	Fix crib errors - Christine's list of 9/23/09 Finishing the coordinate transformation of the thm_load_state data at	9/23/2009	Christine Vassilis	2	Aaron Aaron	not allow velocity to go bad
20276	input, to include transformation of spinaxis attitude, need to		Vassilis		Aaron	not allow velocity to go bad
	determine keyword switch, implement the rotation of the spinaxis					
	elevation/azimuth from gei to arbitrary coordinates (consult with Pat,					
	Vassilis)					
1579	When importing a variable with a valid 'V' component in its data		Pat	3	Aaron	
	struct, but no spec flag set in its meta data, the loaded data object					
	fails to load the y-axis. This should be fixed, as it ends up					
	incorrectly loading certain spectral quantities.					
2121	When thm_load_fit is called requesting a single data type it will also			3	Aaron	
	return some auxiliary data types. For example:					
	thm_load_fit,probe='b',datatype='fgs' returns: 1 thb_fit_code 2 thb_fit_npts 3 thb_fgs. load bug or test script bug) b. The					
	relpathnames all keyword is broken.					
2020			Vassilis	3	Aaron	
2028	Variable units – generic solution - thm_load_spin, _state, _hsk, _sst, _esa, _bau, _fgm, _fbk, _fft, _fit, _scm, _efi, _trg, _asi,		Vassilis	3	Aaron	
	_gmag, _ask, _mom, _esa_pkt					
2029	From Hannes		Hannes	3	Aaron	
2029a	Provided is the most common plot used by scientists that look at		Hannes	3	Aaron	
	magnetic field data. Four panels Bx By Bz Bt and the position X Y Z					
	as variables. Often the radial distance R is another variable. It would					
	be great if someone enters e.g. tplot, 'tha_fgs_gsm' such a useful					
	default plot would appear. I am currently not able to produce such a					
	plot using tplot. Another useful plot would be instead of one trace per panel, 5 traces per panel. One for each spacecraft and 5 sets of					
	positions as variables at the bottom. For example: tplot, 'th?_fgs_qsm'					
	could produce such a plot. Also some standard plots that combine					
	ground and spacecraft data could be useful. Notes from Vassilis:					
	define keyword /positions default 'none', allow GSM X Y Z, R Lat					
	Long,					
2029b	The level 2 CDF files at		Hannes	3	Aaron	
	http://themis.ssl.berkeley.edu/data_download.shtml should contain					
	position in various coordinate systems as well. Preferably in the same					
	resolution as the data. Otherwise Scientists need to get the position					
	from another source. Notes from Vassilis: option to introduce the data					
	in RE with keyword (one RE =6,478 kilometers ???). Like					
	thm_load_fgm /pos_units= 'RE'. Also thm_load_state keyword					
	out_coord = 'GSM', 'GSE',etc.					
005-				1		
2029c	If one loads fgm data from probe 'a' and let's say there are no data for		Hannes	3	Aaron	
	the chosen interval. The variables tha_fgl and tha_fgl_gsm etc.					
	should all be empty. It could be those variables still contain data from the previously loaded interval.					
2030	upgrade thm load to work with probe assignments		Vassilis	3	Aaron	
	1 0					
2031	move functionality of thm_load_state2 into thm_load_state and delete thm_load_state2		Vassilis	3	Aaron	
2032	Multiple enhancements concerning keywords, valid_names and		Vassilis	3	Aaron	
1	thm_load routines					
	Cindy					

2239	It looks like we may need to make some small modifications to the Load Themis Data panel to make it work correctly with the changes in thm_load_state. Bug #1 I just got the new version and noticed that if I load probe state/pos with gei coords selected, it correctly load tha_state_pos(in GEI), but now also loads tha_state_pos_gse and tha_state_pos_gsm. This is almost certainly because these new coordinate systems were just added to the state file. It should have only loaded the coordinate system requested. Also, if you request another coordinate system using the interface, it will transform all three into that coordinate system. So if I select coord='dsI', I will get tha_state_pos,tha_state_pos_gse, tha_state_pos_gsm, but despite their names, they will all actually be in DSL coordinates. Bug #2 We need to modify the panel so that it does not transform velocities incorrectly. Right now, if I load probe a/state/vel in spg coords, it will perform an incorrect transformation of the velocity into SPG. (incorrect as per our discussion on the limitations of the cotrans routine with respect to velocities) I don't think it should do this.	9/10/2009	Pat	1	Cindy	Pat will verify mods are ready to go	
2268	QA Prep - Revise GUI Test Suites and determine QA Reqd Tests	10/19/2009	David	1	Cindy	4 hours per week etc 11/13-11/20 (40% complete)	16
2284	Update GEM Software Presentation	11/2/2009	David	2	Cindy/Pat	. ,	
	Jim L						
2213	Anyway, I have found a burble (not monotonic) in the eff data type time series in this cdf file: thc_I1_eff_20070720_v01.cdf	8/11/2009	Michael	0	Jim L		
2278	It appears that the drift described below by Jim Lewis was responsible for the early drift in the attitude and the correct attitude is the average from the data after the flight software correction on May 4th. So we do need to put an ~1deg correction to the files affecting all instruments, and that should also be part of the absolute attitude in the state files. This offset is simply due to more accurate science modeling by Hannes. Let me know if you agree.		Vassilis	1	Jim L	It means that the cal routines for EFI and SCM need to pass a couple of keywords to thm_cotrans and/or spinmodel routines, so that the spin phase and spin attitude corrections will be used. Discuss at S/W Meeting	
2247	Another undesirable change between tdas_5_11 and the trunk has to do with the 'probe' keyword argument to thm_cotrans. In tdas_5_11, either the single letter 'a b c d e' or the longer 'tha thb thc thd the' names were accepted. In the trunk version, the longer 'thx' values are no longer accepted.	9/10/2009	Jim L	1	Jim L		1 hr
2034f	revised QA script for FGM (path finder for other scripts to be revised later)		Vassilis	1	Jim L	Jim will do for FGM and then Pat will do 2034g	
2149g	write a routine to check time tag monotonicity and repair tplot variable if necessary (with options for "replace with NaN" and "delete")		Jim L and Michael	1	Jim L	assign when 2149e started. Michael: Since it is difficult or impossible (in post-processing) to identify all of the bad time tags (or even some of them e.g., the fast->slow case), I recommend that we just remove what is needed to make the time tags monotonic, and issue a warning indicating that the user should consult the THEMIS software team about that data.	
2266	Timing of Spin Fit data	10/16/2009	Jim McFadden	1	Jim L		
2149h 2248	integrate time tag fixer-upper with TDAS load routines once in a while (maybe 10-20 occurrences per probe during the entire mission), the FGM range doesn't change on all three axes at once:	9/10/2009	Jim L Jim L	1	Jim L Jim L	see 2149g and h	
2082a	Spin modeling during shadows BugZid=43		Vassilis	2	Hannes	Jim L to write routine. Hannes send info.	
2035	Split L1 ESA (using Thomas's routine) in master ESA data cdf		Vassilis	2	Jim L	On Hold - awaiting Jim McFadden release: Then send David Sub Task List; Calibration variables removed from L1 data master CDF. (Side note: found and reported a bug in SKTEditor, which the Goddard team has agreed to fix) Waiting for feedback from Jim McFadden about how calibration data should be handled (TH-A ASCII calibration file (used for all probes) doesn't match anything I	

	We were just griping about how long the Overview plots take to load, and I was thinking, what if the Overview Plot window, had a list of check boxes that would enable the user to turn off certain plots? That way if they don't care about the AE index plot, they could turn it off and speed up the load of the rest of overview plots. Here's some more food for thought: didn't we recently discuss the possibility of making an AE index CDF, and let the users download that instead of downloading all the data necessary to recalculate it client-side? Another candidate for that sort of treatment might be the time intervals for slow survey, fast survey, particle burst, and wave burst—that's another calculation that requires a large volume of data to be downloaded to produce a		Bryan/JimL	2	Jim L	Separate L1
	tinal requires a large volume of data to be downloaded to produce a tiny product, but only a trivial amount of extra work if it's done on the server side.					
2036	GOES 10-12 Test data: h. update labels (Howard's request - minor tweak)		Vassilis	2	Jim L	determine if to be reassigned
	STATE Web Page (s)		Vassilis	2	Jim L	review web pages
	bad timing sun pulse times (early January 2009) L1 Data Processing History Info: SCM, EFI, STATE		Vassilis Vassilis	2	Jim L Jim L	Clarification needed
	FGM range changes in the mid packet. Post Proc maybe a solution to		Vassilis	2	Jim L	
	eliminate the spike. BugzID=44. Bfield mid-packet jumps.		ı			
	Refactor repeated CDF library code in CDF processing tools BugZid=50		Vassilis	2	Jim L	
2046	Create a more efficient & productive prototype QA Instrument Command Line Script - first template (s) functional blocks then		Vassilis	2	Jim L	
2047	Separate E and B timestamps for spin fits: a) make a revised V02 master CDF with E and B separated b) change thm_load_fit to support V01 and V02 of the L1 CDFs c) change the L0->L1 processing code d) change the L1->L2 processing code e) test the changes, then reprocess to create the V02 CDFs (keeping the V01 files around for a while to ease the transition) BugzID=45		Vassilis	2	Jim L	
2047a	FGS sample times and values, showing repeated timestamps. BugzID=113 (BugzID=67 must be done first)		Vassilis	2	Jim L	
2047b	Repeated timestamps and gaps in spin fit data BugZid=113 (#67 may fix this one as well).		Vassilis	2	Jim L	
2077	Non Monotonic timestamps. BugzID=72		Vassilis	2	Jim L	
2078	bau_sunpulse_met assumes x86 endiannes (BugzID=13)		Vassilis	2	Jim L	
2080	Phantom packets" cause non-monotonic distribution times. BugzID=25, low priority.		Vassilis	3	Jim L	
2081	Evaluate CDF compression algorithms BugZid=81		Vassilis	3	Jim L	
2083	Add "last processed" time to L1 (and L2?) CDFs BugZid=115		Vassilis	3	Jim L	
2084	. transforming one data point from SM coordinates to GSM coordinates. ct=time_double('2008-02-16/04:50:00') dipole=[[0],[0],[1]] v=[1,2,3] store_data,'dipole_sm',data={x:ct,y:dipole,v:v} cotrans,'dipole_sm','dipole_gsm',/SM2GSM cotrans,'dipole_gsm','dipole_gse',/GSM2GSE get_data,'dipole_gse',data=dipole_gse xdipgse=dipole_gse.y[0] ydipgse=dipole_gse.y[1] zdipgse=dipole_gse.y[2] tilt=atan(xdipgse,zdipgse) When I check the data for 'dipole_gsm', the values are 0,0,0. I'm not sure what they SHOULD be, but I know that their magnitude should equal 1. sqrt(x^2+y^2+z^2)=1		Christine	3	Jim L	
	Jim M					
2270	gmag warnings - blank site names	10/19/2009	David	0	Jim M	if data is missing then we will investigate
2281	missing U Alaska Gmag data	11/2/2009	Pat	0	Jim M	
2048	Process full resolution for March 1-15 2008, Jan 15 2009 and onward.		Vassilis	1	Jim M	March 1-15, 2008 complete. at Feb 9,2009 and processing. Second processor March 9,2009. Going to March 15, 2009
	Problems with onboard moments during solar wind are probably only a ground software issue. (There was some mis-communication between Davin and I about changes that never took place which caused some confusion.)  Ground software has never been modified to handle solar wind mode moments Davin is working on a modification that can at least allow him to check that the data is ok. There could potentially be other problems so we requested from Deron and John that they send us a copy of the EPROM data in a format easy to read so we can check that the onboard tables are what we think they are. For now we are pretty sure they are correct and the data should be fine. I think Davin will make a simple code change that will allow him to tell moments code to assume SW mode when decommutating moment packets. This should allow him to quickly test that the data is fine.	11/2/2009	Jim Mcfadden	1	Jim M	
2245	ESA and MOM Reprocessing when 2232-2234 are done, update data description and processing history web pages	9/10/2009	Vladimir	1	Jim M	reprocessing started 11/5. MOM complete.

2056	SCM L2 cdf		Vassilis	1	Jim M	test files to be re-sent to SPDF with enhanced meta data. Will send Test Data to Olivier.  Olivier will send feedback by 10/30.
2228	one outstanding issue with THM_LOAD/THM_CAL_EFI is that for some reason when I ask for the calibrated data in SPG (which should just be adjustment of gains and offsets, and conversion from ADC units to physical units, the code is trying to do some despin operations. Since this has direct impact on my ability to evaluate the	9/3/2009	John Bonnell	1	Jim M	fix awaiting JB review, eta 10/15
	EFI data quality,					
2225	L2 EFI cdf (quality flags)	8/31/2004	Vassilis	1	Jim M	in progress all done except quality flags. That to come 10/15. Then test files to be sent to SPDF and Jon Bonnell
2114	Load routines to all support keywords suffix			2	JimM	
	NO_DOWNLOAD keyword missing from thm_load_fbk.			2	JimM	
	L2 SST cdf revisions	8/31/2004	Vassilis	2+	Jim M	awaiting SST calibrations
	Data Description Paragraphs - EFI, SCM, FFT, ASI and GMAG SCM CAL File Processing Doc		David Vassilis	2+	Jim M Jim M	text completed. Put into std document format and send to Olivier for review
	There is another aspect to this problem. Dead-time corrections are severe for ion ESA SW data and there are no dead-time corrections for onboard moments. Some algorithm will have to be developed that does this correction after the fact. Davin developed an algorithm like this for Wind 3DP. That algorithm may not work directly due to differences in energy sweeps, but something like it could be developed for THEMIS. Davin and I can provide some advice and direction. Similarly electron onboard moments in the SW may also need some corrections this should also be worked out at the same time.	11/2/2009	Jim Mcfadden	2	Jim M	
	found 3 errors in the new th*_I2_esa masters - the good news is, with them fixed in our masters, all plotting issues w/ the ESA files (in		Vassilis	2	Jim M	
	L2 cdf Quality Flags: for SST		Vassilis	2	Jim M	
	L2 File Definitions Document		David	2	Jim M	
	Alberta - At the moment the data files are from Dawson (daws), Churchill (fchu), Island Lake (isll) and Fort McMurray (mcmu). I will add Rabbit Lake and Taloyoak at some time but we have some issues with mag pointing at those 2 sites. If you recall, the agreement between Ian and Vassilis was that this data wouldn't be copied to become part of a mirrored archive like the existing data we provide. Instead, each file would be obtained from this site each time it is requested (using curl or some such). This means we can use our own logs to monitor data usage. Themis Software to be able to retrieve from Alberta		Vassilis	2	Jim M	
2087	Administrator's Guide		Vassilis	2	Jim M	
	Themis Developers Guide		Vassilis	2	Jim M	
	thm_load_mom: for quantities like velocity, the coordinate system isn't stored in the meta data, and none of the units are stored in the place we normally try to store them (from Pat - Vassilis concurs) Will take a look.		Vassilis	2	Jim M	
2090	that streamlines the generation of gmag stackplots and a crib to show	1	Vassilis	2	Jim M	
2091	how to do this. (< than a day)  Once Jim McFadden completes his mods for n_3d_new_3 reprocess L2 cdf's - entire mission		Vassilis	2	Jim M	
2092	thm_load_mom changes - reconcile mods with Davin at an appropriate time.		Vassilis	2	Jim M	
2055	ESA L2 from L1 (not packets) - create L2 and test thoroughly, then reprocess ESA		Vassilis	2+	Jim M	On Hold; awaiting Jim L to split L1 into master cdf
2093	AE Indexes Issue Jan 8-12, keyograms Jan 12-13, Stripes- Vassilis: minor nuisance		Vassilis	3	Jim M	
2094	Overview plot change: mode bar seems thick		Vassilis	3	Jim M	nothing we can do easily
	Mosaic Processing - permanent script needed		Vassilis	3	Jim M	
	EFI calibration		John Bonnell	3	Jim M	
2100d	DC offset between 4sdo and 2sdo in boom plane		John Bonnell	3	Jim M	Which is better? Assigned to J. B. (low priority).
2100h	Try to track down frequency scaling problem in DPWRSPC (dlimit setting? Compare to old plots?).		John Bonnell	3	Jim M	On Hold - low priority
2100p	Modify THM_CAL_FIT to treat efs datatype - Install E12/E34 conditional based on th?_fit_code TPLOT variable. If E12 switched to E34 software needs to be revised to handle		John Bonnell	3	Jim M	
	Pat					
2069	Support Mirror Sites		Vassilis	0	Pat	
	Japan (ISAS)		Vassilis	0	Pat	
2069b			Vassilis	0	Pat	
2069c			Vassilis	0	Pat	(Rumi - not always up to date for gmags)
	Support gmag data remote sites		Vassilis	0	Pat	
	Augsburg (MACC's)		Vassilis	0	Pat	
	Alberta		Vassilis	0	Pat	
2070c	Greenland		Vassilis	0	Pat	
					_	

2265	When new FGM Cal files come from David Fisher reprocess last 6	10/16/2009	Pat	0	Pat	ongoing	
2280	months.  Retrieval of ASCII Data - Including 2009.	10/29/2009	Laura	1	Pat		
2034g	revised QA script for STATE (path finder for other scripts to be revised later)	10/23/2003	Vassilis	1	Pat	On hold until Jim L finishes 2034f	
2284	Update GEM Software Presentation	11/2/2009	David	2	Cindy/Pat		
2147c	Reprocess L2 FGM products with enhanced code		FGM Team	2	Pat	should hear from FGM review team by 10/30	
2147d	Few tweaks to the FGM: 1. As Ferdinand updates his code, he's been making small changes and sending me new versions. 2. Edita would like me to add keywords so that the FGM Team can get copies of the data after each stage in the calibration process so that they can validate the calibrations	10/19/2009	FGM Team	2	Pat	completed - awaiting awaiting feedback from Ferdinand and David Fisher	
2147f	Send out notification to users a month before fgm reprocessing. Using bleeding edge that can generate the new data.			2		awaiting completion of 2147d. Incremental 5.2?	
2269	Notify Jim M to make FGM keywords standard for L2 Processing.	10/19/2009	FGM Team	2	Pat	on hold until before fgm reprocessing	
2136	When we implemented tplot_gui, we gave it support for the most important tplot options, but not many of the more obscure ones. It might be worthwhile to create a task for someone to go through exhaustively and implement as many tplot options as is feasible. That way people can more easily use the gui like an interactive version of tplot. Right now I feel like the more obscure options end up leading to gui plots that still look reasonably different from tplot plots.		Pat	2	Pat	in progress	16
2115	tplot does not fail gracefully after illegal margin set. In this case: tplot_options, 'xmargin',[100,100], tplot does not fail gracefully after illegal margin set. In this case: tplot_options, 'xmargin',[-1,-1] -tplot does not fail gracefully after illegal margin set. In this case: tplot_options, 'ymargin',[100,100]			2	Pat		40
2267	if you want to load a template, you need to pass the template path in via a keyword, or select an option to open it from the THEMIS->File Menu. I think we should consider adding the template path to the configuration file that we save, so that it can be loaded automatically.	10/19/2009	Pat	2	Pat		
2176	I ran into a small annoyance today when loading a themis document. I had originally loaded ESA and SST data for one time period, then overwrote that data by loading the same quantities but for a different time period. I did this several times and then saved the document for later. When re-opening the document I got a series of prompts asking whether I would like to re-write each quantity. It would speed up and streamline the process in this case if data that was later overwritten is not loaded when you open the document.	7/20/2009	Aaron	2	Pat	I spoke to Pat about this yesterday and we both agreed that while we cannot be sure which quantities should be re-loaded and which shouldn't (some may have been used temporarily for calculations). However, we can store the users's original choice to overwrite the data or not. So while we may not be able to save on loading time we can still keep the user from having to click multiple messages and from having to remember what they chose originally. The latter is particularly important since they may receive errors or get corrupted data if they do not choose the correct option	
2201	One feature that was never implemented for the mini-language is globbing.(The ability to use '*' and '?' to reference multiple tplot variables at once.) This is a feature that is standard with many of our other tplot data processing routines. I think it would be very useful to include in the mini-language.	8/5/2009	Pat	2	Pat		
2187	I noticed a bug in the x-axis options panel. It probably also applies to the y-axis options. If the set-all button is selected on the grid tab, then changing panels doesn't update the settings on the grid tab to the settings currently displayed for that panel.	7/29/2009	Pat	2	Pat	set to most recent user action for all routines	
2041	thm_load_state out_coord velocity calculations wrong		Vassilis	2	Pat		
2285	Christine brought to my attention a bug that occurs if you use the TDAS tsyganenko routines in a way that is not really something that I expected, but seems to be a legitimate use of the routines. If passing in a set of input parameters that are stored in tplot variables but are not in time-series, the routine produces incorrect results.	11/4/2009	Christine	2	Pat		
	How's it going with the stats? I noticed the query takes some time because it's looking at the whole table. It could be refined for specific time periods. The delay in return could be what's causing Dave to have access problems - or the SSL firewall?	10/23/2009	Tim	3	Pat	see 2277	
2135	I didn't realize the cotrans messed up the velocities for earth centered coordinates. Maybe what we really need to do is modify cotrans so that it correctly transforms velocities. Users can incorrectly transform velocities just as easily using thm_cotrans on the command line, as they can using the coord keyword.		Pat/Jim L	3	Pat		

2124	I loaded a plot which had the line color as white. Because the legend plots in the same color as the line, the legend text did not show up. We should probably just put in a check for this case. If the line is white and the background is white then draw the text in black		Pat	3	Pat		
2063	Problem with edit3dbins is being caused by IDL's mouse system variable not being updated correctly on Macs. The ctime procedure, used to interactively select a time from a tplot window, relies on this variable to determine when a selection has been made in the tplot window. If the variable is never updated then ctime gets caught in an infinite loop. It's unclear whether this is specific to a particular OS version, but the routine should probably be modified at some point to maximize compatibility with Macs. In the meantime the alternate method of calling gettime that I copied you on yesterday should provide a temporary way around this bug.		Aaron	3	Pat	verify note in quick reference guide and then task will be closed	4-8 hrs
2106	Add the ability to right-click on a variable in the widget-tree and display a popup with basic information about the quantity such as dimensions, range, or other meta data as well as the ability to rename variable		Pat	3	Pat	originally part of task 64, however, after further evaluation, it was determined this best belonged with the widget tree rather than the analysis window	4 hrs
2220	I found a small bug in the z-axis panel in the gui. If I change the z-axis annotation size of a layout with 2-panels each with one spectrogram, when I apply this change, it gets applied to both panels, even if set-all is off.	8/27/2009	Pat	3	Pat		16.24 hour
	Misc						16-24 hour
447	Save THEMIS document: Attempting to save to a read only file in Windows outputs the correct error message, but IDL crashes immediately afterwards.			1		IDL Error report to ITT	4 hrs
	anniosado) ditoritarso						
						-	
-							
		1	1	1			1