

Task #	Task Description	Date Opened	Reported By	Pri	Assigned To	Notes	Estimate (hrs)
To be Assigned or Discussed							
4027							
4028							
4029							
4030							
4031							
4032							
4033							
4034							
4035							
General							
2186	I noticed that the Data->Collaboration Tools->(subcategories...) fall behind the ARTEMIS graphic.	7/28/2009	Michael	2	Amanda	Run Compatability View in Internet Explorer	
	Complete Charts in UCLA and UCB rollups	2/1/2010	David	1	David		
4013	Plot Description Doc Button	3/22/2010	David	2	David	Developed by Pat	
4014	Each Month - Tips dujour	3/22/2010	David	2	David	STATE cdf Desc doc first - developed by Jim L	
4000	Document: Developers Guide	3/5/2010	David	2	Team		
4001	Document: Administrators Guide	3/5/2010	David	2	Team		
	Incorporate electron calibration into data	10/25/2009	Vassilis		Davin		
	Enhanced SST and MOM Instrument Web Pages		David		Davin		
2103	EAC offsets	8/1/2009	John Bonnell	2	John B	John has taken AC coupled data -> he will get me the offsets and the switch-over times. (eta: 4/30/10)	
2228	one outstanding issue with THM_LOAD/THM_CAL_EFI is that for some reason when I ask for the calibrated data in SPG (which should just be adjustment of gains and offsets, and conversion from ADC units to physical units, the code is trying to do some despin operations. Since this has direct impact on my ability to evaluate the EFI data quality,	9/3/2009	John Bonnell	1	John B	John to review Jim's fix, eta 4/10	
2216	Fix the sign reversal of e34.	8/13/2009	Michael	tbd	John B	eta 4/10/10	
2225	L2 EFI cdf (quality flags)	8/31/2004	Vassilis	1	John B	Jim M to create master cdf with few new variables. John to look at data and describe the criteria for the quality flags. (eta 4.10.10)	
Harald							
3094	Sort out Disk Space and Hardware needed for 2010	2/22/2010	David	1	Harald Jon Loran		
	ASI software - running fine as of 11 January 2010, L1's and mosaics are up-to-date.				Harald		
	Thumbnail Data:				Harald	Updates ready 7-10th of the next month	
	- cdf files done until January 31, 2010						
	- overview plots done until January 31, 2010						
	- movies done until January 31, 2010						
	Full-resolution raw data:				Harald		
	- complete for 2007 and 2008						
	- reasonably complete until mid Nov-2009						
	Full resolution data:				Harald		
	- data cdf done for all 2007 and 2008 and mid Nov-2009						
	- keogram cdf done for 2007 and 2008 and until mid Nov-2009						
	Web site mosaics and movies:						
	- Mosaics and movies reprocessed for 2007/2008 season						
	- Mosaics and movies reprocessed for 2008/2009 season						
	Web site overview plots with full resolution data:						
	- overview plots done for 2007 and 2008 and until 02/28/09						
2069d	UCLA - mirror site set-up		Vassilis	1	Harald	UCB has sent 4 bricks to UCLA. After brick transfer UCLA will need to supply SSH key - RSYNC Key.	
Hannes							
4018	New Calibration FGM parameters and spin axis offsets	3/22/2010	Hannes	1	Hannes		
2273	Attitude Determination changed based on spin tone removals?	10/19/2009	Hannes	1	Hannes	Hannes will process See 3023	
2074c	quality flag for FGM data		Vassilis	2	Hannes	on hold	
2082a	Spin modeling during shadows BugZid=43		Vassilis	2	Hannes	Jim L to write routine. Hannes send info.	
Aaron							
2033	VMO file generation (EFI and SCM)		David	1	Aaron		
2033a	One variable change to ASI files and possibly the whole repository		David	1	Aaron	Create files for missing ASI station(TALO)	3-4 hrs
2033b	SCM L2 numerical files		David	1	Aaron	Changes to EFI, SCM, STATE files: - check timespan, qualifiers, extra state descriptions, - URLs (may need extra time, Jan was unhappy with some however he was vague on why)	3-4 hrs
2033c	EFI L2 numerical files		David	1	Aaron	see 2033b	
2033d	V03 L2 STATE - revision needed?		David	1	Aaron	see 2033b	
2013	2-D, 3-D slices enhancements						
2013m	User's Guide write-up and then review with Xuzhi		David	1	Aaron		
2013h	Main: Temporal slider Bar - in progress Export to .png file Allow for use outside GUI	11/13/2009	Vassilis	1	Aaron	in progress, eta 4/2	
2013j	Plotting: Contour lines Display min/max Title information (same as old slices code) Specify x,y,z ranges Axes titles Axes ticks Plot ESA boundary		Vassilis	1	Aaron	on hold until 2013h completed	
2013k	Create our own version of slicer3.pro that can take user input to setup colors, orientation, etc. when it's called.		Vassilis	1	Aaron	will be completed when 2013h completed	

2013i	Integrate our own slicer3.pro gui with regular 2-D slice plots.		Vassilis	1	Aaron	will be completed when 2013h completed	
3042	33. QA: GUI panel options -- only updates panel titles on startup.	1/15/2010	Aaron	1	Aaron		
3046	Fix labels/change coords for on-board moment velocity plots. Data is DSL, label says GSM	1/25/2010	Vassilis / Miyashita	1	Aaron		
3014	We don't have support for filled symbols. This means symbols are	12/11/2009	Pat	2	Aaron		1 day
3016	There is no way to control the variable font size from the variable panel. There was a barrier to adding features to the variable panel when this came up before, in terms of a design that was too complex to modify reliably. When I fixed some previous bugs in this panel I simplified the code considerably. I now think that adding this feature is feasible.	12/11/2009	Pat	2	Aaron		1/2 day
3031	GUI Overview plots sometimes have diamond shaped artifacts in the sample rate bar. Should fix.	1/5/2010	Vassilis	2	Aaron	This is a side-effect of the a way that symbols are used as a hack to generate the sample rate bar. Fix after 3014 is fixed.	
3001	I'm getting a crash in the calculate window after I delete the text in the program area and then click on a data quantity from the tree. The error message is below.	12/7/2009	Aaron	2	Aaron	found during EFI testing	
3079	110. GUI -- spinner widget, inconsistencies between actual and displayed value for very small numbers	2/12/2010	Pat	2	Aaron	Support exponential notation for very small values	
3079a	Spinner Part	2/12/2010	Pat	2	Aaron		4-5 hrs
3079b	FormatAnnotation Part	2/12/2010	Pat	2	Aaron	The format routine is incorrectly deciding the # of significant digits in a number when using decimal format. I think this may have been done originally for simplicity but it should be fixed	6-10 hrs
3083	137. GUI spinner controls -- when inputting value >= 2^16/2 in grid thickness spinner, causes error message and value reset to -32768. Pat: Problem is not the spinner. Object definitions using short ints when long ints should have been used.	2/16/2010	Pat	2	Aaron	Probably short data type used where long required, affects many of the spinner controls	1-2 hrs
3084	139. GUI variable options -- more status bar/history window updates needed.	2/16/2010	Aaron	2	Aaron	the only message that ever printed was "1: Cannot Set Value variable, no variables"	1 hr
2027e	Finishing the coordinate transformation of the thm_load_state data at input, to include transformation of spinaxis attitude, need to determine keyword switch, implement the rotation of the spinaxis elevation/azimuth from gei to arbitrary coordinates (consult with Pat, Vassilis)		Vassilis	2	Aaron	not allow velocity to go bad	
1579	When importing a variable with a valid 'V' component in its data struct, but no spec flag set in its meta data, the loaded data object fails to load the y-axis. This should be fixed, as it ends up incorrectly loading certain spectral quantities.		Pat	3	Aaron		
2121	When thm_load_fit is called requesting a single data type it will also return some auxiliary data types. For example: thm_load_fit,probe='b',datatype='fsgs' returns: 1 thb_fit_code 2 thb_fit_npts 3 thb_fgs. load bug or test script bug) b. The relpathnames all keyword is broken.			3	Aaron		
2028	Variable units -- generic solution - thm_load_spin, _state, _hsk, _sst, _esa, _bau, _fgm, _fbk, _fft, _fit, _scm, _efi, _trg, _asi, _gmag, _ask, _mom, _esa_pkt		Vassilis	3	Aaron		
2029	From Hannes		Hannes	3	Aaron		
2029a	Provided is the most common plot used by scientists that look at magnetic field data. Four panels Bx By Bz Bt and the position X Y Z as variables. Often the radial distance R is another variable. It would be great if someone enters e.g. tplot,'tha_fgs_gsm' such a useful default plot would appear. I am currently not able to produce such a plot using tplot. Another useful plot would be instead of one trace per panel, 5 traces per panel. One for each spacecraft and 5 sets of positions as variables at the bottom. For example: tplot,'th?_fsgs_gsm' could produce such a plot. Also some standard plots that combine ground and spacecraft data could be useful. Notes from Vassilis: define keyword /positions default 'none', allow GSM X Y Z, R Lat Long,.....		Hannes	3	Aaron		
2029b	The level 2 CDF files at http://themis.ssl.berkeley.edu/data_download.shtml should contain position in various coordinate systems as well. Preferably in the same resolution as the data. Otherwise Scientists need to get the position from another source. Notes from Vassilis: option to introduce the data in RE with keyword (one RE =6,478 kilometers ???). Like thm_load_fgm/pos_units= 'RE'. Also thm_load_state keyword out_coord = 'GSM', 'GSE',...etc.		Hannes	3	Aaron		
2029c	If one loads fgm data from probe 'a' and let's say there are no data for the chosen interval. The variables tha_fgl and tha_fgl_gsm etc. should all be empty. It could be those variables still contain data from the previously loaded interval.		Hannes	3	Aaron		
2030	upgrade thm_load to work with probe assignments		Vassilis	3	Aaron		
2031	move functionality of thm_load_state2 into thm_load_state and delete thm_load_state2		Vassilis	3	Aaron		
2032	Multiple enhancements concerning keywords, valid_names and thm_load routines		Vassilis	3	Aaron		
Cindy							
Jim L							
4015	problem loading THA state file data	3/18/2010	Ferdinand	0	Jim L	sent to Ferdinand for additional testing awaiting feedback, ping Ferdinand	
4021	Send SPDF the link to the GOES data	3/25/2010	David	0	Jim L		
3070	VC->L0 processing issue for outer probes	2/10/2010	Jim L	1	Jim L	will be an issue the week of 4/12-4/16 appx.	
3037	Support new apid 44F (survey FFT) in tmttools L0 packet processing code.			1	Jim L	will check ETU data created by Peter; support flatsat test	
3038	Update sample timing code to be compatible with apid 44F decimated FFTs.			1	Jim L	will check ETU data created by Peter; support flatsat test	

3089	The old spin period data (which is close to what was assumed on board by the IDPU) needs to be corrected to reflect that precisely also during the eclipse. This is now interpolated during shadow to avoid spinphase jumps at the ends, but should be corrected to reflect what the IDPU was thinking based on housekeeping (spinper differs by ~msecs but this adds up quickly). This can be added into the same spinper file if it does not increase file size much. (Else represent the differences).	2/22/2010	Vassilis	1	Jim L	eclipse sun pulses - coding eta 4/2, testing to start 4/5-4/9	1 week
3090	Then one needs to correct the particle distributions to be introduced in the same orientation. I.e., should use the corrected spinphase upon being introduced (on the fly). This means the particle loading software needs to read the above difference between corrected and uncorrected spinphase, and apply a rotation to the distribution functions upon reading. This should be done with a keyword first, and routinely when we get into orbit (by which time the shadow spinphase determinations will hopefully be automated). I think McFadden is the one to do this but he can also assign it.	2/22/2010	Vassilis	1	Jim McFadden	3089 is prerequisite	
3092	Task list and discussion item for Monday: correction of particle data when using modeled eclipse sun pulse data. The onboard particle data is acquired assuming a constant spin period through the eclipse. Other data gets processed using a different spin model, incorporating the modeled sun pulses during the eclipse, rather than the onboard spin period. So they are really in different coordinate systems -- the one using the modeled sun pulses is close to "true" DSL, while the one using the onboard spin period ("pseudo-DSL") slowly rotates with respect to true DSL when the probe is in eclipse. We need to have a way to convert back and forth between them. Maybe the state CDF needs to contain two sets of spin model parameters, one with eclipse corrections and one without, so TDAS has access to one or the other on the fly. This could be done with a /no_eclipse_corrections keyword in the spinmodel routines, which would give something close to the onboard spin model. Or, perhaps we need something completely different based on the spin period reported in the apid 404 housekeeping telemetry.	2/22/2010	Vassilis	1	Jim L	See 3089	n/a
3099	there is a plan to change the format of the apid 410 spin fit packets (data type FIT). Since we're going to be heavily decimating the apid 453 (MOM) packets, which contain the spacecraft potential with each sample, the science team would like to get that information via a different apid. So there's a proposal to put the spacecraft potential in the spin fit packets instead (replacing the EFI-Z component of the E spin fits), so we'll still get it once per spin. This will require changes to both the L0->L1 server-side processing, and the client-side TDAS code.					S/C potential - support flatsat test	
3041	Update overview plots to handle survey FFTs?			1	Jim L		
2149g	write a routine to check time tag monotonicity and repair tplot variable if necessary (with options for "replace with NaN" and "delete")		Jim L and Michael	1	Jim L	assign when 2149e started. Michael: Since it is difficult or impossible (in post-processing) to identify all of the bad time tags (or even some of them -- e.g., the fast->slow case), I recommend that we just remove what is needed to make the time tags monotonic, and issue a warning indicating that the user should consult the THEMIS software team about that data.	
2266	Timing of Spin Fit data	10/16/2009	Jim McFadden	1	Jim L		
3051	EFW spike removal	2/1/2010	Vassilis	1	Aaron	Aaron will forward email	
3048b	spinmodel_interp_t loops over each time segment individually. If we vectorize this operation, we could get serious speed increases. Would generate speedups EFI and for other calibration routines.	1/25/2010	Pat	1	Jim L		
2149h	integrate time tag fixer-upper with TDAS load routines		Jim L	1	Jim L		
2248	once in a while (maybe 10-20 occurrences per probe during the entire mission), the FGM range doesn't change on all three axes at once:	9/10/2009	Jim L	1	Jim L	see 2149g and h	
4020	Respond to SPDF's email concerning L1 cdf's. Include words as to what is in the L1 cdf's that are not in the L2 cdf's that users may want to use.	3/25/2010	David	1	Jim L		
4008a	He requested some extra datetime formats. A. Numerical month & time (ie 2007-03-23/00:00:00). this option isn't listed.	3/12/2010	Pat from a scientist (Martin Connors?)	1	Jim L		2 hrs
4008b	He said there is an ANSI standard to separate date & time using a capital T and requested the option to put datetimes in this format. (ie '2007-03-23T00:00:00')	3/12/2010	Pat from a scientist (Martin Connors?)	1	Jim L		see above
4016	Our "save data as" menu doesn't remember the previous directory > that the user saved to. It could and it should.	3/12/2010	Pat from a scientist	1	Jim L		1 hr
4024a	The files for 0317, 0321, 0325, 0327 are missing	3/29/2010	Vassilis	0-for-links-by-hand, 2+ for the automated feature (Pat - orbit plots)	Jim L	I think I understand what's going on. This is for TH-BB, which is only being intermittently contacted while it's on its current deep space excursion. There was no telemetry (not even housekeeping) received on those dates, so no L0 directories were produced. Therefore the L0->L1 processing (which produces the unversioned L1 STATE links) didn't run. The V00 state CDFs produced from the MOC predictive ephemeris should be there -- I'll update the links by hand for now. I think I'll need to tweak the script that produces the V00 state CDFs to also make the unversioned links at that time, rather than waiting for the L0->L1 processing to take care of it.	
4019	L1 FFT's split the variable into different data sources	3/25/2010	Jim L	2+	Jim L	Discuss with SPDF at the next meeting whether having one variable with multiple data sources is difficult for them	

4022	Update L1 master cdfs to support SPDF hosting	3/25/2010	David	2+	Jim L		
3093	Automate processing of eclipse sunpulse data from FGM team	2/22/2010	Jim L	2+	Jim L		3-4 days
3097	Enhance L0->L1 processing script to update V03 state, if present, along with V01 and V02 state.	2/23/2010	Jim L	2+	Jim L		2 days
2082a	Spin modeling during shadows BugZid=43		Vassilis	2	Hannes	Jim L to write routine. Hannes send info.	
2035	Split L1 ESA (using Thomas's routine) in master ESA data cdf		Vassilis	2	Jim L	On Hold - awaiting Jim McFadden release: Then send David Sub Task List: Calibration variables removed from L1 data master CDF. (Side note: found and reported a bug in SKTEditor, which the Goddard team has agreed to fix...) Waiting for feedback from Jim McFadden about how calibration data should be handled (TH-A ASCII calibration file (used for all probes) doesn't match anything I removed from the data CDF).	
2036	GOES 10-12 Test data: h. update labels (Howard's request - minor tweak)		Vassilis	2	Jim L	determine if to be reassigned	
2038	STATE Web Page (s)		Vassilis	2	Jim L	review web pages	
2039	bad timing sun pulse times (early January 2009)		Vassilis	2	Jim L	Clarification needed	
2040	L1 Data Processing History Info: SCM, EFI, STATE		Vassilis	2	Jim L		
2043	Refactor repeated CDF library code in CDF processing tools BugZid=50		Vassilis	2	Jim L		
2046	Create a more efficient & productive prototype QA Instrument Command Line Script - first template (s) functional blocks then scripts for FGM, ASK, SCM, FIT, MOM, ASI, EFI, FFT, FBK, Gmag, State, SST, ESA		Vassilis	2	Jim L	In progress. Several templates created, selecting the appropriate command line routines to test.	
2047	Separate E and B timestamps for spin fits: a) make a revised V02 master CDF with E and B separated b) change thm_load_fit to support V01 and V02 of the L1 CDFs c) change the L0->L1 processing code d) change the L1->L2 processing code e) test the changes, then reprocess to create the V02 CDFs (keeping the V01 files around for a while to ease the transition) BugZid=45		Vassilis	2	Jim L	Discuss with SPDF whether having one variable with multiple data sources is difficult for them	
2047a	FGS sample times and values, showing repeated timestamps. BugZid=113 (BugZid=67 must be done first)		Vassilis	2	Jim L		
2047b	Repeated timestamps and gaps in spin fit data BugZid=113 (#67 may fix this one as well).		Vassilis	2	Jim L		
2077	Non Monotonic timestamps. BugZid=72		Vassilis	2	Jim L		
2078	bau_sunpulse_met assumes x86 endiannes (BugZid=13)		Vassilis	2	Jim L		
2047	task 2047 in my name: "Seperate E and B timestamps for spin fits", which is also a change to the L1 FIT master CDF and associated TDAS code. But unlike the spacecraft potential enhancement (which only adds new CDF variables, and is more-or-less backward compatible), 2047 would require us to bump the L1 FIT CDF version number to V02, and produce both V01 and V02 for a while, so users of TDAS 5.20 and earlier will still be able to load L1 FIT data. So I'm not sure whether the spacecraft potential task should include 2047, or not.	3/2/2010	Jim L	3+	Jim L		
4023	Before EOM reprocess L1 cdf's due to master cdf changes for SPDF	3/25/2010	David	3	Jim L		
2080	Phantom packets" cause non-monotonic distribution times. BugZid=25, low priority.		Vassilis	3	Jim L		
2081	Evaluate CDF compression algorithms BugZid=81		Vassilis	3	Jim L		
2083	Add "last processed" time to L1 (and L2?) CDFs BugZid=115		Vassilis	3	Jim L		
2084	transforming one data point from SM coordinates to GSM coordinates. ct=time_double('2008-02-16/04:50:00') dipole=[0],[0],[1]] v=[1,2,3] store_data,'dipole_sm',data={x:ct,y:dipole,v:v} cotrans,'dipole_sm','dipole_gsm',/SM2GSM cotrans,'dipole_gsm','dipole_gse',/GSM2GSE get_data,'dipole_gse',data=dipole_gse xdipgse=dipole_gse.y[0] ydipgse=dipole_gse.y[1] zdipgse=dipole_gse.y[2] tilt=atan(xdipgse,zdipgse) When I check the data for 'dipole_gsm', the values are 0,0,0. I'm not sure what they SHOULD be, but I know that their magnitude should equal 1. sqrt(x^2+y^2+z^2)=1		Christine	3	Jim L		
Jim M							
2056	SCM L2 cdf		Vassilis	1	Jim M	New Test data has been sent to Olivier	
2225	L2 EFI cdf (quality flags)	8/31/2004	Vassilis	1	Jim M	Test data sent to John B for review by 4/10	
3066	104. GUI part_getspec -- crash in thm_part_moments2 with non-default arguments	2/10/2010	Aaron	1	Jim M		
3021	Data Processing History Web Pages - SST, SCM, FGM, FBK, FIT, EFI	12/15/2009	David	1	Jim M		
4025	I just checked the new 'thm_load_fgm' routine, noticing that 'fge' datatype is only valid for 'an entire day range' (the time range) one specifies. But, I have never used this datatype in my own study.	3/29/2010	Xiaojia	1	Jim M	in progress	
4004	Sort out if TDAS software can run off SPDF cdf's	3/5/2010	David	1	Jim M	From Pat: #1 having SPDF include a user-side symlink #2 modifying thm_load_state or thm_load_XXX, but leaving file_http_copy unchanged. Maybe implement a keyword in thm_load_XXX, and have thm_load_state set that keyword if the repository is spdf?	
3078	119. CL EFI load & cotrans -- result of cotrans from spg to dsl doesn't	2/12/2010	Jim M	1	Jim M	Disable in gui SPG->any cotrans of EFI data	1 hr
3099d	Revise thm_load_fit (command line and GUI) to load the additional L1 variables.	3/2/2010	Jim L	1	Jim M	pre-requisite 3099c test data (Jim L) and awaiting FSW patch from PRH to create test data for 3099-d	
3099e	Revise thm_cal_fit, and thm_cal_efi to do the right thing when EFI-Z is not present.	3/2/2010	Jim L	1	Jim M	pre-requisite 3099c test data (Jim L) and awaiting FSW patch from PRH to create test data for 3099-d	

3099f	Revise the calibration code for the particle data types (ESA, perhaps also SST or MOM?) to look for spacecraft potential in L1 FIT, if the moments are decimated	3/2/2010	Jim L	1	Jim M	pre-requisite 3099c test data (Jim L) and awaiting FSW patch from PRH to create test data for 3099-d	
2057	SCM CAL File Processing Doc		Vassilis	1	Jim M	text completed. Put into std document format and send to Olivier for review	
3057	I found an issue in the program trange_clip.pro located in the directory: ~/themis/spacecraft/fields/LASP/ There appears to be no error handling to deal with the possible issue of the variable "i1" being greater than "i2". Thus, if the program chooses two times where there is only one data point nearby, it will assign the same index to both variables, which results in the program crashing. One could add this to line 41 or make a simple logical test to avoid the issue.	2/5/2010	Lynn Wilson	1	Jim M		tbd
3064	47. CL specplot -- missing peib data for tests 25 and 26	1/15/2010	Jim M	1	Jim M	Data exists, but isn't plotted for some reason.	tbd
3015	The data processing panel doesn't allow split components. This is fine for some operations, even required, but for some operations this doesn't make sense. For example, clipping. There is a good chance that some people will want to clip each component at separate values.	12/11/2009	Pat	1	Jim M	Jim M to assess only	1 week
3085	138. GUI SCM cotrans -- inconsistent results depending on starting/ending coordinate systems. Pass warning through to GUI	2/18/2010	Jim M	1	Jim M	Also should check if same problem exists with command line? Will take time to look at code to get an estimate	tbd
2227	L2 SST cdf revisions	8/31/2004	Vassilis	2+	Jim M	awaiting SST calibrations	
2288	had expected that this cotrans would occur at the very end, after all the calibration code. But the calibration itself seems to be affected,	11/12/2009	Jim	2	Jim M	see 2256	
2283	There is another aspect to this problem. Dead-time corrections are severe for ion ESA SW data and there are no dead-time corrections for onboard moments. Some algorithm will have to be developed that does this correction after the fact. Davin developed an algorithm like this for Wind 3DP. That algorithm may not work directly due to differences in energy sweeps, but something like it could be developed for THEMIS. Davin and I can provide some advice and direction. Similarly electron onboard moments in the SW may also need some corrections -- this should also be worked out at the same time.	11/2/2009	Jim Mcfadden	2	Jim M		
2058	found 3 errors in the new th*_i2_esa masters - the good news is, with them fixed in our masters, all plotting issues w/ the ESA files (in CDAWeb) seem to have been resolved.		Vassilis	2	Jim M		
2060	L2 cdf Quality Flags: for SST		Vassilis	2	Jim M		
2175	L2 File Definitions Document		David	2	Jim M		
2062	Alberta - At the moment the data files are from Dawson (daws), Churchill (fchu), Island Lake (isll) and Fort McMurray (mcmu). I will add Rabbit Lake and Taloyoak at some time but we have some issues with mag pointing at those 2 sites. If you recall, the agreement between Ian and Vassilis was that this data wouldn't be copied to become part of a mirrored archive like the existing data we provide. Instead, each file would be obtained from this site each time it is requested (using curl or some such). This means we can use our own logs to monitor data usage. Themis Software to be able to retrieve from Alberta		Vassilis	2	Jim M		
2087	Administrator's Guide		Vassilis	2	Jim M		
2088	Themis Developers Guide		Vassilis	2	Jim M		
2224	thm_load_mom: for quantities like velocity, the coordinate system isn't stored in the meta data, and none of the units are stored in the place we normally try to store them (from Pat - Vassilis concurs) Will take a look.		Vassilis	2	Jim M		
2090	that streamlines the generation of gmag stackplots and a crib to show how to do this. (< than a day)		Vassilis	2	Jim M		
2091	Once Jim McFadden completes his mods for n_3d_new_3 reprocess L2 cdf's - entire mission		Vassilis	2	Jim M		
2092	thm_load_mom changes - reconcile mods with Davin at an appropriate time.		Vassilis	2	Jim M		
2055	ESA L2 from L1 (not packets) - create L2 and test thoroughly, then reprocess ESA		Vassilis	2	Jim M	On Hold; awaiting Jim L to split L1 into master cdf	
4002	Document: SST File and Calibration Processing	3/5/2010	David	2	Jim M		
4003	Document: ESA File and Calibration Processing	3/5/2010	David	2	Jim M		
2093	AE Indexes Issue Jan 8-12, keyograms Jan 12-13, Stripes- Vassilis: minor nuisance		Vassilis	3	Jim M		
2094	Overview plot change: mode bar seems thick		Vassilis	3	Jim M	nothing we can do easily	
2095	Mosaic Processing - permanent script needed		Vassilis	3	Jim M		
2100	EFI calibration		John Bonnell	3	Jim M		
2100d	DC offset between 4sdo and 2sdo in boom plane		John Bonnell	3	Jim M	Which is better? Assigned to J. B. (low priority).	
2100h	Try to track down frequency scaling problem in DPWRSPC (dlimit setting? Compare to old plots?)		John Bonnell	3	Jim M	On Hold - low priority	
2100p	Modify THM_CAL_FIT to treat efs datatype - Install E12/E34 conditional based on th*_fit_code TPLLOT variable. If E12 switched to E34 software needs to be revised to handle		John Bonnell	3	Jim M		
Pat							
2069	Support Mirror Sites		Vassilis	0	Pat		
2069a	Japan (ISAS)		Vassilis	0	Pat		
2069b	Austria		Vassilis	0	Pat		
2069c	France		Vassilis	0	Pat	(Rumi - not always up to date for gmag)	
2070	Support gmag data remote sites.		Vassilis	0	Pat	The -12 days ones are ones that Kathryn indicated are on the fritz: BMLS,UKIA,HOTS,PINE.	
2070a	Augsburg (MACC's)		Vassilis	0	Pat		
2070b	Alberta		Vassilis	0	Pat		
2070c	Greenland		Vassilis	0	Pat		
3033	GBO rsync from U Calagary is failing. Contacting Emma Spanswick to determine source of problem.	1/5/2010	Pat/Jim M	0	Pat	gap in the data - Calgary was notified; ping 4/2	

3034	Rsync to GIMA server is failing. Ualaska Server was replaced and renamed.	12/7/2009	Jim M	0	Pat	Working out problems with SSH public-key authentication...maybe try http. Ping.	
2265	When new FGM Cal files come from David Fisher reprocess last 6 months.	10/16/2009	Pat	0	Pat	ongoing	
4024b	The files for 0317, 0321, 0325, 0327 are missing	3/29/2010	Vassilis	0	Jim L	I think I understand what's going on. This is for TH-BB, which is only being intermittently contacted while it's on its current deep space excursion. There was no telemetry (not even housekeeping) received on those dates, so no L0 directories were produced. Therefore the L0->L1 processing (which produces the unversioned L1 STATE links) didn't run. The V00 state CDFs produced from the MOC predictive ephemeris should be there -- I'll update the links by hand for now. Then Pat needs to rerun the orbit generation.	
4026	Harald Frey is visiting here and he stopped by to let me know about a problem with ASI data. It appears that one of the scripts stopped working, but he is not sure why. He has already manually processed up to the current date. But why the script stopped is still mysterious.	4/1/2010	Harald	0	Pat	It turns out that there wasn't any logging for ASI production routines, so I couldn't work back to the original problem. I added logging to the calling script so we should have a better indication what is causing the problem in the future. Log output will appear in /disks/themisdata/process_logs/asi/ organized by day of run. The set of IDL commands being run by make_asi_products.ksh is attached. When testing it out, a number of IDL errors/warnings popped up. I don't know enough about these routines to say for sure if these errors are the source of the problem.	
3025	SST Code development	12/18/2009	Davin	1	Pat	Vassilis to call Davin	
3055	Debug source code from Davin to determine source of crash	12/18/2009	Davin	1	Pat	waiting for receipt of code from Davin. He said that it crashes on 1/10 days but doesn't yet know why.	
3056	Add modification to SST moment - calculations(thm_part_moments/thm_part_moments2) that would allow application of scalar corrections to moments when the spacecraft is in solar wind. Corrections will be provided by Davin, task involves providing framework to apply corrections at the correct times.	12/18/2009	Davin	1	Pat	I sent an email asking for clarifications to Davin, specifically which method out of several should I use to determine whether spacecraft is in solar wind. I've also talked to Jim Lewis about different methods. Jim suggested that it may be worthwhile to add solar wind flags from the data source selected to the SST L1 cdf so that we do not create dependency between SST data calibrations and other data types.(For example, if we don't add flags to SST cdf we might end up needing to load ESA data every time we want to calibrate SST data)	
4012	When Cindy & I tried to load tha_eff on 2007-03-23, it didn't load and said some calibration quantity couldn't be found. When I tried to load the same thing, I didn't have a problem. So the trick would be to find out what changed from my computer to Cindy's computer and to figure out how often our user's computers are going to have the same problem that Cindy's computer had.	3/22/2010	Pat	1	Pat	Config issue - no software change	
3095	I think that when multiple copies of the same images are being created they are not clobbering, but instead are being inserted side-by-side, so when you use the web page to view the images, you'll get multiple copies side-by-side. I think I need to modify the database tables to use unique indexes based on file name, and logic in the insert routine to overwrite when a collision is detected. This should guarantee unique plots for each time.	2/22/2010	Pat	1	Pat		
2280	Retrieval of ASCII Data - Including 2009.	10/29/2009	Laura	1	Pat	Reprocessing is in progress. After reprocessing is complete, need to edit database entries to delete old file references. (see 3095)	
3029	This happened on a fresh session after loading all L1 EFI variables for 2009-02-09 probe C and attempting to plot the fast survey data (I had similar problems last month plotting EFI wave burst data). The plots still appeared in the draw window after Layout Options crashed, but panel tracking was off, the gui ran very slow, and even after removing some deleting variable to free memory I had to reset IDL to get everything working. Traceback Report from THM_UI_LAYOUT_OPTIONS_EVENT:	1/4/2010	Aaron	1	Pat	Discuss possible solutions. Provide better information to use on data size so that user can avoid problem themselves. E.g., right click on a variable and have the GUI tell you how much memory.	
2136	When we implemented tplot_gui, we gave it support for the most important tplot options, but not many of the more obscure ones. It might be worthwhile to create a task for someone to go through exhaustively and implement as many tplot options as is feasible. That way people can more easily use the gui like an interactive version of tplot. Right now I feel like the more obscure options end up leading to gui plots that still look reasonably different from tplot plots.		Pat	1	Pat	in progress	
3043	36. GUI interpolate -- error with multiple quantities selected and one is out of range -- bad item not skipped, following items not processed.	1/15/2010	Pat	1	Pat	#2 Loaded data for data 2007-03-24. Types: efi_vaw, tha_fgl_dsl,tha_fgh_dsl. Make all data active. In the order above(I believe exact order is important). Open interpolate panel, select "cadence" radio button, leave at default, select limit time, leave at default for quantity vaw(2007-03-24/22:47:06,2007-03-24:22:47:22). Select "Okay", it processes first quantity, then second quantity is out of range, produces error but does not process 3rd quantity(fgh). It should skip over #2.	

3044	38. QA: GUI interpolate -- Interpolating state data to match efi_vaw, "data out of range" error if no state samples fall within the efi_vaw time range.	1/15/2010	Pat	1	Pat	#4 Date 2007-03-24, data efi_vaw, tha_state_pos. Make state active. Select "interpolate", select "match" match to quantity "efi_vaw", select "extrapolate" Select limit time range, select range for efi_vaw (2007-03-24/22:47:06,2007-03-24/22:47:22): Says no data in range. What is happening here is that there are state points on either side of the vaw interval, but no points inside the interval. Perhaps one possibility where time is limited & matching is being done, maybe it should limit based upon the range of the match quantity and not the range of the target?	
3048a	Profiled EFI calibration can speed up by reducing the number of calls to spinmodel_interp_t. Right now >95% of time is spent in spinmodel. It calls spinmodel_interp_t 2x for each 3d data type, could probably use a single call for multiple data types with the same cadence.	1/25/2010	Pat	1	Pat		
3052	The last time we have GBO data is 1/12/10	2/2/2010	K. Rowe	1	Pat		
3058	The size of the windows created by the widgets in IDL for the SCM instrument are too big (at least they were on mine). It was easily remedied by changing the size of the boxes allocated in the probe/Level-1/Level-2 lists in the program thm_ui_scmcal.pro. I simply altered the value passed to the YSIZ keyword in the WIDGET_LIST function call (lines 610 - 628, I think).	2/5/2010	Lynn Wilson	1	Pat		
3068	120. GUI GMAG -- cotrans error, says coordinate system is undefined	2/11/2010	Pat	1			
4012	When Cindy & I tried to load tha_eff on 2007-03-23, it didn't load and said some calibration quantity couldn't be found. When I tried to load the same thing, I didn't have a problem. So the trick would be to find out what changed from my computer to Cindy's computer and to figure out how often our user's computers are going to have the same problem that Cindy's computer had.	3/22/2010	Pat	2+	Pat	Jim M: I have no trouble with EFF data either for linux or windows.	
3053	102. Tplot_gui -- overwrite warning when importing data, even if variable gets renamed.	2/3/2010	Pat	2	Pat		
2115	tplot does not fail gracefully after illegal margin set. In this case: tplot_options,'xmargin',[100,100], tplot does not fail gracefully after illegal margin set. In this case: tplot_options,'xmargin',[-1,-1] -tplot does not fail gracefully after illegal margin set. In this case: tplot_options,'ymargin',[100,100]			2	Pat		16
2267	if you want to load a template, you need to pass the template path in via a keyword, or select an option to open it from the THEMIS->File Menu. I think we should consider adding the template path to the configuration file that we save, so that it can be loaded automatically.	10/19/2009	Pat	2	Pat		40
2176	I ran into a small annoyance today when loading a themis document. I had originally loaded ESA and SST data for one time period, then overwrote that data by loading the same quantities but for a different time period. I did this several times and then saved the document for later. When re-opening the document I got a series of prompts asking whether I would like to re-write each quantity. It would speed up and streamline the process in this case if data that was later overwritten is not loaded when you open the document.	7/20/2009	Aaron	2	Pat	I spoke to Pat about this yesterday and we both agreed that while we cannot be sure which quantities should be re-loaded and which shouldn't (some may have been used temporarily for calculations). However, we can store the users's original choice to overwrite the data or not. So while we may not be able to save on loading time we can still keep the user from having to click multiple messages and from having to remember what they chose originally. The latter is particularly important since they may receive errors or get corrupted data if they do not choose the correct option	
2201	One feature that was never implemented for the mini-language is globbing.(The ability to use '*' and '?' to reference multiple tplot variables at once.) This is a feature that is standard with many of our other tplot data processing routines. I think it would be very useful to include in the mini-language.	8/5/2009	Pat	2	Pat		
2187	I noticed a bug in the x-axis options panel. It probably also applies to the y-axis options. If the set-all button is selected on the grid tab, then changing panels doesn't update the settings on the grid tab to the settings currently displayed for that panel.	7/29/2009	Pat	2	Pat	set to most recent user action for all routines	
2041	thm_load_state out_coord velocity calculations wrong		Vassilis	2	Pat		
2285	Christine brought to my attention a bug that occurs if you use the TDAS tsyganenko routines in a way that is not really something that I expected, but seems to be a legitimate use of the routines. If passing in a set of input parameters that are stored in tplot variables but are not in time-series, the routine produces incorrect results.	11/4/2009	Christine	2	Pat		
3086	add MACCS gmag data from 2007 to our data archive. We already have MACCS data for some years and a process that automatically downloads it/converts to CDF. So the task would involve finding missing files from 2007 and feeding them into our pre-existing processing framework. It should be pretty straightforward, but probably non-trivial because of learning curve/unexpected details.	2/19/2010	James Weygand	2	Pat		8 hrs
3091	Add a configuration setting "force_download", which if enabled, will download data even if the remote file is older than the local file. This comes up if you're switching back and forth between using QA data and production data; once you've downloaded QA data, it's hard to download (usually older) production data without manually removing any QA files. This should apply to all data sources -- THEMIS, GOES, WIND, etc.	2/22/2010	Vassilis	2	Pat		4 hrs
3065	68. GUI z-axis options -- when Fixed Min/Max selected, value in spinners does not reflect current range as it does for X and Y axes. Displayed range when spinners desensitized is inaccurate.	2/10/2010	Aaron	3	Pat	check draw object	
4005	The TDAS Software will be enhanced to incorporate data from the STEREO mission.	3/8/2010	David	3	Pat		

[illegible]