Task #	Task Description	Date Opened	Reported By	Pri	Assigned To	Notes	Estimate (hrs)
4143	To be Assigned or Discussed	Opened	Reported By	•	Assigned To	Notes	
4144							
4145 4146							
4147 4148							
4149 4150							
	General	7/00/0000					
	I noticed that the Data->Collaboration Tools->(subcategories) fall behind the ARTEMIS graphic.		Michael	3	Amanda ,	Run Compatiability View in Internet Explorer	
4043	Paper on interdependentcies of FGM and STATE Reprocessing	4/19/2010	Pat	1	Jim L	David - Put Paper into themis doc format - tips du jour?	
	Document: Developers Guide Document: Administrators Guide	3/5/2010 3/5/2010	David David	3	Team Team		
	Incorporate electron calibration into data Enhanced SST and MOM Instrument Web Pages	10/25/2009	Vassilis David		Davin Davin		
	help request Martin - SST	6/18/2010	Martin Birch	0	Davin		
	Harald ASI software - running fine as of 25 May 2010, L1's and mosaics are up-to				Harald		
	date.						
	Thumbnail Data: - cdf files done until April 30, 2010				Harald	Updates ready 7-10th of the next month	
	- overview plots done until April 30, 2010						
	- movies done until April 30, 2010						
	Full-resolution raw data: - complete for 2007, 2008, 2009				Harald		
	- reasonably complete until mid February 2010						
	Full resolution data: - data cdf done for all 2007 and 2008 and mid Nov-2009				Harald		
	- keogram cdf done for 2007 and 2008 and until mid Nov-2009						
	Web site mosaics and movies: - Mosaics and movies reprocessed for 2007/2008 and 2008/2009						
	seasons						
	- Mosaics and movies up to date until April 30, 2010						
	Web site overview plots with full resolution data: - overview plots done for 2007 and 2008 and until mid-November 2009						
00004	- overview plots with thumbnails done until April 30, 2010		\/!!:-		llld	NOD base 0 4TD and 0 0TD bridge	
2069d	UCLA – mirror site set-up		Vassilis	1	Harald	UCB has 2-1TB and 2-2TB bricks.	
	Hannes						
4080	Attitude Determination next few months	6/21/2010	Hannes	1	Hannes	will send out new attitude correctionsfor tha, thd and the.	
						8/30/2010: Thb and thc while in lunar orbit based upon sun angles. Work with UCB Ops folks (Dan Cosgrove).	
4034b	Ferdinand sent was an attempt on his part to automate the shadow processing. He wanted feedback whether the products produced are	4/14/2010	Vassilis	?	Hannes	Report sent out on 9/13/10. Jim L to review	
	adequate and if the code is amenable to automation. We can pick it up wit						
4018a	him once you have gone through it. New Calibration FGM parameters and spin axis offsets	5/10/2010	Hannes	1	Hannes	in progress	
	This is getting a bit out of hand I think. How about a configuration file? The software just reads keywords from a configuration file. With such a configuration file it is possible to set keywords automatically (for the scientists) but additionally it would give us the possibility to keep track of what the software does automatically. When I do calibrations I can then save the configuration file together with the results and not worry about the things that the software might have done automatically.		Hannes	3	Hannes	Hannes sent out new version for review.	
	quality flag for FGM data		Vassilis	3	Hannes	on hold	
2082a	Spin modeling during shadows BugZid=43		Vassilis	3	Hannes	Jim L to write routine. Hannes send info.	
2013	Aaron 2-D Slices		Vassilis	1	Aaron		
	Verify re-gridded ESA plots against older plots. Check SST eflux values		Vassilis	1	Aaron		
2013r	against angular plots. Check on position of SST sun contamination (appears to be in the wrong		Vassilis	1	Aaron	waiting for response from Vassilis as to whether it	
	place)		Dovid	4	Aoron	is done	
	User's Guide write-up and then review with Xuzhi		David	1	Aaron		
2013am		0/8/0010	David	1	Aaron	Tally to Daty be assisted a living in the	
4128	Heap GC change to support IDL 8.0	9/8/2010	David	1	Aaron	Talk to Pat: he easiest solution is to not use their recommendation and proceed with our heap_gc calls in IDL 8.0 and earlier versions. But the solution that Josh outlines is only slightly more complex and if their claims are accurate, it should lead to better memory	
2040	22 OA: CLII papel entings and undertaining of the control of the c	01/15/0040	Aoros	4	A 0.00	management.	
3042	33. QA: GUI panel options only updates panel titles on startup. Change while window is open not applied until it's re-opened.	s 1/15/2010	Aaron	1	Aaron		

10/1/2010 11:50 AM 20101001 - Themis Software Task Priorities.xls

3015	The data processing panel doesn't allow split components. This is fine for some operations, even required, but for some operations this doesn't make sense. For example, clipping. There is a good chance that some people will want to clip each component at separate values.	12/11/2009	Pat	1	Jim M	analysis only	
3079	110. GUI spinner widget, inconsistencies between actual and displayed value for very small numbers	2/12/2010	Pat	2	Aaron	Support exponential notation for very small values	
3079a	Spinner Part	2/12/2010	Pat	2	Aaron		
3079b	FormatAnnotation Part	2/12/2010	Pat	2	Aaron	The format routine is incorrectly deciding the # of significant digits in a number when using decimal format. think this may have been done originally for simplicity but should be fixed	4-5 hrs I
	137. GUI spinner controls when inputing value >= 2^16/2 in grid thickness spinner, causes error message and value reset to -32768. Pat: Problem is not the spinner. Object definitions using short ints when long ints should have been used.	2/16/2010	Pat	2	Aaron	Probably short data type used where long required, affects many of the spinner controls	6-10 hrs
	Finishing the coordinate transformation of the thm_load_state data at input, to include transformation of spinaxis attitude, need to determine keyword switch, implement the rotation of the spinaxis elevation/azimuth from gei to arbitrary coordinates (consult with Pat, Vassilis)		Vassilis	2	Aaron	not allow velocity to go bad	1 hr
	Mark one count level (dashed line)		Vassilis	2	Aaron	Vassilis wants to talk to Jim Mcfadden about this. Jim McFadden to review email.	
	combine SST and ESA slices into a single plot?		Vassilis	2	Aaron		2 days
2013t	Allow for loading of user-specified distributions in gui. 8/23/10 Per Vassilis For 2013t instead of allowing user specified distributions in the gui I will be adding an option to compare slices with specified functions		Vassilis	2	Aaron		4-6 hrs
	Integrate our own slicer3.pro gui with regular 2-D slice plots.		Vassilis	2	Aaron		2 days
3014	We don't have support for filled symbols. This means symbols are only outlines.	12/11/2009	Pat	3	Aaron		
3016	There is no way to control the variable font size from the variable panel. There was a barrier to adding features to the variable panel when this came up before, in terms of a design that was too complex to modify reliably. When I fixed some previous bugs in this panel I simplified the code considerably. I now think that adding this feature is feasible.	12/11/2009	Pat	3	Aaron		1 day
3031	GUI Overview plots sometimes have diamond shaped artifacts in the sample rate bar. Should fix.	1/5/2010	Vassilis	3	Aaron	This is a side-effect of the a way that symbols are used as a hack to generate the sample rate bar. Fix after 3014 is fixed.	1/2 day
1579	When importing a variable with a valid 'V' component in its data struct, but no spec flag set in its meta data, the loaded data object fails to load the y-axis. This should be fixed, as it ends up incorrectly loading certain spectral quantities.		Pat	4	Aaron		
	When thm_load_fit is called requesting a single data type it will also return some auxiliary data types. For example: thm_load_fit,probe=b',datatype='fgs' returns: 1 thb_fit_code 2 thb_fit_npts 3 thb_fgs. load bug or test script bug) b. The relpathname all keyword is broken.			4	Aaron		
2028	Variable units – generic solution - thm_load_spin, _state, _hsk, _sst, _esa, _bau, _fgm, _fbk, _fft, _fit, _scm, _efi, _trg, _asi, _gmag, _ask, _mom, _esa_pkt		Vassilis	4	Aaron		
2029	From Hannes		Hannes	4	Aaron		
	Provided is the most common plot used by scientists that look at magnetic		Hannes	4	Aaron		
	The level 2 CDF files at http://themis.ssl.berkeley.edu/data_download.shtr should contain position in various coordinate systems as well. Preferably in the same resolution as the data. Otherwise Scientists need to get the position from another source. Notes from Vassilis: option to introduce the data in RE with keyword (one RE =6,478 kilometers???). Like thm_load_fgm /pos_units= 'RE'. Also thm_load_state keyword out_coord = 'GSM', 'GSE',etc.		Hannes	4	Aaron		
2029c	If one loads fgm data from probe 'a' and let's say there are no data for the chosen interval. The variables tha fgl and tha fgl_gsm etc. should all be empty. It could be those variables still contain data from the previously loaded interval.		Hannes	4	Aaron		
2030	upgrade thm_load to work with probe assignments		Vassilis	4	Aaron		
2031	move functionality of thm_load_state2 into thm_load_state and delete thm_load_state2		Vassilis	4	Aaron		
2032	Multiple enhancements concerning keywords, valid_names and thm_load routines		Vassilis	4	Aaron		
	Cindy						
	Jim L						
4142	issue with FGS processing	9/30/2010	Vassilis	0	Jim L	analysis first fixing if needed priority 1 after	

10/1/2010 11:50 AM 2 20101001 - Themis Software Task Priorities.xls

4117	I am a postdoc from UCLA working on the THEMIS data. The recently added FFF data is very helpful in our study with higher frequency restored and longer time availability. I looked at FFF data and compared with FFP data during particle burst and attached a couple of examples as follows. Ir the attached figures, top three panels are electric field (1. FFP, 2. FFF, 3. closest FFP data at FFF recording times), and bottom three panels are magnetic field (4. FFP, 5. FFF, 6. closest FFP data at FFF recording times). As we can see from the figures, FFF data generally agrees well with FFP data, but sometimes is associated with a short time shift (e.g., ~10-05-12/12:51:54 UT). When closed a warning needs to be sent to users.		Wen Li	0	Jim L	I've had a chance to take a closer look at the FFF (apid 44f) vs. FFP (apid 44d) timing discrepancy you pointed out. I have a tool that tries to match the FFF samples bin by-bin with the FFP samples, to locate the data points that are common to the two data sets, report the matching indices, and show any time differences found for the matching samples. Please refer to the attached output file fff_ffp_comparison.txt. It seems that the IDPU is occasionally skipping over some of the FFP samples, and not copying them into the FFF data stream8/30/2010 Jim to send out an email (high priority) to get a etu/flatsat case setup. Awaiting "function generator" and Peter's return from vacation. 9/13/10 see Peter Berg for a piece of equipment. 9/20/10 Jim L to run on etu the old code an see if the problem can be duplicated. flatsat will not be available for 1-2 more weeks 9/30/2010 going to test on Flatsat the week of 10/4-10/8. Prep for test and contact tom Clemons for support to hook up function generator.	
4140	decompression algorithm - implementation and testing; FYI, I'm done (pending ETU testing) implementing the new lossy moment compression algorithm requested by Vassilis. It passes its self-consistency check (that the decompression algorithm exactly reverses the compression algorithm) We still have to test it against Peter's implementation on the ETU, to make sure the ground decompression is compatible with the FSW compression. He's probably not quite finished with the FSW side of it yet, so as soon as he's ready we'll give it a try on the ETU.		Vassilis	0	Jim L	flight software patch to remove the SST data from the moments packets for the ARTEMIS probes. Peter is going to implement the FSW side as a new compression algorithm, so I need to add support for it in the VC->L0 processing. Jim's code done awaiting for Peter's FSW patch and then will be run on the etu	8 hrs
4034a	Ferdinand sent was an attempt on his part to automate the shadow processing. He wanted feedback whether the products produced are adequate and if the code is amenable to automation. We can pick it up wit	4/14/2010	Vassilis	1	Jim L	Jim L to review Hannes's report.	
4030	him once you have gone through it. cross-check SST psir6 and psif data types for excess counts in psir6	4/8/2010	Jim McFadden	1	Jim L	Talk to Davin as well.	
4030a	Review Onboard Scripts for possible error.	5/17/2010	Jim Lewis	1	Jim McFadden, Davin, Robert Abiad	can duplicate on flatsat. Jim Mcfadden to review Jim L's email.	
4030b	Correct Existing Data	5/17/2010	Jim McFadden	1	Jim L	4030a prerequsite	
4030c	If scripts change - make changes to processing scripts	5/17/2010	Jim Lewis	1	Jim L	4030a prerequsite	4-1
4027b	Reprocessing GOES Data	4/5/2010	Tami - SPDF	1	Jim L	Reprocessing on hold until Howard Singer delivers another batch of binary GOES data files.	
4070	"Add support to thm_cotrans, ssl2gse, and ssl2dsl for /pseudo_dsl keyword. If keyword is present, look for and apply eclipse delta_phi corrections as appropriate."	6/1/2010	Jim L	1	Jim L	thm_load_fit and thm_load_mom, add keyword. In progress - Will review code Davin checked-in concerning tensor quantities in thm_load_mom.	
4070 2266	keyword. If keyword is present, look for and apply eclipse delta_phi	6/1/2010		1	Jim L	thm_load_fit and thm_load_mom, add keyword. In progress - Will review code Davin checked-in	
	keyword. If keyword is present, look for and apply eclipse delta_phi corrections as appropriate."					thm_load_fit and thm_load_mom, add keyword. In progress - Will review code Davin checked-in	t
2266 2149g	keyword. If keyword is present, look for and apply eclipse delta_phi corrections as appropriate.* Timing of Spin Fit data write a routine to check time tag monotonicity and repair tplot variable if		Jim McFadden	1	Jim L	thm_load_fit and thm_load_mom, add keyword. In progress - Will review code Davin checked-in concerning tensor quantities in thm_load_mom. Create a routine to clean up tplot variables. Use in the load routines were susecptible. Recommend that we just remove what is needed to make the time tags monotonic, and issue a warning indicating that the user should consu	1
2266 2149g 2149h	keyword. If keyword is present, look for and apply eclipse delta_phi corrections as appropriate.* Timing of Spin Fit data write a routine to check time tag monotonicity and repair tplot variable if necessary (with options for "replace with NaN" and "delete")	10/16/2009	Jim McFadden Jim L	1	Jim L	thm_load_fit and thm_load_mom, add keyword. In progress - Will review code Davin checked-in concerning tensor quantities in thm_load_mom. Create a routine to clean up tplot variables. Use in the load routines were susecptible. Recommend that we just remove what is needed to make the time tags monotonic, and issue a warning indicating that the user should consu	d hrs
2266 2149g 2149h 4008a	keyword. If keyword is present, look for and apply eclipse delta_phi corrections as appropriate.* Timing of Spin Fit data write a routine to check time tag monotonicity and repair tplot variable if necessary (with options for "replace with NaN" and "delete") integrate time tag fixer-upper with TDAS load routines He requested some extra datetime formats. A. Numerical month & time (ie	3/12/2010 3/12/2010	Jim McFadden Jim L Pat from a scientist (Martin Connors?) Pat from a scientist (Martin Connors?)	1	Jim L Jim L Jim L	thm_load_fit and thm_load_mom, add keyword. In progress - Will review code Davin checked-in concerning tensor quantities in thm_load_mom. Create a routine to clean up tplot variables. Use in the load routines were susecptible. Recommend that we just remove what is needed to make the time tags monotonic, and issue a warning indicating that the user should consu	
2266 2149g 2149h 4008a	keyword. If keyword is present, look for and apply eclipse delta_phi corrections as appropriate.* Timing of Spin Fit data write a routine to check time tag monotonicity and repair tplot variable if necessary (with options for "replace with NaN" and "delete") integrate time tag fixer-upper with TDAS load routines He requested some extra datetime formats. A. Numerical month & time (ie 2007-03-23/00:00:00). this option isn't listed. He said there is an ANSI standard to separate date & time using a capital T and requested the option to put datetimes in this format. (ie 2007-03-	3/12/2010	Jim McFadden Jim L Pat from a scientist (Martin Connors?) Pat from a scientist (Martin Connors?) Pat from a scientist (Martin Connors?)	1 1 1	Jim L Jim L Jim L Jim L	thm_load_fit and thm_load_mom, add keyword. In progress - Will review code Davin checked-in concerning tensor quantities in thm_load_mom. Create a routine to clean up tplot variables. Use in the load routines were susecptible. Recommend that we just remove what is needed to make the time tags monotonic, and issue a warning indicating that the user should consu	
2266 2149g 2149h 4008a	keyword. If keyword is present, look for and apply eclipse delta_phi corrections as appropriate.* Timing of Spin Fit data write a routine to check time tag monotonicity and repair tplot variable if necessary (with options for "replace with NaN" and "delete") integrate time tag fixer-upper with TDAS load routines He requested some extra datetime formats. A. Numerical month & time (ie 2007-03-23/00:00:00). this option isn't listed. He said there is an ANSI standard to separate date & time using a capital T and requested the option to put datetimes in this format. (ie '2007-03-23T00:00:00) Our "save data as" menu doesn't remember the previous directory > that	3/12/2010 3/12/2010	Jim McFadden Jim L Jim L Pat from a scientist (Martin Connors?) Pat from a scientist (Martin Connors?)	1 1 1 1	Jim L Jim L Jim L Jim L	thm_load_fit and thm_load_mom, add keyword. In progress - Will review code Davin checked-in concerning tensor quantities in thm_load_mom. Create a routine to clean up tplot variables. Use in the load routines were susecptible. Recommend that we just remove what is needed to make the time tags monotonic, and issue a warning indicating that the user should consu	4 hrs
2266 2149g 2149h 4008a 4008b	keyword. If keyword is present, look for and apply eclipse delta_phi corrections as appropriate.* Timing of Spin Fit data write a routine to check time tag monotonicity and repair tplot variable if necessary (with options for "replace with NaN" and "delete") integrate time tag fixer-upper with TDAS load routines He requested some extra datetime formats. A. Numerical month & time (ie 2007-03-23/00:00:00). this option isn't listed. He said there is an ANSI standard to separate date & time using a capital T and requested the option to put datetimes in this format. (ie '2007-03-23T00:00:00) Our "save data as" menu doesn't remember the previous directory > that the user saved to. It could and it should. once in a while (maybe 10-20 occurrences per probe during the entire	3/12/2010 3/12/2010 3/12/2010	Jim McFadden Jim L Pat from a scientist (Martin Connors?) Pat from a scientist (Martin Contors?) Pat from a scientist (Martin Contors?)	1 1 1	Jim L Jim L Jim L Jim L Jim L	thm_load_fit and thm_load_mom, add keyword. In progress - Will review code Davin checked-in concerning tensor quantities in thm_load_mom. Create a routine to clean up tplot variables. Use in the load routines were susecptible. Recommend that we just remove what is needed to make the time tags monotonic, and issue a warning indicating that the user should consu	4 hrs

10/1/2010 11:50 AM 20101001 - Themis Software Task Priorities.xls

	In the load and/or calibration routines for ESA, SST, MOM: rather than using the ESA solar wind flags and sweep mode from the L1 CDFs, use the ESA full configuration instead (which is present in all three L1 types, for convenience), and use the routines from 4135a to extract the solar wind flags, sweep mode, and any other useful attributes. I think SST does not have any configuration flags similar to the ESA quantities (there's the attenuator status, but that's separate from the instrument configuration word), but it needs them in the future, they should be handled the same w as ESA (extract from SST configuration word instead of adding L1 variables). I can do this, but if the routines from part (a) are well-documented, any of us could probably do this part.		Jim L	2	Jim L or tbd	
4022	Update L1 master cdfs to support SPDF hosting	3/25/2010	David	3+	Jim L	
3093	Automate processing of eclipse sunpulse data from FGM team	2/22/2010	Jim L	3+	Jim L	
4040	Spinfits - separate E&B timestamps?	4/15/2010	Jim L	3	Jim L	SPDF has issue creating plots on the L1 data with their software
	either thm_load_fit or the GUI code that calls thm_load_fit should split the data into separate tplot variables for E and B, before importing them into the GUI data model. I think thm_load_fit already does something like this. See task 4040		Pat	3	Jim L	Jim M 4/23: thm_load_fit also splits into efit and bfit variables, so unless you need to look at raw bytes, the 'fit' datatype is not needed. Pat: Agreed. Short term, excluding the data type from the GUI seems like an easy solution.
2082a	Spin modeling during shadows BugZid=43		Vassilis	3	Hannes	Jim L to write routine. Hannes send info.
2035	Split L1 ESA (using Thomas's routine) in master ESA data cdf		Vassilis	3	Jim L	On Hold - awaiting Jim McFadden release: Then send David Sub Task List; Calibration variables removed from L1 data master CDF. (Side note: found and reported a bug in SKTEditor, which the Goddard team has agreed to fix) Waiting for feedback from Jim McFadden about
	GOES 10-12 Test data: h. update labels (Howard's request - minor tweak) STATE Web Page (s)		Vassilis Vassilis	3	Jim L Jim L	determine if to be reassigned 3-4 days review web pages
	bad timing sun pulse times (early January 2009)		Vassilis	3	Jim L	Clarification needed
	L1 Data Processing History Info: SCM, EFI, STATE		Vassilis	3	Jim L	
	Refactor repeated CDF library code in CDF processing tools BugZid=50		Vassilis	3	Jim L	
	Create a more efficient & productive prototype QA Instrument Command Line Script - first template (s) functional blocks then scripts for FGM, ASK SCM, FIT, MOM, ASI, EFI, FFT, FBK, Gmag, State, SST, ESA		Vassilis	3	Jim L	In progress. Several templates created, selecting the appropriate command line routines to test.
	Separate E and B timestamps for spin fits: a) make a revised V02 master CDF with E and B separated b) change thm_load_fit to support V01 and V02 of the L1 CDFs c) change the L0->L1 processing code d) change the L1->L2 processing code e) test the changes, then reprocess to create the V02 CDFs (keeping the V01 files around for a while to ease the transition) BugzID=45		Vassilis	3	Jim L	Discuss with SPDF whether having one variable with multiple data sources is difficult for them
	FGS sample times and values, showing repeated timestamps. BugzID=11 (BugzID=67 must be done first)		Vassilis	3	Jim L	
2047b	Repeated timestamps and gaps in spin fit data BugZid=113 (#67 may fix this one as well).		Vassilis	3	Jim L	
2077	Non Monotonic timestamps. BugzID=72		Vassilis	3	Jim L	
2078	bau_sunpulse_met assumes x86 endiannes (BugzID=13)		Vassilis	3	Jim L	
	task 2047 in my name: "Seperate E and B timestamps for spin fits", which is also a change to the L1 FIT master CDF and associated TDAS code. But unlike the spacecraft potential enhancement (which only adds new CDF variables, and is more-or-less backward compatible), 2047 would require us to bump the L1 FIT CDF version number to V02, and produce both V01 and V02 for a while, so users of TDAS 5.20 and earlier will still be able to load L1 FIT data. So I'm not sure whether the spacecraft potential task should include 2047, or not.	3/2/2010	Jim L	4+	Jim L	
	describe the FBK data type, time tag specified to correspond to the beginning of the time interval of the data that went into the FBK data, the middle, or the end, or is that unspecified, and what's happening here is the the time tagging is being changed in year 3+ of the mission - in the L1 file definition document, at least, does not define the time-tagging conventions to this level of detail.		John Bonnell	4	Jim L	
4023	Before EOM reprocess L1 cdf's due to master cdf changes for SPDF	3/25/2010	David	4	Jim L	
2080	Phantom packets" cause non-monotonic distribution times. BugzID=25, low priority.		Vassilis	4	Jim L	
2081	Evaluate CDF compression algorithms BugZid=81	***************************************	Vassilis	4	Jim L	
2083	Add "last processed" time to L1 (and L2?) CDFs BugZid=115		Vassilis	4	Jim L	
	. transforming one data point from SM coordinates to GSM coordinates. ct=time_double('2008-02-16/04:50:00') dipole=[[0],[0],[1]] v=[1,2,3] store_data,'dipole_sm',data={xct,ydipole,yv} cotrans,'dipole_sm',dipole_gsm',/SM2GSM cotrans,'dipole_gsm','dipole_gsm','GSM2GSE get_data,'dipole_gse',data=dipole_gse xdipgse=dipole_gse.y[0] ydipgse=dipole_gse.y[1] zdipgse=dipole_gse.y[2] tilt=atan(xdipgse,zdipgse) When I check the data for 'dipole_gsm', the values are 0,0,0. I'm not sure what they SHOULD be, but I know that their magnitude should equal 1. sqrt(x^2+y^2+z^2)=1		Christine	4	Jim L	
4097	cdf's with MD5 checksum	7/19/2010	Jim L	4	Jim L	Jim L to send email with subtasks and estimates
2057	Jim M SCM CAL File Processing Doc		Vassilis	1	Jim M	5/21/10 Olivier will review - pinged Olivier again on
						7/30/10

10/1/2010 11:50 AM 4

4004	Sort out if TDAS software can run off SPDF cdf's	3/5/2010	David	1	Jim M	sent Tami list of Calibration files - Jim M needs to	
			,			check if zeros directory online	
3099f	Revise the calibration code for the particle data types (ESA, perhaps also SST or MOM?) to look for spacecraft potential in L1 FIT, if the moments are decimated	3/2/2010	Jim L	1	Jim M	Run independent test on thm_load_esa_packet. Awaiting Jim McFadden to send code of separate routine.	
3090	Then one needs to correct the particle distributions to be introduced in the same orientation. I.e., should use the corrected spinphase upon being introduced (on the fly). This means the particle loading software needs to read the above difference between corrected and uncorrected spinphase, and apply a rotation to the distribution functions upon reading. This should be done with a keyword first, and routinely when we get into orbit (by which time the shadow spinphase determinations will hopefully be automated). I think McFadden is the one to do this but he can also assign it.		Vassilis	1	Jim McFadden	3089 is prerequisite - Vassilis 4/23: un-rotate the V's from the dphi and the onboard spinphase) and compare with the ground-processed V from the distribution functions. ESA and MOM code to use new features of spin model. In progress and being done in conjunction with 3099f. Jim Lewis needs to review spinmodel2 and thm_load_esa_packet to see how to incoporate spin model correctly.	
3051	EFW spike removal	2/1/2010	Vassilis	1	Jim M	Jim can't reproduce the crash that was reported. Vassilis says there is new code coming from LASP that should work better, V will send us the updated code when it's ready to be merged into our repository.	
3041	Update overview plots to handle survey FFTs? Task modified as follow as of 8/30/2010: One overview plot for the three inner probes - 4 products (FBK-2,FFF-2) and one plot for the outer two probes (4 products for each).	i		1	Jim M	10-1-10 Vassilis sent plots to confirm	
2103	EAC offsets	8/1/2009	John Bonnell	1	Jim M	John sent Jim M code from Chris Cully showing how the offset should be calculated (8/12) 8-20-10 Jim M send John B for review a database of offsets. 9-2-10: John B to have feedback by 9-11.	
2228	one outstanding issue with THM_LOAD/THM_CAL_EFI is that for some reason when I ask for the calibrated data in SPG (which should just be adjustment of gains and offsets, and conversion from ADC units to physical units, the code is trying to do some despin operations. Since this has direct impact on my ability to evaluate the EFI data quality,	9/3/2009	John Bonnell	1	Jim M	Jim M to create an option in thm_cal_efi.pro so that data in physical units can be gotten out before any spin dependent offsets are applied.8-20-10 Jim M committed changes and will send John B an email to review. 9-2-10: John B to have feedback by 9-11.	
2216	Fix the sign reversal of e34.	8/13/2009	John Bonnell	1	Jim M	John sent Jim M a date/probe combination that Forrest Mozer used to establish the correct sign of e34 (8/12). Jim M will make the appropriate thm, spinfit corrections. testing in progress. John to review once testing is completed.	
4137	What I'm imagining would be a crib that loads the RAW TM data, then the NO_EDC_OFFSET data, then the fully-calibrated data so one can see the various stages in the calibration process directly. If you have time in your schedule to start developing something like that, that would be a natural next step for this part of the effort, and it would mean one more step forward.	9/13/2010	John Bonnell	1	Jim M	extension of task 2228; work on the week of 9/20-9/24	1-2 hrs
2225	L2 EFI cdf (quality flags)	8/31/2004	John Bonnell	1	Jim M	Quality flags and L2 cdf will be addresses when we have a clue about offsets, spinfits, etc	a
4123	Remove IDL Save Sets (e.g. MOM), thm_cal_hsk. Also create read-me files for SPDF.	9/2/2010	David	1	Jim M	next in queue	
3064	47. CL specplot missing peib data for tests 25 and 26	1/15/2010	Jim M	1	Jim M	Data exists, but isn't plotted for some reason	
3085	138. GUI SCM cotrans inconsistent results depending on starting/ending coordinate systems. Pass warning through to GUI	2/18/2010	Jim M	1	Jim M	Also should check if same problem exists with command line? Will take time to look at code to get an estimate	
4086	Requested better instructions on how to use TDAS with other IDL libraries	6/30/2010	Strangeway	1	Jim M	(e.g. FAST, Cluster, etc) update documentation, suggest workarounds for specific situations (e.g. conflicts with TDAS and FAST versions of tplot)	tbd
4087	Suggested that we bundle quickstart document in TDAS zip	6/30/2010	Strangeway	1	Jim M	Talk to David - thought we had one	1 week
4056	EFI Calibration Document	4/30/2010	David	3	Jim M	0050	
2288	had expected that this cotrans would occur at the very end, after all the calibration code. But the calibration itself seems to be affected, as reflected in the following differences between the log messages before/after rev 6929:	11/12/2009	Jim	3	Jim M	see 2256	
2283	There is another aspect to this problem. Dead-time corrections are severe for ion ESA SW data and there are no dead-time corrections for onboard moments. Some algorithm will have to be developed that does this correction after the fact. Davin developed an algorithm like this for Wind 3DP. That algorithm may not work directly due to differences in energy sweeps, but something like it could be developed for THEMIS. Davin and can provide some advice and direction. Similarly electron onboard moments in the SW may also need some corrections this should also be worked out at the same time.	I	Jim Mcfadden	3	Jim M		
2058	found 3 errors in the new th*_I2_esa masters - the good news is, with ther L2 cdf Quality Flags: for SST	1	Vassilis Vassilis	3	Jim M Jim M		
2175	L2 File Definitions Document Administrator's Guide		David Vassilis	3	Jim M Jim M		
2088	Themis Developers Guide		Vassilis	3	Jim M		
2224	thm_load_mom: for quantities like velocity, the coordinate system isn't stored in the meta data, and none of the units are stored in the place we normally try to store them (from Pat - Vassilis concurs) Will take a look.		Vassilis	3	Jim M		
2091	Once Jim McFadden completes his mods for n_3d_new_3 reprocess L2 cdf's - entire mission		Vassilis	3	Jim M		
2092	cut's - entire mission thm_load_mom changes - reconcile mods with Davin at an appropriate time.		Vassilis	3	Jim M		
2055	ESA L2 from L1 (not packets) - create L2 and test thoroughly, then		Vassilis	3	Jim M	On Hold; awaiting Jim L to split L1 into master cdf	
4003	reprocess ESA Document: ESA File and Calibation Processing	3/5/2010	David	3	Jim M		

10/1/2010 11:50 AM 5 20101001 - Themis Software Task Priorities.xls

4042	Script to run every two weeks to runs IDL TDAS and checks if a file can be	4/19/2010	Pat	3	Jim M		
	loaded from THEMIS SPDF file (s)						
2093 2094	AE Indexes Issue Jan 8-12, keyograms Jan 12-13, Stripes- Vassilis: Overview plot change: mode bar seems thick		Vassilis Vassilis	4	Jim M Jim M	nothing we can do easily	
2034	Overview plot change. Indde bar seems trick		Vassilis		JIII W	nothing we can do easily	
2095	Mosaic Processing - permanent script needed		Vassilis John Bonnell	4	Jim M		***************************************
2100 2100d	EFI calibration DC offset between 4sdo and 2sdo in boom plane		John Bonnell	4	Jim M Jim M	Which is better? Assigned to J. B. (low priority).	
2100h	Try to track down frequency scaling problem in DPWRSPC (dlimit setting? Compare to old plots?).		John Bonnell	4	Jim M	On Hold - low priority	
2100p	Modify THM_CAL_FIT to treat efs datatype - Install E12/E34 conditional		John Bonnell	4	Jim M		
	based on th?_fit_code TPLOT variable. If E12 switched to E34 software needs to be revised to handle						
2060	Pat		Vessilie	0	Dot		
	Support Mirror Sites		Vassilis Vassilis	0	Pat Pat		
	Japan (ISAS) Austria		Vassilis	0	Pat		
2069c	France		Vassilis	0	Pat	(Rumi - not always up to date for gmags)	
	Support gmag data remote sites. Augsburg (MACC's)		Vassilis Vassilis	0 0	Pat Pat		
2070b	Alberta		Vassilis	0	Pat		
2070c	Greenland - I think the following stations in our archives are essentially unusable scientifically (non calibrated-mis labeled):		Vassilis	3	Pat	On #1 Is there any way for us to calibrate the DMI data - answer is NO. Basically what he's saying is that all our ol	
	nrsq amk atu dmh dnb gdh kuv naq nrd sco skt stf svs thl umq upn					greenland data is in raw format, but none of our	
	Following up with DTU on ways to correct. ***Periodic Download - go for it ***Old data not calibrated - what to do? ***Release					documentation is labeled to indicate this. Someone could easily use the greenland data by accident and think that it	
	Greenland to SPDF? Integrate into load routines (yes)					is actually calibrated. Replacing the old data with calibrated data would be the best option, but we may not	
						be able do that for all dates/sites. For the remainder we	
						should probably have very clear documentation, or maybe not distribute the data at all. Without calibrations it	
						shouldn't be used to do science.	
3034	U Alaska all working	12/7/2009	Jim M	0	Pat		
4114	Once Jim completes latest round of L2 reprocessing - reprocess the	8/16/2010	Pat	0	Pat	in progress	***************************************
4104	Onboard moment overview plots 8/30/2010 Pat forwarded email from Igor to Davin. Davin thinks it	4/19/2010	Igor Kirpichev	0	Pat	Vassilis wants to talk to Davin.8/30/2010 Pat forwarded	
	may have to do with attenuator status flag. Will check onboard			-		email from Igor to Davin. 9/13/10: Pat will check if	
	versus ground moments.					task 4030 is causing this problem and then David will email Igor. 9/20/2010 Pat will talk to Davin	
						_	
4139	thm_part_getspec bug	9/14/2010	Pat	0	Pat	in progress	
4141 4138	add interpolation internally to the calc routine Install the new GEANT model when released. 4.9.4 is currently in beta.	9/16/2010 9/14/2010	Vassilis Davin	1	Pat Pat		1-2 hrs
							1-21113
4134	I noticed some discrepancies in the SST attenuator calibrations for the on- board moments and the ground-computed moments. The on-board	9/10/2010	Pat	1	Pat	9/13/10 from Pat: maybe one more issue	
	moments use a scaling factor of 1./128. and they use a 4-bit check to						
	determine if the attenuator is open or closed. The ground-computed moments use a scaling factor of 1./64. and but they only check the least						
	significant digit of the 4-bit attenuator flags to determine if the attenuator is opened or closed. I asked Davin and said I should change the code such						
	that both use a scaling factor of 1./64. and both use the 4-bit check. This						
	is a fairly simple change, but it does change how the attenuator is handled significantly.						
3055	SST calibrations	12/18/2009	Davin	1	Pat		
	Extend thm_pdist to populate all dist struct fields(mass etc) so that	7/1/2010	Davin	1	Pat		
20554	moments can be correctly generated	7/4/0040	Devie		D-4	-	
3055d	3055d1 Energy Scales. Scales for scaled raw energy boundaries. There will be 4 parameters. One for each sensor head. 3055d2 Energy	7/1/2010	Davin	1	Pat		
	Offsets. Offsets for scaled raw energy boundaries. There will be 4						
	parameters. One for each sensor head. 3055d3 Geometric factors. Scaling factors for raw fluxes. There will be 4 parameters. One for each						
	sensor head. 3055d4 Efficiencies. Scaling factors for raw fluxes. There will be 16x4 parameters. One for each combination of energy bin/sensor		4				
	head.						
3055e	Provide initial calibration file which contains calibration parameters that	7/1/2010	Davin	1	Pat		
	were previously hard-coded. This will serve as a template for future modifications.						
3055e	In first version, I had split time in calibration file; used	7/12/2010	Davin	1	Pat	Davin to Review 3055c - 3055j and	
	separate column for year month date hour minute second, Davin asked					see if further changes needed - eta	
	that it be stored as one column. This is already done.					8/16	
3055f	The calibration file should include an additional factor: the nominal g-facto The other 4 g-factor parameters will be corrections applied to the new	7/12/2010	Davin	1	Pat		
	factor.		La constitución de la constituci				
3055g	include 4 new parameters for the sst attenuator calibration	7/12/2010	Davin	1	Pat		
3055h	Need to include new parameters for dead time corrections. I need	7/12/2010	Davin	1	Pat		
	to review code to determine appropriate number of parameters and verify						
3055i	with davin. Need to version calibration files. Looking at FGM for version control	7/12/2010	Davin	1	Pat		
3055j	Right now, the calibration files are one line only. timestamps are included		Davin	1	Pat	-	
	in the files, but they are not yet used by calibration code. add support for						
3055k	time varying parameters. Davin delivers SST calibration parameters	7/19/2010	Davin	1	Davin		
30551	Install SST calibration parameters	7/19/2010	Davin Iim M	1	Pat Im M	dependent on 3055k	
4072	Install SST calibration parameters Put eclipse spin model correction code in SST as already has been done for esa packet pgm Lynn Wilson possible enhancements	7/19/2010 6/8/2010 6/1/2010	Jim M Lynn Wilson	1 1	Pat Jim M Pat	dependent on 3055k wait for SST calibrations Review Lynn's software and generate list of features	***************************************

10/1/2010 11:50 AM 20101001 - Themis Software Task Priorities.xls

	Profiled EFI calibration can speed up by reducing the number of calls to spinmodel_interp_t. Right now >95% of time is spent in spinmodel. It call spinmodel_interp_t 2x for each 3d data type, could probably use a single call for multiple data types with the same cadence.	1/25/2010 s	Pat	1	Pat		
4083	GOES plots on the web	6/28/2010	Vassilis	1.5	Pat	Vassilis wants overview plots for GOES, Jim M to write the code and generate GOES overview plots for the data we have so far. Not a daily process, because we only get binary GOES data in occasional batch updates from Howard Singer	
4129	We would like to incorporate the Hermanus gmag data into the THEMIS database in some form of external ground station, like the Greenland	9/8/2010	Vassilis	2	Pat		
4002	Document: SST File and Calibation Processing	3/5/2010	David	2	Pat		
4119a	Reorganize sun contamination keywords. (Add 'manual' option to method sunpulse clean)	8/26/2010	Vassilis	2	Pat		***************************************
4119b	Add 'automatic' option to method_sunpulse_clean which will sum across	8/26/2010	Vassilis	2	Pat		
4119c	time range provided by user in new keyword. Create a new crib that shows only a few simplified options to the users.	8/26/2010	Vassilis	2	Pat	4119a and b prereq's	1-2 hrs
	(all_angle_median,scale_sphere,manual bin selection(for fill), automatic bin selection)						
	When Cindy & I tried to load tha_eff on 2007-03-23, it didn't load and saic some calibration quantity couldn't be found. When I tried to load the sam thing, I didn't have a problem. So the trick would be to find out what changed from my computer to Cindy's computer and to figure out how often our user's computers are going to have the same problem that Cindy's computer had.		Pat	2	Pat	Jim M: I have no trouble with EFF data either for linux or windows.	4-6 hrs
2187	I noticed a bug in the x-axis options panel. It probably also applies to the axis options. If the set-all button is selected on the grid tab, then changing panels doesn't update the settings on the grid tab to the settings currently displayed for that panel.		Pat	2	Pat	set to most recent user action for all routines	2-4 hrs
	thm_load_state out_coord velocity calculations wrong	44/4/0000	Vassilis Christine	2	Pat		
	Christine brought to my attention a bug that occurs if you use the TDAS tsyganenko routines in a way that is not really something that I expected, but seems to be a legitimate use of the routines. If passing in a set of inpu parameters that are stored in tplot variables but are not in time-series, the routine produces incorrect results.	11/4/2009	Christine	2	Pat		
	For the beta and official sites we want to add a button at the bottom to the right of the existing two buttons. Official site web page url: http://themis.ssl.berkeley.edu/summary.shtml?autoload=1 Please center the 3 buttons. The new button will have the words "Plot Descriptions" and if clicked will link to the following: http://apollo.ssl.berkeley.edu/pb/THEMIS/3 Ground Systems/3.2 Science Operations/Science Operations Documents/THEMIS Summary Plot Description Tables	4/19/2010	Pat	2	Pat		
	Alberta - At the moment the data files are from Dawson (daws), Churchill (f(chu), Island Lake (isll) and Fort McMurray (mcmu). I will add Rabbit Lake and Taloyoak at some time but we have some issues with mag pointing at those 2 sites. If you recall, the agreement between lan and Vassilis was that this data wouldn't be copied to become part of a mirrored archive like the existing data we provide. Instead, each file would be obtained from this ite each time it is requested (using curl or some such). This means we can use our own logs to monitor data usage. Themis Software to be able to retrieve from Alberta		Vassilis	3	Pat		
4120	Add title support to plotxy	8/27/2010	Christine	3	Pat		
4121	Add multi-row/column span to plotxy	8/27/2010	Christine	3	Pat		***************************************
2090	that streamlines the generation of gmag stackplots and a crib to show how to do this. (< than a day)	v	Vassilis	3	Jim M		2 hrs
3053	102. Tplot_gui overwrite warning when importing data, even if variable gets renamed.	2/3/2010	Pat	3	Pat		6 hrs
	tplot does not fail gracefully after illegal margin set. In this case: tplot_options, xmargin',[100,100], tplot does not fail gracefully after illegal margin set. In this case: tplot_options, xmargin',[-1,-1] -tplot does not fail gracefully after illegal margin set. In this case: tplot_options, ymargin',[100,100]			3	Pat		
	if you want to load a template, you need to pass the template path in via a keyword, or select an option to open it from the THEMIS-s-File Menu. I think we should consider adding the template path to the configuration file that we save, so that it can be loaded automatically.		Pat	3	Pat		
4013	Plot Description Doc Button	3/22/2010	David	3	Pat		
	I ran into a small annoyance today when loading a themis document. I ha originally loaded ESA and SST data for one time period, then overwrote that data by loading the same quantities but for a different time period. I did this several times and then saved the document for later. When re- opening the document I got a series of prompts asking whether I would lik to re-write each quantity. It would speed up and streamline the process in this case if data that was later overwritten is not loaded when you open the document.	Ð	Aaron	3	Pat	I spoke to Pat about this yesterday and we both agreed that while we cannot be sure which quantities should be re loaded and which shouldn't (some may have been used temporarily for calculations). However, we can store the users's original choice to overwrite the data or not. So while we may not be able to save on loading time we can still keep the user from having to click multiple messages and from having to remember what they chose originally.	16
2201	One feature that was never implemented for the mini-language is globbing.(The ability to use '*' and '?' to reference multiple tplot variables a once.) This is a feature that is standard with many of our other tplot data processing routines. I think it would be very useful to include in the minilanguage.	8/5/2009 t	Pat	3	Pat	The latter is narticularly important since they may receive.	40
	add MACCS gmag data from 2007 to our data archive. We already have MACCS data for some years and a process that automatically downloads ticonverts to CDF. So the task would involve finding missing files from 2007 and feeding them into our pre-existing processing framework. It should be pretty straightforward, but probably non-trivial because of learning curve/unexpected details.	2/19/2010	James Weygand	3	Pat		

10/1/2010 11:50 AM 7

	Add a configuration setting "force_download", which if enabled, will download data even if the remote file is older than the local file. This comes up if you're switching back and forth between using QA data and production data; once you've downloaded QA data, it's hard to download (usually older) production data without manually removing any QA files. This should apply to all data sources THEMIS, GOES, WIND, etc.	2/22/2010	Vassilis	3	Pat		
3065	68. GUI z-axis options when Fixed Min/Max selected, value in spinners does not reflect current range as it does for X and Y axes. Displayed range when spinners desensitized is inaccurate.	2/10/2010	Aaron	4	Pat	chech draw object	
4005	The TDAS Software will be enhanced to incorporate data from the STEREO mission.	3/8/2010	David	4	Pat		8 hrs
	add the following ancillary ground-based observations: MAGDAS Network Auroral Electrojets (AE) and Ground Radars (SuperDarn, AMISR and Sondrestorm)		David	4	Pat		4 hrs
	EPO-GMAG msgs: modify the script and only issue this message if > 2 days	12/8/2009	David	4	Pat		
2279	How's it going with the stats? I noticed the query takes some time because it's looking at the whole table. It could be refined for specific time periods. The delay in return could be what's causing Dave to have access problem - or the SSL firewall?		Tim	4	Pat	see 2277	
	I didn't realize the cotrans messed up the velocities for earth centered coordinates. Maybe what we really need to do is modify cotrans so that it correctly transforms velocities. Users can incorrectly transform velocities just as easily using thm_cotrans on the command line, as they can using the coord keyword.		Pat/Jim L	4	Pat		
2124	I loaded a plot which had the line color as white. Because the legend plot in the same color as the line, the legend text did not show up. We should probably just put in a check for this case. If the line is white and the background is white then draw the text in black	3	Pat	4	Pat		
	Problem with edit3dbins is being caused by IDL's mouse system variable not being updated correctly on Macs. The ctime procedure, used to interactively select a time from a tplot window, relies on this variable to determine when a selection has been made in the tplot window. If the variable is never updated then ctime gets caught in an infinite loop. It's unclear whether this is specific to a particular OS version, but the routine should probably be modified at some point to maximize compatibility with Macs. In the meantime the alternate method of calling gettime that I copie you on yesterday should provide a temporary way around this bug.		Aaron	4	Pat	verify note in quick reference guide and then task will be closed	
2106	Add the ability to right-click on a variable in the widget-tree and display a popup with basic information about the quantity such as dimensions, rang or other meta data as well as the ability to rename variable		Pat	4	Pat	originally part of task 64, however, after further evaluation it was determined this best belonged with the widget tree rather than the analysis window	
2220	I found a small bug in the z-axis panel in the gui. If I change the z-axis annotation size of a layout with 2-panels each with one spectrogram, whet I apply this change, it gets applied to both panels, even if set-all is off.	8/27/2009 1	Pat	4	Pat		
3063	40. CL tplot options setposition test plots all look the same	1/15/2010	Pat	4	Pat	Long-standing tplot bug, may not ever be fixed	
	One of Michael Hartinger (a grad student in atmos) is having trouble with thm_part_getspec when the SST is in fast survey mode. The routine can take a very long time to run because of the higher resolution. I think we should put a feature request on the list to automatically downsample the particle data in time. Normally, I would suggest that uses downsample usione of our interpolation routines, but because the particle data is stored in a special common block, there is no easy way for end users to perform this operation.		Michael Hartinger / Pat	4	Pat	Michael supplied code for thm_part_moments	4-8 hrs
	Misc						
447	Save THEMIS document: Attempting to save to a read only file in			11		IDL Error report to ITT	