Task #							
	Task Description  To be Assigned or Discussed	Opened	Reported By	Pri	Assigned To	Notes	
4143	Just a note that Haje will contact you when ready to start workingon the Tsyganenko code for Solaris. I hope that will be within the next 3 months, order to match the time of the next software release. Please assist Haje with access to Solaris machines or provide test information as necessary.	10/8/2010 in	Vassilis	?	Pat		***************************************
	i i						
4144	when Clarina was answering another question from me, she mentioned that there is an account called thuser "THEMIS group account". I have absolutely no recollection of this account being used or created, and there are just a few files in the Desktop/ subdirectory.	10/8/2010	Bryce	0	Team		
4147 4148	Slices re-gridding: Change interpolation method to nearest neighbor Slices re-gridding: Add nearest neighbor interpolation across energy, based off bin size, & implement in gui	10/8/2010 10/8/2010	Vassilis Vassilis	?	Aaron Aaron		2 hrs 4-6 hrs
4149	Allow exporting of slices plots to .eps format. There should already be some code in place to do this; if not we may want to re-prioritize it.	10/8/2010	Vassilis	?	Aaron		
4150 4153	Allow slices based off coordinates other than DSL.	10/8/2010	Vassilis	?	Aaron		
4154 4155							
4156							
2186	General I noticed that the Data->Collaboration Tools->(subcategories) fall behind	7/28/2009	Michael	3	Amanda	Run Compatiability View in Internet Explorer	
4043	the ARTEMIS graphic. Paper on interdependentcies of FGM and STATE Reprocessing	4/19/2010	Pat	1	Jim L	David - Put Paper into themis doc format - tips du jour?	
						David Tutt aper into themic decisional approach	
4000 4001	Document: Developers Guide Document: Administrators Guide	3/5/2010 3/5/2010	David David	3	Team Team		
	Incorporate electron calibration into data Enhanced SST and MOM Instrument Web Pages	10/25/2009	Vassilis David		Davin Davin		
4078	help request Martin - SST	6/18/2010	Martin Birch	0	Davin		
	Harald ASI software - running fine as of 25 May 2010, L1's and mosaics are up-to-				Harald		, market 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1, 1,
	date.						
	Thumbnail Data:	***************************************			Harald	Updates ready 7-10th of the next month	
	- cdf files done until April 30, 2010 - overview plots done until April 30, 2010						
	- movies done until April 30, 2010						
	Full-resolution raw data:				Harald		
***************************************	- complete for 2007, 2008, 2009 - reasonably complete until mid February 2010						***************************************
		***************************************			IIII		
	Full resolution data: - data cdf done for all 2007 and 2008 and mid Nov-2009				Harald		
	- keogram cdf done for 2007 and 2008 and until mid Nov-2009						
	Web site mosaics and movies:  - Mosaics and movies reprocessed for 2007/2008 and 2008/2009 seasons						
	- Mosaics and movies up to date until April 30, 2010						
	Web site overview plots with full resolution data: - overview plots done for 2007 and 2008 and until mid-November 2009						
	- overview plots with thumbnails done until April 30, 2010						
2069d	UCLA – mirror site set-up		Vassilis	1	Harald	UCB has 2-1TB and 2-2TB bricks.	
	Hannes						
4080	Attitude Determination next few months	6/21/2010	Hannes	1	Hannes	will send out new attitude correctionsfor tha, thd and the. 8/30/2010: Thb and thc while in lunar orbit based upon sun angles. Work with UCB Ops folks (Dan Cosgrove).	
	Ferdinand sent was an attempt on his part to automate the shadow processing. He wanted feedback whether the products produced are adequate and if the code is amenable to automation. We can pick it up wit him once you have gone through it.	4/14/2010	Vassilis	?	Hannes	Report sent out on 9/13/10. Jim L to review	
4018a 4058	New Calibration FGM parameters and spin axis offsets. This is getting a bit out of hand I think. How about a configuration file? The software just reads keywords from a configuration file. With such a configuration file it is possible to set keywords automatically (for the scientists) but additionally it would give us the possibility to keep track of what the software does automatically. When I do calibrations I can then save the configuration file together with the results and not worry about the		Hannes Hannes	3	Hannes Hannes	in progress Hannes sent out new version for review.	
20740	things that the software might have done automatically.  quality flag for FGM data		Vassilis	3	Hannes	on hold	
	Spin modeling during shadows BugZid=43		Vassilis	3	Hannes	Jim L to write routine. Hannes send info.	***************************************
2002d			v assilis	3	Hailies	Carrie Tourine. Harries seriu IIIIO.	
2013	Aaron 2-D Slices		Vassilis	1	Aaron		
2013x	User's Guide write-up and then review with Xuzhi		David	1	Aaron	changes in progress	
2013am	·		David	1	Aaron	changes in progress	
	I added the interpolation option you described to the command line calc	10/8/2010	Vassilis	1	Aaron		
	routine. You can now use the interpolate='tvarname' keyword to interpolate data to match 'tvarname' when using calc on the command line. Add optic to GUI						

10/8/2010 11:56 AM 20101008 - Themis Software Task Priorities.xls

	verify the location of the sun-contaminated bins for each spacecraft and any change in location over time(they should change very slowly if at all). They would then re-activate the sun contamination masking. It was previously disabled because the masking was originally in the from place. Davin said that he wants to create the new configuration files that would b uploaded to the spacecraft.	10/8/2010 e	Vassilis and Davin	1	Aaron		4 hrs
	I'm getting a crash in the calculate window after I delete the text in the program area and then click on a data quantity from the tree. The error message is below.	12/7/2009	Aaron	1	Aaron		
3015	The data processing panel doesn't allow split components. This is fine for some operations, even required, but for some operations this doesn't make sense. For example, clipping. There is a good chance that some people will want to clip each component at separate values.	12/11/2009	Pat	1	Aaron	analysis only - in progress	
3079	110. GUI spinner widget, inconsistencies between actual and displayed value for very small numbers	2/12/2010	Pat	2	Aaron	Support exponential notation for very small values	
3079a	Spinner Part	2/12/2010	Pat	2	Aaron		
3079b	FormatAnnotation Part	2/12/2010	Pat	2	Aaron	The format routine is incorrectly deciding the # of significant digits in a number when using decimal format. think this may have been done originally for simplicity but should be fixed	4-5 hrs
	137. GUI spinner controls when inputing value >= 2^16/2 in grid thickness spinner, causes error message and value reset to -32768. Pat: Problem is not the spinner. Object definitions using short ints when long ints should have been used.	2/16/2010	Pat	2	Aaron	Probably short data type used where long required, affects many of the spinner controls	6-10 hrs
	Finishing the coordinate transformation of the thm_load_state data at input, to include transformation of spinaxis attitude, need to determine keyword switch, implement the rotation of the spinaxis elevation/azimuth from gei to arbitrary coordinates (consult with Pat, Vassilis)		Vassilis	2	Aaron	not allow velocity to go bad	1 hr
2013af	Mark one count level (dashed line)	***************************************	Vassilis	2	Aaron	Vassilis wants to talk to Jim Mcfadden about this. Jim McFadden to review email.	
2013s	combine SST and ESA slices into a single plot?		Vassilis	2	Aaron		2 days
	Allow for loading of user-specified distributions in gui. 8/23/10 Per Vassilis For 2013t instead of allowing user specified distributions in the gui I will be adding an option to compare slices with specified functions		Vassilis	2	Aaron		4-6 hrs
2013w	Integrate our own slicer3.pro gui with regular 2-D slice plots.		Vassilis	2	Aaron		2 days
3014	We don't have support for filled symbols. This means symbols are only	12/11/2009	Pat	3	Aaron		
3016	outlines.  There is no way to control the variable font size from the variable panel.  There was a barrier to adding features to the variable panel when this came up before, in terms of a design that was too complex to modify reliably. When I fixed some previous bugs in this panel I simplified the code considerably. I now think that adding this feature is feasible.	12/11/2009	Pat	3	Aaron		1 day
	GUI Overview plots sometimes have diamond shaped artifacts in the sample rate bar. Should fix.	1/5/2010	Vassilis	3	Aaron	This is a side-effect of the a way that symbols are used as a hack to generate the sample rate bar. Fix after 3014 is fixed.	1/2 day
	When importing a variable with a valid 'V' component in its data struct, but no spec flag set in its meta data, the loaded data object fails to load the y-axis. This should be fixed, as it ends up incorrectly loading certain spectral quantities.		Pat	4	Aaron		
	When thm_load_fit is called requesting a single data type it will also return some auxiliary data types. For example: thm_load_fit,probe='b',datatype='fgs' returns: 1 thb_fit_code 2 thb_fit_npts 3 thb_fgs. load bug or test script bug) b. The relpathname all keyword is broken.			4	Aaron		
	Variable units – generic solution - thm_load_spin, _state, _hsk, _sst, _esa, _bau, _fgm, _fbk, _fft, _fit, _scm, _efi, _trg, _asi, _gmag, _ask, _mom, _esa_pkt		Vassilis	4	Aaron		
2029	From Hannes		Hannes	4	Aaron		
2029b	Provided is the most common plot used by scientists that look at magnetic The level 2 CDF files at http://themis.ssl.berkeley.edu/data_download.shtr should contain position in various coordinate systems as well. Preferably in the same resolution as the data. Otherwise Scientists need to get the position from another source. Notes from Vassilis: option to introduce the data in RE with keyword (one RE =6,478 kilometers ????). Like thm_load_fgm /pos_units= 'RE'. Also thm_load_state keyword out_coord 'GSM', 'GSE',etc.		Hannes Hannes	4	Aaron Aaron		
	If one loads fgm data from probe 'a' and let's say there are no data for the chosen interval. The variables tha_fgl and tha_fgl_gsm etc. should all be empty. It could be those variables still contain data from the previously loaded interval.		Hannes	4	Aaron		
2030	upgrade thm_load to work with probe assignments		Vassilis	4	Aaron		
2031	move functionality of thm_load_state2 into thm_load_state and delete		Vassilis	4	Aaron		
2032	thm load state2 Multiple enhancements concerning keywords, valid_names and thm_load routines		Vassilis	4	Aaron		
	Cindy						
	line t						
4142	Jim L issue with FGS processing	9/30/2010	Vassilis	0	Jim L	analysis first fixing if needed priority 1 after	

10/8/2010 11:56 AM 2 20101008 - Themis Software Task Priorities.xls

4117	I am a postdoc from UCLA working on the THEMIS data. The recently	8/16/2010	Wen Li	0	Jim L	I've had a chance to take a closer look at the FFF (apid	
4140	decompression algorithm - implementation and testing; FYI, I'm done (pending ETU testing) implementation and testing; FYI, I'm done (pending ETU testing) implementation and testing; FYI, I'm done (pending ETU testing) implementing the new lossy moment compression algorithm requested by Vassilis. It passes its self-consistency check (that the decompression algorithm requested by Vassilis. It passes its self-consistency check (that the decompression algorithm requested by Vassilis. It passes its self-consistency check (that the decompression algorithm reacetly to the ETU, to make Vestiling time ETU, to make to test it against Peter's implementation on the ETU, to make Westiling the ETU, to make the Vestiling the Vestiling the ETU, to make the Vestiling the Vestiling the Vestiling the ETU, to make the Vestiling the Vestili	9/15/2010	Vassilis	0	Jim L	I've nad a chance to take a closer look at the FFF (apid 44f) vs. FFP (apid 44d) timing discrepancy you pointed out. I have a tool that tries to match the FFF samples bin-by-bin with the FFP samples, to locate the data points that are common to the two data sets, report the matching indices, and show any time differences found for the matching samples. Please refer to the attached output file fff_ffp_comparison.txt. It seems that the IDPU is occasionally skipping over some of the FFP samples, and not copying them into the FFF data stream8/30/2010 Jul to send out an email (high priority) to get a etu/flatsat case setup. Awaiting "function generator" and Peter's return from vacation. 9/13/10 see Peter Berg for a piece of equipment. 9/20/10 Jim L to run on etu the old code an see if the problem can be duplicated. flatsat will not be available for 1-2 more weeks 9/30/2010 going to test on Flatsat the week of 10/4-10/8. Prep for test and contact tom Clemons for support to hook up function generator. Next step: patch to probe  flight software patch to remove the SST data from the moments packets for the ARTEMIS probes. Peter is going to implement the FSW side as a new compression algorithm, so I need to add support for it in the VC->LO processing. Jim's code done awaiting for Peter's FSW	8 hrs
	sure the ground decompression is compatible with the FSW compression. He's probably not quite finished with the FSW side of it yet, so as soon as he's ready we'll give it a try on the ETU.					patch and then will be run on the etu; 10/8 next step to test on flatsat	
4034a	Ferdinand sent was an attempt on his part to automate the shadow processing. He wanted feedback whether the products produced are adequate and if the code is amenable to automation. We can pick it up wit him once you have gone through it.	4/14/2010	Vassilis	1	Jim L	Jim L to review Hannes's report.	
4030	cross-check SST psir6 and psif data types for excess counts in psir6	4/8/2010	Jim McFadden	1	Jim L	Talk to Davin as well.	
4030a	Review Onboard Scripts for possible error.	5/17/2010	Jim Lewis	1	Jim	can duplicate on flatsat. Jim Mcfadden to review Jim	
					McFadden, Davin, Robert Abiad	L's email.	
4030b	Correct Existing Data	5/17/2010	Jim McFadden	1	Jim L	4030a prerequsite	
4030c	If scripts change - make changes to processing scripts	5/17/2010	Jim Lewis	1	Jim L	4030a prerequsite	
4027b	Reprocessing GOES Data	4/5/2010	Tami - SPDF	1	Jim L	Reprocessing on hold until Howard Singer delivers another batch of binary GOES data files.	
4070	"Add support to thm_cotrans, ssi2gse, and ssi2dsl for /pseudo_dsl keyword. If keyword is present, look for and apply eclipse delta_phi corrections as appropriate."	6/1/2010	Jim L	1	Jim L	thm_load_fit and thm_load_mom, add keyword. In progress - Will review code Davin checked-in concerning tensor quantities in thm_load_mom.	
2266	Timing of Spin Fit data	10/16/2009	Jim McFadden	1	Jim L		
2149g	write a routine to check time tag monotonicity and repair tplot variable if necessary (with options for "replace with NaN" and "delete")		Jim L	1	Jim L	Create a routine to clean up tplot variables. Use in the load routines were susecptible. Recommend that we just remove what is needed to make the time tags monotonic, and issue a warning indicating that the user should consulthe THEMIS software team about that data.	ŀ
	integrate time tag fixer-upper with TDAS load routines		Jim L	1	Jim L		
	He requested some extra datetime formats. A. Numerical month & time (ie 2007-03-23/00:00:00). this option isn't listed.		Pat from a scientist (Martin Connors?)	1	Jim L		4 hrs
4008b	He said there is an ANSI standard to separate date & time using a capital T and requested the option to put datetimes in this format. (ie '2007-03-23T00:00:00')	3/12/2010	Pat from a scientist (Martin Connors?)	1	Jim L		
4016	Our "save data as" menu doesn't remember the previous directory > that the user saved to. It could and it should.	3/12/2010	Pat from a scientist (Martin Connors?)	1	Jim L		1 day
2248	once in a while (maybe 10-20 occurrences per probe during the entire mission), the FGM range doesn't change on all three axes at once:	9/10/2009	Jim L	2	Jim L		2 hrs
4135	Now that the L1 ESA/SST/MOM reprocessing is underway, these CDFs will soon contain the full ESA and SST configuration words, in addition to the solar wind flags, sweep modes, and so forth. With the full configuration data available, if someone wants to use a property of these instrument configurations that's not already present as a L1 variable, we don't need to reprocess L1 to add it we just write a little more code for TDAS, to extract the new attribute from the configuration data that's already present	,					2-4 hrs
4135a	Write some TDAS routines that take an apid and a configuration word, and return a structure with all the relevant properties of that configuration. This is basically reimplementing some logic that's already in the LO-sL1 processing code (written in C). If anyone ever needs other attributes of the instrument configuration (for example: the angle maps corresponding to each configuration), we would update these routines to return the additional information.		Jim L	2	Jim L		

10/8/2010 11:56 AM 20101008 - Themis Software Task Priorities.xls

	In the load and/or calibration routines for ESA, SST, MOM: rather than using the ESA solar wind flags and sweep mode from the L1 CDFs, use the ESA full configuration instead (which is present in all three L1 types, for convenience), and use the routines from 4135a to extract the solar wind flags, sweep mode, and any other useful attributes. I think SST does not have any configuration flags similar to the ESA quantities (there's the attenuator status, but that's separate from the instrument configuration word), but it needs them in the future, they should be handled the same w		Jim L	2	Jim L or tbd		
	as ESA (extract from SST configuration word instead of adding L1 variables). I can do this, but if the routines from part (a) are well-documented, any of us could probably do this part.						
4022	Update L1 master cdfs to support SPDF hosting	3/25/2010	David	3+	Jim L		
3093	Automate processing of eclipse sunpulse data from FGM team	2/22/2010	Jim L	3+	Jim L		
4040	Spinfits - separate E&B timestamps?	4/15/2010	Jim L	3	Jim L	SPDF has issue creating plots on the L1 data with their software	money
	either thm_load_fit or the GUI code that calls thm_load_fit should split the data into separate tplot variables for E and B, before importing them into the GUI data model. I think thm_load_fft already does something like this. See task 4040		Pat	3	Jim L	Jim M 4/23: thm_load_fit also splits into efit and bfit variables, so unless you need to look at raw bytes, the 'fit' datatype is not needed. Pat: Agreed. Short term, excluding the data type from the GUI seems like an easy solution.	
2082a	Spin modeling during shadows BugZid=43		Vassilis	3	Hannes	Jim L to write routine. Hannes send info.	
2035	Split L1 ESA (using Thomas's routine) in master ESA data cdf		Vassilis	3	Jim L	On Hold - awaiting Jirn McFadden release: Then send David Sub Task List; Calibration variables removed from L1 data master CDF. (Side note: found and reported a bug in SKTEditor, which the Goddard team has agreed to fix) Waiting for feedback from Jirn McFadden about	
	GOES 10-12 Test data: h. update labels (Howard's request - minor tweak) STATE Web Page (s)		Vassilis Vassilis	3	Jim L Jim L	determine if to be reassigned 3-4 days review web pages	
	bad timing sun pulse times (early January 2009)		Vassilis	3	Jim L	Clarification needed	_
	L1 Data Processing History Info: SCM, EFI, STATE		Vassilis	3	Jim L		
2043	Refactor repeated CDF library code in CDF processing tools BugZid=50		Vassilis	3	Jim L		
	Create a more efficient & productive prototype QA Instrument Command Line Script - first template (s) functional blocks then scripts for FGM, ASK SCM, FIT, MOM, ASI, EFI, FFT, FBK, Gmag, State, SST, ESA		Vassilis	3	Jim L	In progress. Several templates created, selecting the appropriate command line routines to test.	
	Separate E and B timestamps for spin fits: a) make a revised V02 master CDF with E and B separated b) change thm_load_fit to support V01 and V02 of the L1 CDFs c) change the L0->L1 processing code d) change the L1->L2 processing code e) test the changes, then reprocess to create the V02 CDFs (keeping the V01 files around for a while to ease the transition) BugzID=45		Vassilis	3	Jim L	Discuss with SPDF whether having one variable with multiple data sources is difficult for them	
	FGS sample times and values, showing repeated timestamps. BugzID=11 (BugzID=67 must be done first)		Vassilis	3	Jim L		
2047b	Repeated timestamps and gaps in spin fit data BugZid=113 (#67 may fix this one as well).		Vassilis	3	Jim L		
	Non Monotonic timestamps. BugzID=72		Vassilis	3	Jim L		
2078	bau_sunpulse_met assumes x86 endiannes (BugzID=13)		Vassilis	3	Jim L		
	task 2047 in my name: "Seperate E and B timestamps for spin fits", which is also a change to the L1 FIT master CDF and associated TDAS code. But unlike the spacecraft potential enhancement (which only adds new CDF variables, and is more-or-less backward compatible), 2047 would require us to bump the L1 FIT CDF version number to V02, and produce both V01 and V02 for a while, so users of TDAS 5.20 and earlier will still b able to load L1 FIT data. So I'm not sure whether the spacecraft potential task should include 2047, or not.		Jim L	4+	Jim L		
	describe the FBK data type, time tag specified to correspond to the beginning of the time interval of the data that went into the FBK data, the middle, or the end, or is that unspecified, and what's happening here is the the time tagging is being changed in year 3+ of the mission - in the L1 file definition document, at least, does not define the time-tagging conventions to this level of detail.		John Bonnell	4	Jim L		monate
4023	Before EOM reprocess L1 cdf's due to master cdf changes for SPDF	3/25/2010	David	4	Jim L		
	Phantom packets" cause non-monotonic distribution times. BugzID=25, lo priority.		Vassilis	4	Jim L		
2081	Evaluate CDF compression algorithms BugZid=81		Vassilis	4	Jim L		
2083	Add "last processed" time to L1 (and L2?) CDFs BugZid=115		Vassilis	4	Jim L		
	. transforming one data point from SM coordinates to GSM coordinates. ct=time_double('2008-02-16/04:50:00') dipole=[[0],[0],[1]] v=[1,2,3] store_data,'dipole_sm',data={xc.ty,vdipole,vv} cotrans,'dipole_sm',dipole_gsm',SM2GSM cotrans,'dipole_gsm',dipole_gse',GSM2GSE get_data,'dipole_gse',data=dipole_gse xdipgse=dipole_gse.y[0] ydipgse=dipole_gse.y[1] zdipgse=dipole_gse.y[2] tilt=atan(xdipgse,zdipgse) When I check the data for 'dipole_gsm', the values are 0,0,0. I'm not sure what they SHOULD be, but I know that their magnitude should equal 1. sqrt(x^2+y^2+z^2)=1		Christine	4	Jim L		
4097	cdf's with MD5 checksum	7/19/2010	Jim L	4	Jim L	Jim L to send email with subtasks and estimates	
2057	Jim M SCM CAL File Processing Doc		Vassilis	1	Jim M	5/21/10 Olivier will review - pinged Olivier again on	
2037	Com Orie File Frocessing 200		v assiils	1	JIII W	5/21/10 Oilvier will review - pinged Oilvier again on 7/30/10	

4004	Sort out if TDAS software can run off SPDF cdf's	3/5/2010	David	1	Jim M	sent Tami list of Calibration files - Jim M needs to check if zeros directory online
3099f	Revise the calibration code for the particle data types (ESA, perhaps also SST or MOM?) to look for spacecraft potential in L1 FIT, if the moments are decimated	3/2/2010	Jim L	1	Jim M	Run independent test on thm_load_esa_packet. Awaiting Jim McFadden to send code of separate routine.
3090	Then one needs to correct the particle distributions to be introduced in the same orientation. I.e., should use the corrected spinphase upon being introduced (on the fly). This means the particle loading software needs to read the above difference between corrected and uncorrected spinphase, and apply a rotation to the distribution functions upon reading. This should be done with a keyword first, and routinely when we get into orbit (by whic time the shadow spinphase determinations will hopefully be automated). I think McFadden is the one to do this but he can also assign it.		Vassilis	1	Jim McFadden	3089 is prerequisite - Vassilis 4/23: un-rotate the V's from the dphi and the onboard spinphase) and compare with the ground-processed V from the distribution functions. ESA and MOM code to use new features of spin model. In progress and being done in conjunction with 3099f. Jim Lewis needs to review spinmodel2 and thm_load_esa_packet to see how to incoporate spin model correctly.
3051	EFW spike removal	2/1/2010	Vassilis	1	Jim M	Jim can't reproduce the crash that was reported. Vassilis says there is new code coming from LASP that should work better, V will send us the updated code when it's ready to be merged into our repository.
3041	Update overview plots to handle survey FFTs? Task modified as follow as of 8/30/2010: One overview plot for the three inner probes - 4 products (FBK-2,FFF-2) and one plot for the outer two probes (4 products for each)			1	Jim M	10-1-10 Vassilis sent plots to confirm
2103	EAC offsets	8/1/2009	John Bonnell	1	Jim M	John sent Jim M code from Chris Cully showing how the offset should be calculated (8/12) 8-20-10 Jim M send John B for review a database of offsets. 9-2-10: John B to have feedback by 9-11.
2228	one outstanding issue with THM_LOAD/THM_CAL_EFI is that for some reason when I ask for the calibrated data in SPG (which should just be adjustment of gains and offsets, and conversion from ADC units to physical units, the code is trying to do some despin operations. Since this has direct impact on my ability to evaluate the EFI data quality,	9/3/2009	John Bonnell	1	Jim M	Jim M to create an option in thm_cal_efi.pro so that data in physical units can be gotten out before any spin dependent offsets are applied.8-20-10 Jim M committed changes and will send John B an email to review. 9-2-10: John B to have feedback by 9-11.
2216	Fix the sign reversal of e34.	8/13/2009	John Bonnell	1	Jim M	John sent Jim M a date/probe combination that Forrest Mozer used to establish the correct sign of e34 (8/12). Jim M will make the appropriate thm. spinfit corrections. testing in progress. John to review once testing is completed.
4137	What I'm imagining would be a crib that loads the RAW TM data, then the NO_EDC_OFFSET data, then the fully-calibrated data so one can see the various stages in the calibration process directly. If you have time in your schedule to start developing something like that, that would be a natural next step for this part of the effort, and it would mean one more step forward.		John Bonnell	1	Jim M	sent to John B and waiting for feedback
2225	L2 EFI cdf (quality flags)	8/31/2004	John Bonnell	1	Jim M	Quality flags and L2 cdf will be addresses when we have a clue about offsets, spinfits, etc
4123	Remove IDL Save Sets (e.g. MOM), thm_cal_hsk. Also create read-me files for SPDF.	9/2/2010	David	1	Jim M	send Tami email that files are online
3064	47. CL specplot missing peib data for tests 25 and 26	1/15/2010	Jim M	1	Jim M	Data exists, but isn't plotted for some reason
3085	138. GUI SCM cotrans inconsistent results depending on starting/ending coordinate systems. Pass warning through to GUI	2/18/2010	Jim M	1	Jim M	Also should check if same problem exists with command line? Will take time to look at code to get an estimate
4086	Requested better instructions on how to use TDAS with other IDL libraries	6/30/2010	Strangeway	1	Jim M	(e.g. FAST, Cluster, etc) update documentation, suggest workarounds for specific situations (e.g. conflicts with TDAS and FAST versions of tplot)
4087	Suggested that we bundle quickstart document in TDAS zip	6/30/2010	Strangeway	1	Jim M	Talk to David - thought we had one 1 week
4056	EFI Calibration Document	4/30/2010	David	3	Jim M	
2288	had expected that this cotrans would occur at the very end, after all the calibration code. But the calibration itself seems to be affected, as reflected in the following differences between the log messages before/after rev 6929:	11/12/2009	Jim	3	Jim M	see 2256
2283	There is another aspect to this problem. Dead-time corrections are severe for ion ESA SW data and there are no dead-time corrections for onboard moments. Some algorithm will have to be developed that does this correction after the fact. Davin developed an algorithm like this for Wind 3DP. That algorithm may not work directly due to differences in energy sweeps, but something like it could be developed for THEMIS. Davin and can provide some advice and direction. Similarly electron onboard moments in the SW may also need some corrections this should also be worked out at the same time.	I	Jim Mcfadden	3	Jim M	
2058	found 3 errors in the new th*_I2_esa masters - the good news is, with ther	n	Vassilis	3	Jim M	
2060	L2 cdf Quality Flags: for SST		Vassilis	3	Jim M	
2175	L2 File Definitions Document		David	3	Jim M	
2087	Administrator's Guide		Vassilis	3	Jim M	
2088	Themis Developers Guide		Vassilis	3	Jim M	
2224	thm_load_mom: for quantities like velocity, the coordinate system isn't stored in the meta data, and none of the units are stored in the place we normally try to store them (from Pat - Vassilis concurs) Will take a look.		Vassilis	3	Jim M	
2091	Once Jim McFadden completes his mods for n_3d_new_3 reprocess L2 cdf's - entire mission		Vassilis	3	Jim M	
2092	thm_load_mom changes - reconcile mods with Davin at an appropriate		Vassilis	3	Jim M	
2055	time. ESA L2 from L1 (not packets) - create L2 and test thoroughly, then		Vassilis	3	Jim M	On Hold; awaiting Jim L to split L1 into master cdf
4003	reprocess ESA Document: ESA File and Calibation Processing	3/5/2010	David	3	Jim M	

4042	Script to run every two weeks to runs IDL TDAS and checks if a file can be loaded from THEMIS SPDF file (s)	4/19/2010	Pat	3	Jim M		
2093	AE Indexes Issue Jan 8-12, keyograms Jan 12-13, Stripes- Vassilis: mino		Vassilis	4	Jim M		
2094	Overview plot change: mode bar seems thick		Vassilis	4	Jim M	nothing we can do easily	
2095 2100	Mosaic Processing - permanent script needed  EFI calibration		Vassilis John Bonnell	4	Jim M Jim M		
2100d	DC offset between 4sdo and 2sdo in boom plane		John Bonnell	4	Jim M	Which is better? Assigned to J. B. (low priority).	***************************************
2100h	Try to track down frequency scaling problem in DPWRSPC (dlimit setting? Compare to old plots?).		John Bonnell	4	Jim M	On Hold - low priority	
2100p	Modify THM_CAL_FIT to treat efs datatype - Install E12/E34 conditional based on th?_fit_code TPLOT variable. If E12 switched to E34 software		John Bonnell	4	Jim M		
	needs to be revised to handle  Pat						
2069	Support Mirror Sites		Vassilis	0	Pat		
	Japan (ISAS)		Vassilis	0	Pat		
2069c			Vassilis Vassilis	0 0	Pat Pat	(Rumi - not always up to date for gmags)	
2070 2070a	Support gmag data remote sites. Augsburg (MACC's)		Vassilis Vassilis	0 0	Pat Pat		
	Alberta Greenland - I think the following stations in our archives are		Vassilis Vassilis	0 3	Pat Pat	On #1 Is there any way for us to calibrate the DMI data -	
	essentially unusable scientifically (non calibrated-mis labeled):					answer is NO. Basically what he's saying is that all our ol greenland data is in raw format, but none of our	
	nrsq amk atu dmh dnb gdh kuv naq nrd sco skt stf svs thl umq upn Following up with DTU on ways to correct. ***Periodic Download -					documentation is labeled to indicate this. Someone could	
	go for it ***Old data not calibrated - what to do? ***Release Greenland to SPDF? Integrate into load routines (yes)					easily use the greenland data by accident and think that it is actually calibrated. Replacing the old data with	
						calibrated data would be the best option, but we may not be able do that for all dates/sites. For the remainder we	
						should probably have very clear documentation, or maybe not distribute the data at all. Without calibrations it	
						shouldn't be used to do science.	
3034	U Alaska all working	12/7/2009	Jim M	0	Pat		***
4114		8/16/2010	Pat	007	Pat	in progress, keeps aborting	
4104	Onboard moment overview plots 8/30/2010 Pat forwarded email from Igor to Davin. Davin thinks it		Igor Kirpichev	0	Pat	Vassilis wants to talk to Davin.8/30/2010 Pat forwarded	
4104	may have to do with attenuator status flag. Will check onboard	4/19/2010	igor Kirpicriev	U	Pal	email from Igor to Davin. 9/13/10: Pat will check if	
	versus ground moments.					task 4030 is causing this problem and then David will email Igor. 9/20/2010 Pat will talk to Davin;10/7:	
						almost done	
4139	thm_part_getspec bug	9/14/2010	Pat	0	Pat	Send out email to folks. Who?	
4141	add interpolation internally to the calc routine	10/8/2010 9/16/2010	David Vassilis	0	Pat Pat		
4138	Install the new GEANT model when released. 4.9.4 is currently in beta.	9/14/2010	Davin	1	Pat		1-2 hrs
4134	I noticed some discrepancies in the SST attenuator calibrations for the on- board moments and the ground-computed moments. The on-board	9/10/2010	Pat	1	Pat		
	moments use a scaling factor of 1./128. and they use a 4-bit check to determine if the attenuator is open or closed. The ground-computed						
	moments use a scaling factor of 1./64. and but they only check the least significant digit of the 4-bit attenuator flags to determine if the attenuator is						
	opened or closed. I asked Davin and said I should change the code such						
	that both use a scaling factor of 1./64. and both use the 4-bit check. This is a fairly simple change, but it does change how the attenuator is handled						
4450	significantly.	40/0/0040	\/iid		D-4		***************************************
4152	any change in location over time(they should change very slowly if at all).	10/8/2010	Vassilis and Davin	1	Pat		
	They would then re-activate the sun contamination masking. It was previously disabled because the masking was originally in the from place.						
	Davin said that he wants to create the new configuration files that would be uploaded to the spacecraft.	•					
3055 3055c	1	12/18/2009 7/1/2010	Davin Davin	1	Pat Pat		
30330	moments can be correctly generated	111/2010	Davill	'	Гаі		
3055d	3055d1 Energy Scales. Scales for scaled raw energy boundaries. There will be 4 parameters. One for each sensor head. 3055d2 Energy	7/1/2010	Davin	1	Pat		
	Offsets. Offsets for scaled raw energy boundaries. There will be 4		and a second				
	parameters. One for each sensor head. 3055d3 Geometric factors.  Scaling factors for raw fluxes. There will be 4 parameters. One for each		or concentration of				
	sensor head. 3055d4 Efficiencies. Scaling factors for raw fluxes. There will be 16x4 parameters. One for each combination of energy bin/sensor						
	head.						
3055e	Provide initial calibration file which contains calibration parameters that were previously hard-coded. This will serve as a template for future	7/1/2010	Davin	1	Pat		
	modifications.	7/16/2		ļ		- Davin to Review 3055c - 3055j and	
3055e	separate column for year month date hour minute second, Davin asked	7/12/2010	Davin	1	Pat	see if further changes needed - eta	
	that it be stored as one column. This is already done.		namananana			8/16	
3055f	The calibration file should include an additional factor: the nominal g-facto The other 4 g-factor parameters will be corrections applied to the new	7/12/2010	Davin	1	Pat		
	factor.						
3055g	include 4 new parameters for the sst attenuator calibration	7/12/2010	Davin	1	Pat		
3055h	Need to include new parameters for dead time corrections. I need to review code to determine appropriate number of parameters and verify	7/12/2010	Davin	1	Pat		
	with davin.					_	
3055i 3055i	Need to version calibration files. Looking at FGM for version control  Right now, the calibration files are one line only. timestamps are included	7/12/2010 7/14/2010	Davin Davin	1	Pat Pat	-	
3000	in the files, but they are not yet used by calibration code. add support for	, . ,,2010					
3055k	time varying parameters.  Davin delivers SST calibration parameters	7/19/2010	Davin	1	Davin		
	·	7/19/2010	Dovin	1		dependent on 2055k	
30551	Install SST calibration parameters	7/19/2010	Davin	1	Pat	dependent on 3055k	

10/8/2010 11:56 AM 20101008 - Themis Software Task Priorities.xls

4072	Put eclipse spin model correction code in SST as already has been done	6/8/2010	Jim M	1	Jim M	wait for SST calibrations	1
4068	for esa packet pgm Lynn Wilson possible enhancements	6/1/2010	Lynn Wilson	1	Pat	Review Lynn's software and generate list of features	
	Profiled EFI calibration can speed up by reducing the number of calls to spinmodel_interp_t. Right now >95% of time is spent in spinmodel. It call spinmodel_interp_t 2x for each 3d data type, could probably use a single call for multiple data types with the same cadence.	1/25/2010 s	Pat	1	Pat		
4083	GOES plots on the web	6/28/2010	Vassilis	1.5	Pat	Vassilis wants overview plots for GOES, Jim M to write the code and generate GOES overview plots for the data we have so far. Not a daily process, because we only get binary GOES data in occasional batch updates from Howard Singer	
4129	We would like to incorporate the Hermanus gmag data into the THEMIS database in some form of external ground station, like the Greenland Document: SST File and Calibation Processing	9/8/2010	Vassilis David	2	Pat Pat		
	Reorganize sun contamination keywords. (Add 'manual' option to	8/26/2010	Vassilis	2	Pat		
	method_sunpulse_clean) Add 'automatic' option to method_sunpulse_clean which will sum across	8/26/2010	Vassilis	2	Pat		
	time range provided by user in new keyword.  Create a new crib that shows only a few simplified options to the users.	8/26/2010	Vassilis	2	Pat	4119a and b prereg's	1-2 hrs
	(all_angle_median,scale_sphere,manual bin selection(for fill), automatic bin selection)						
4012	When Cindy & I tried to load tha_eff on 2007-03-23, it didn't load and saic some calibration quantity couldn't be found. When I tried to load the sam thing, I didn't have a problem. So the trick would be to find out what changed from my computer to Cindy's computer and to figure out how often our user's computers are going to have the same problem that Cindy's computer had.		Pat	2	Pat	Jim M: I have no trouble with EFF data either for linux or windows.	4-6 hrs
2187	I noticed a bug in the x-axis options panel. It probably also applies to the axis options. If the set-all button is selected on the grid tab, then changing panels doesn't update the settings on the grid tab to the settings currently displayed for that panel.		Pat	2	Pat	set to most recent user action for all routines	2-4 hrs
2041 2285	thm_load_state out_coord velocity calculations wrong Christine brought to my attention a bug that occurs if you use the TDAS	11/4/2009	Vassilis Christine	2	Pat Pat		***************************************
2203	this transfer brought to this determined a bug that occurs in you use the TDAS tsyganenko routines in a way that is not really something that I expected, but seems to be a legitimate use of the routines. If passing in a set of inpu parameters that are stored in tplot variables but are not in time-series, the routine produces incorrect results.		Christine		rat		
4045	For the beta and official sites we want to add a button at the bottom to the right of the existing two buttons. Official site web page url: http://themis.ssl.berkeley.edu/summary.shtml?autoload=1 Please center the 3 buttons. The new button will have the words "Plot Descriptions" and if clicked will link to the following: ftp://apollo.ssl.berkeley.edu/pub/THEMIS/3 Ground Systems/3.2 Science Operations/Science Operations Documents/THEMIS Summary Plot Description Tables	4/19/2010	Pat	2	Pat		
2062	Alberta - At the moment the data files are from Dawson (daws), Churchill (fchu), Island Lake (isll) and Fort McMurray (mcmu). I will add Rabbit Lake and Taloyoak at some time but we have some issues with mag pointing at those 2 sites. If you recall, the agreement between lan and Vassilis was that this data wouldn't be copied to become part of a mirrored archive like the existing data we provide. Instead, each file would be obtained from this ite each time it is requested (using curl or some such). This means we can use our own logs to monitor data usage. Themis Software to be able to retrieve from Alberta		Vassilis	3	Pat		
4120	Add title support to plotxy	8/27/2010	Christine	3	Pat		
4121 2090	Add multi-row/column span to plotxy that streamlines the generation of gmag stackplots and a crib to show how	8/27/2010 v	Christine Vassilis	3	Pat Jim M		2 hrs
3053	to do this. (< than a day)  102. Tplot_gui overwrite warning when importing data, even if variable	2/3/2010	Pat	3	Pat		6 hrs
2115	gets renamed.  tplot does not fail gracefully after illegal margin set. In this case: tplot_options, xmargin',[100,100], tplot does not fail gracefully after illegal margin set. In this case: tplot_options, xmargin',[-1,-1] -tplot does not fail gracefully after illegal margin set. In this case: tplot_options, ymargin',[100,100]			3	Pat		
2267	if you want to load a template, you need to pass the template path in via a keyword, or select an option to open it from the THEMIS->File Menu. I think we should consider adding the template path to the configuration file that we save, so that it can be loaded automatically.		Pat	3	Pat		
4013	Plot Description Doc Button	3/22/2010	David	3	Pat		
2176	I ran into a small annoyance today when loading a themis document. I ha originally loaded ESA and SST data for one time period, then overwrote that data by loading the same quantilies but for a different time period. I did this several times and then saved the document for later. When re- opening the document I got a series of prompts asking whether I would lik to re-write each quantity. It would speed up and streamline the process in this case if data that was later overwritten is not loaded when you open the document.	e e	Aaron	3	Pat	I spoke to Pat about this yesterday and we both agreed that while we cannot be sure which quantities should be loaded and which shouldn't (some may have been used temporarily for calculations). However, we can store the users's original choice to overwrite the data or not. So while we may not be able to save on loading time we can still keep the user from having to click multiple messages and from having to remember what they chose originally.	16
2201	One feature that was never implemented for the mini-language is globbing. (The ability to use "" and ?" to reference multiple tplot variables a once.) This is a feature that is standard with many of our other tplot data processing routines. I think it would be very useful to include in the mini-language.		Pat	3	Pat		40
3086	add MACCS gmag data from 2007 to our data archive. We already have MACCS data for some years and a process that automatically downloads it/converts to CDF. So the task would involve finding missing files from 2007 and feeding them into our pre-existing processing framework. It should be pretty straightforward, but probably non-trivial because of learning curve/unexpected details.	2/19/2010	James Weygand	3	Pat		

	Add a configuration setting "force_download", which if enabled, will download data even if the remote file is older than the local file. This come up if you're switching back and forth between using QA data and production data; once you've downloaded QA data, it's hard to download (usually older) production data without manually removing any QA files. This shou apply to all data sources THEMIS, GOES, WIND, etc.		Vassilis	3	Pat		
3065	68. GUI z-axis options when Fixed Min/Max selected, value in spinners does not reflect current range as it does for X and Y axes. Displayed range when spinners desensitized is inaccurate.	2/10/2010	Aaron	4	Pat	chech draw object	
4005	The TDAS Software will be enhanced to incorporate data from the STEREO mission.	3/8/2010	David	4	Pat		8 hrs
	add the following ancillary ground-based observations: MAGDAS Network Auroral Electrojets (AE) and Ground Radars ( SuperDarn, AMISR and Sondrestorm)	, 3/8/2010	David	4	Pat		4 hrs
	EPO-GMAG msgs: modify the script and only issue this message if > 2 days	12/8/2009	David	4	Pat		
2279	How's it going with the stats? I noticed the query takes some time because it's looking at the whole table. It could be refined for specific time periods. The delay in return could be what's causing Dave to have access problem - or the SSL firewall?		Tim	4	Pat	see 2277	
	I didn't realize the cotrans messed up the velocities for earth centered coordinates. Maybe what we really need to do is modify cotrans so that it correctly transforms velocities. Users can incorrectly transform velocities just as easily using thm_cotrans on the command line, as they can using the coord keyword.		Pat/Jim L	4	Pat		
2124	I loaded a plot which had the line color as white. Because the legend plot in the same color as the line, the legend text did not show up. We should probably just put in a check for this case. If the line is white and the background is white then draw the text in black	5	Pat	4	Pat		
	Problem with edit3dbins is being caused by IDL's mouse system variable not being updated correctly on Macs. The ctime procedure, used to interactively select a time from a tplot window, relies on this variable to determine when a selection has been made in the tplot window. If the variable is never updated then ctime gets caught in an infinite loop. It's unclear whether this is specific to a particular OS version, but the routine should probably be modified at some point to maximize compatibility with Macs. In the meantime the alternate method of calling gettime that I copie you on yesterday should provide a temporary way around this bug.		Aaron	4	Pat	verify note in quick reference guide and then task will be closed	
2106	Add the ability to right-click on a variable in the widget-tree and display a popup with basic information about the quantity such as dimensions, rang or other meta data as well as the ability to rename variable	404.000.000.000.000.000.000.000.000.000	Pat	4	Pat	originally part of task 64, however, after further evaluation it was determined this best belonged with the widget tree rather than the analysis window	
2220	I found a small bug in the z-axis panel in the gui. If I change the z-axis annotation size of a layout with 2-panels each with one spectrogram, whet I apply this change, it gets applied to both panels, even if set-all is off.	8/27/2009 1	Pat	4	Pat		
3063	40. CL tplot options setposition test plots all look the same	1/15/2010	Pat	4	Pat	Long-standing tplot bug, may not ever be fixed	
	One of Michael Hartinger (a grad student in atmos) is having trouble with thm_part_getspec when the SST is in fast survey mode. The routine can take a very long time to run because of the higher resolution. I think we should put a feature request on the list to automatically downsample the particle data in time. Normally, I would suggest that uses downsample usi one of our interpolation routines, but because the particle data is stored in a special common block, there is no easy way for end users to perform this operation.		Michael Hartinger / Pat	4	Pat	Michael supplied code for thm_part_moments	4-8 hrs
	Misc						
447	Save THEMIS document: Attempting to save to a read only file in			11		IDL Error report to ITT	

8