Task#	Tack Description	Date	Reported By	Dei	Assigned To	Notes	Estimate (hrs)
	Task Description To be Assigned or Discussed	Opened	, Reported by	PII	Assigned to	Notes	
4156 4157							
4158 4159							
4160	General		<u> </u>	<u> </u>			
2186	I noticed that the Data->Collaboration Tools->(subcategories) fall behind	7/28/09	Michael	3	Amanda	Run Compatiability View in Internet Explorer	
	the ARTEMIS graphic. Paper on interdependentcies of FGM and STATE Reprocessing	4/19/10	Pat	1	Jim L	David - Put Paper into themis doc format - tips du jour?	
	Document: Developers Guide  Document: Administrators Guide	3/5/10 3/5/10	David David	3	Team Team		
	Incorporate electron calibration into data	10/25/09	Vassilis	ļ	Davin		
4078	Enhanced SST and MOM Instrument Web Pages help request Martin - SST	6/18/10	David Martin Birch	0	Davin Davin		
	Harald ASI software - running fine as of 25 May 2010, L1's and mosaics are up-to-				Harald	High resolution datd for last tail season by end of	
	date.		ļ	ļ		December	
	Thumbnail Data: - cdf files done until April 30, 2010				Harald	Updates ready 7-10th of the next month	
	- overview plots done until April 30, 2010						
	- movies done until April 30, 2010						
	Full-resolution raw data: - complete for 2007, 2008, 2009				Harald		
	reasonably complete until mid February 2010		‡				
	Full resolution data:		ļ		Harald		
	- data cdf done for all 2007 and 2008 and mid Nov-2009						
	keogram cdf done for 2007 and 2008 and until mid Nov-2009	·					
	Web site mosaics and movies:		ļ	ļ			
	Mosaics and movies reprocessed for 2007/2008 and 2008/2009 seasons     Mosaics and movies up to date until April 30, 2010		ļ				
	Web site overview plots with full resolution data:						
	- overview plots done for 2007 and 2008 and until mid-November 2009						
	overview plots with thumbnails done until April 30, 2010			ļ			
2069d	UCLA – mirror site set-up		Vassilis	1	Harald	UCB has 2-1TB and 2-2TB bricks.	
	Hannes						
4153	maintenance of gmag stations "Exclude List"	10/11/10	David	. 0	Hannes		
	Attitude Determination next few months	6/21/10	Hannes	1	Hannes	will send out new attitude correctionsfor tha, thd and the.	
						8/30/2010: Thb and the while in lunar orbit based upon sun angles. Work with UCB Ops folks (Dan Cosgrove).	
						10/11/10 Waiting for 4-18a and then new calibration data	
4034h	Ferdinand sent was an attempt on his part to automate the shadow	4/14/10	Vassilis	1	Hannes	Report sent out on 9/13/10. Jim L to review	
	processing. He wanted feedback whether the products produced are	-,,,,,,,	Vassilis		Harmes	Report Sont Sut St. 5, 16, 16, Sim E to 16 vew	
	adequate and if the code is amenable to automation. We can pick it up with him once you have gone through it.						
	New Calibration FGM parameters and spin axis offsets GSE-GSM	5/10/10 10/11/10	Hannes Vassilis	1	Hannes Hannes	offsets to be sent to instr scientists by 11/15.	
	This is getting a bit out of hand I think. How about a configuration file? The	5/10/10	Hannes	3	Hannes	Hannes sent out new version for review.	
	software just reads keywords from a configuration file. With such a configuration file it is possible to set keywords automatically (for the	:	1				
	scientists) but additionally it would give us the possibility to keep track of	i					
	what the software does automatically. When I do calibrations I can then save the configuration file together with the results and not worry about the things						
	what the software does automatically. When I do calibrations I can then save						
	what the software does automatically. When I do calibrations I can then save the configuration file together with the results and not worry about the things that the software might have done automatically.		Vessilie	2			
2074c	what the software does automatically. When I do calibrations I can then save the configuration file together with the results and not worry about the things that the software might have done automatically.  quality flag for FGM data		Vassilis Vassilis	3	Hannes	on hold	
2074c	what the software does automatically. When I do calibrations I can then save the configuration file together with the results and not worry about the things that the software might have done automatically.  quality flag for FGM data  Spin modeling during shadows BugZid=43		Vassilis Vassilis	3	Hannes Hannes	on hold  Jim L to write routine. Hannes send info.	
2074c 2082a	what the software does automatically. When I do calibrations I can then save the configuration file together with the results and not worry about the things that the software might have done automatically.  quality flag for FGM data						
2074c 2082a 2013 4148	what the software does automatically. When I do calibrations I can then save the configuration file together with the results and not worry about the things that the software might have done automatically.  quality flag for FGM data  Spin modeling during shadows BugZid=43  Aaron  2-D Slices  Slices re-gridding: Add nearest neighbor interpolation across energy, based	10/8/10	Vassilis	3	Hannes		4-6 hrs
2074c 2082a 2013 4148	what the software does automatically. When I do calibrations I can then save the configuration file together with the results and not worry about the things that the software might have done automatically.  quality flag for FGM data  Spin modeling during shadows BugZid=43  Aaron  2-D Slices  Slices re-gridding: Add nearest neighbor interpolation across energy, based off bin size, & implement in gui		Vassilis  Vassilis  Vassilis	3 1 0	Hannes Aaron Aaron	Jim L to write routine. Hannes send info.	4-6 hrs
2074c 2082a 2013 4148	what the software does automatically. When I do calibrations I can then save the configuration file together with the results and not worry about the things that the software might have done automatically.  quality flag for FGM data  Spin modeling during shadows BugZid=43  Aaron  2-D Slices  Slices re-gridding: Add nearest neighbor interpolation across energy, based	10/8/10 10/8/10	Vassilis Vassilis	3	Hannes Aaron	Jim L to write routine. Hannes send info.	4-6 hrs
2074c 2082a 2013 4148 4149	what the software does automatically. When I do calibrations I can then save the configuration file together with the results and not worry about the things that the software might have done automatically.  quality flag for FGM data  Spin modeling during shadows BugZid=43  Aaron  2-D Slices  Slices re-gridding. Add nearest neighbor interpolation across energy, based off bin size, & implement in gui  Allow exporting of slices plots to eps format. There should already be some code in place to do this; if not we may want to re-prioritize it.  Allow slices based off coordinates other than DSL.		Vassilis  Vassilis  Vassilis  Vassilis  Vassilis	1 0 0	Aaron Aaron Aaron Aaron Aaron	Jim L to write routine. Hannes send info.	4-6 hrs
2074c 2082a 2013 4148 4149 4150 2013x	what the software does automatically. When I do calibrations I can then save the configuration file together with the results and not worry about the things that the software might have done automatically.  quality flag for FGM data  Spin modeling during shadows BugZid=43  Aaron  2-D Slices  Slices re-gridding: Add nearest neighbor interpolation across energy, based off bin size, & implement in gui  Allow exporting of slices plots to .eps format. There should already be some code in place to do this; if not we may want to re-prioritize it.  Allow slices based off coordinates other than DSL.  User's Guide write-up and then review with Xuzhi	10/8/10	Vassilis Vassilis Vassilis Vassilis Vassilis David	3 1 0 0	Aaron Aaron Aaron Aaron Aaron Aaron	Jim L to write routine. Hannes send info.  In progress  changes in progress	4-6 hrs
2074c 2082a 2013 4148 4149 4150 2013x	what the software does automatically. When I do calibrations I can then save the configuration file together with the results and not worry about the things that the software might have done automatically.  quality flag for FGM data  Spin modeling during shadows BugZid=43  Aaron  2-D Slices  Slices re-gridding: Add nearest neighbor interpolation across energy, based off bin size, & implement in gui Allow exporting of slices plots to .eps format. There should already be some code in place to do this; if not we may want to re-prioritize it.  Allow slices based off coordinates other than DSL.  User's Guide write-up and then review with Xuzhi  Crib	10/8/10 10/8/10	Vassilis  Vassilis  Vassilis  Vassilis  Vassilis  David  David	1 0 0	Aaron Aaron Aaron Aaron Aaron Aaron Aaron Aaron Aaron	Jim L to write routine. Hannes send info.  In progress  Changes in progress Changes in progress	
2074c 2082a 2013 4148 4149 4150 2013x	what the software does automatically. When I do calibrations I can then save the configuration file together with the results and not worry about the things that the software might have done automatically.  quality flag for FGM data  Spin modeling during shadows BugZid=43  Aaron  2-D Slices  Slices re-gridding: Add nearest neighbor interpolation across energy, based off bin size, & implement in gui  Allow exporting of slices plots to eps format. There should already be some code in place to do this; if not we may want to re-prioritize it.  Allow slices based off coordinates other than DSL.  User's Guide write-up and then review with Xuzhi  Crib  The data processing panel doesn't allow split components. This is fine for	10/8/10	Vassilis Vassilis Vassilis Vassilis Vassilis David	3 1 0 0	Aaron Aaron Aaron Aaron Aaron Aaron	Jim L to write routine. Hannes send info.  In progress  changes in progress	4-6 hrs
2074c 2082a 2013 4148 4149 4150 2013x 2013am 3015	what the software does automatically. When I do calibrations I can then save the configuration file together with the results and not worry about the things that the software might have done automatically.  quality flag for FGM data  Spin modeling during shadows BugZid=43  Aaron  2-D Slices  Slices re-gridding: Add nearest neighbor interpolation across energy, based off bin size, & implement in gui  Allow exporting of slices plots to .eps format. There should already be some code in place to do this; if not we may want to re-prioritize it.  Allow slices based off coordinates other than DSL.  User's Guide write-up and then review with Xuzhi  Crib  The data processing panel doesn't allow split components. This is fine for some operations, even required, but for some operations this doesn't make sense. For example, clipping. There is a good chance that some people will	10/8/10 10/8/10 12/11/09	Vassilis  Vassilis  Vassilis  Vassilis  Vassilis  David  David	1 0 0	Aaron Aaron Aaron Aaron Aaron Aaron Aaron Aaron Aaron	Jim L to write routine. Hannes send info.  In progress  Changes in progress Changes in progress	
2074c 2082a 2013 4148 4149 4150 2013x 2013am 3015	what the software does automatically. When I do calibrations I can then save the configuration file together with the results and not worry about the things that the software might have done automatically.  quality flag for FGM data  Spin modeling during shadows BugZid=43  Aaron  2-D Slices  Slices re-gridding: Add nearest neighbor interpolation across energy, based off bin size, & implement in gui Allow exporting of slices plots to .eps format. There should already be some code in place to do this; if not we may want to re-prioritize it.  Allow slices based off coordinates other than DSL.  User's Guide write-up and then review with Xuzhi  Crib  The data processing panel doesn't allow split components. This is fine for some operations, even required, but for some operations this doesn't make	10/8/10 10/8/10 12/11/09	Vassilis  Vassilis  Vassilis  Vassilis  Vassilis  David  David	1 0 0	Aaron Aaron Aaron Aaron Aaron Aaron Aaron Aaron Aaron	Jim L to write routine. Hannes send info.  In progress  Changes in progress Changes in progress	
2074c 2082a 2013 4148 4149 4150 2013x 2013am 3015	what the software does automatically. When I do calibrations I can then save the configuration file together with the results and not worry about the things that the software might have done automatically.  quality flag for FGM data  Spin modeling during shadows BugZid=43  Aaron  2-D Slices  Slices re-gridding: Add nearest neighbor interpolation across energy, based off bin size, & implement in gui Allow exporting of slices plots to .eps format. There should already be some code in place to do this; if not we may want to re-prioritize it.  Allow slices based off coordinates other than DSL.  User's Guide write-up and then review with Xuzhi  Crib  The data processing panel doesn't allow split components. This is fine for some operations, even required, but for some operations this doesn't make sense. For example, clipping. There is a good chance that some people will want to clip each component at separate values.	10/8/10 10/8/10 12/11/09	Vassilis  Vassilis  Vassilis  Vassilis  Vassilis  David  David  Pat	1 0 0	Aaron Aaron Aaron Aaron Aaron Aaron Aaron Aaron Aaron	Jim L to write routine. Hannes send info.  in progress  changes in progress changes in progress analysis completed	
2074c 2082a 2013 4148 4149 4150 2013x 2013am 3015	what the software does automatically. When I do calibrations I can then save the configuration file together with the results and not worry about the things that the software might have done automatically.  quality flag for FGM data  Spin modeling during shadows BugZid=43  Aaron  2-D Slices  Slices re-gridding: Add nearest neighbor interpolation across energy, based off bin size, & implement in gui  Allow exporting of slices plots to .eps format. There should already be some code in place to do this; if not we may want to re-prioritize it.  Allow slices based off coordinates other than DSL.  User's Guide write-up and then review with Xuzhi  Crib  The data processing panel doesn't allow split components. This is fine for some operations, even required, but for some operations this doesn't make sense. For example, clipping. There is a good chance that some people will	10/8/10 10/8/10 12/11/09	Vassilis  Vassilis  Vassilis  Vassilis  Vassilis  David  David	1 0 0	Aaron Aaron Aaron Aaron Aaron Aaron Aaron Aaron Aaron	Jim L to write routine. Hannes send info.  In progress  Changes in progress Changes in progress	
2074c 2082a 2013 4148 4149 4150 2013x 3015	what the software does automatically. When I do calibrations I can then save the configuration file together with the results and not worry about the things that the software might have done automatically.  quality flag for FGM data  Spin modeling during shadows BugZid=43  2-D Slices  Slices re-gridding: Add nearest neighbor interpolation across energy, based off bin size, & implement in gui Allow exporting of slices plots to .eps format. There should already be some code in place to do this; if not we may want to re-prioritize it.  Allow slices based off coordinates other than DSL.  User's Guide write-up and then review with Xuzhi  Crib  The data processing panel doesn't allow split components. This is fine for some operations, even required, but for some operations this doesn't make sense. For example, clipping. There is a good chance that some people will want to clip each component at separate values.  110. GUI – spinner widget, inconsistencies between actual and displayed value for very small numbers	10/8/10 10/8/10 12/11/09	Vassilis  Vassilis  Vassilis  Vassilis  Vassilis  David  David  Pat	3 1 0 0 1 1 1	Aaron	Jim L to write routine. Hannes send info.  in progress  changes in progress changes in progress analysis completed	
2074c 2082a 2013 4148 4149 4150 2013x 2013am 3015	what the software does automatically. When I do calibrations I can then save the configuration file together with the results and not worry about the things that the software might have done automatically.  quality flag for FGM data  Spin modelling during shadows BugZid=43  Aaron  2-D Slices  Slices re-gridding: Add nearest neighbor interpolation across energy, based off bin size, & implement in gui  Allow exporting of slices plots to .eps format. There should already be some code in place to do this; if not we may want to re-prioritize it.  Allow slices based off coordinates other than DSL.  User's Guide write-up and then review with Xuzhi  Crib  The data processing panel doesn't allow split components. This is fine for some operations, even required, but for some operations this doesn't make sense. For example, clipping. There is a good chance that some people will want to clip each component at separate values.  110. GUI – spinner widget, inconsistencies between actual and displayed value for very small numbers  Spinner Part	10/8/10 10/8/10 12/11/09 2/12/10	Vassilis  Vassilis  Vassilis  Vassilis  David  David  Pat  Pat	1 0 0	Aaron Aaron Aaron Aaron Aaron Aaron Aaron Aaron Aaron	Jim L to write routine. Hannes send info.  in progress  changes in progress changes in progress analysis completed	
2074c 2082a 2013 4148 4149 4150 2013x 2013am 3015	what the software does automatically. When I do calibrations I can then save the configuration file together with the results and not worry about the things that the software might have done automatically.  quality flag for FGM data  Spin modeling during shadows BugZid=43  2-D Slices  Slices re-gridding: Add nearest neighbor interpolation across energy, based off bin size, & implement in gui Allow exporting of slices plots to .eps format. There should already be some code in place to do this; if not we may want to re-prioritize it.  Allow slices based off coordinates other than DSL.  User's Guide write-up and then review with Xuzhi  Crib  The data processing panel doesn't allow split components. This is fine for some operations, even required, but for some operations this doesn't make sense. For example, clipping. There is a good chance that some people will want to clip each component at separate values.  110. GUI – spinner widget, inconsistencies between actual and displayed value for very small numbers	10/8/10 10/8/10 12/11/09	Vassilis  Vassilis  Vassilis  Vassilis  Vassilis  David  David  Pat	3 1 0 0 1 1 1	Aaron	Jim L to write routine. Hannes send info.  in progress  changes in progress changes in progress analysis completed	

10/15/10 11:43 AM 1 20101011 - Themis Software Task Priorities.xls

				-,			,
	137. GUI spinner controls — when inputing value >= 2 <sup>4</sup> 16/2 in grid thickness spinner, causes error message and value reset to -32768. Pat: Problem is not the spinner. Object definitions using short ints when long ints should have been used.	2/16/10	Pat	2	Aaron	Probably short data type used where long required, affects many of the spinner controls	6-10 hrs
2027e	Finishing the coordinate transformation of the thm_load_state data at input, to include transformation of spinaxis attitude, need to determine keyword switch, implement the rotation of the spinaxis elevation/azimuth from gei to arbitrary coordinates (consult with Pat, Vassilis)		Vassilis	2	Aaron	not allow velocity to go bad	1 hr
2013af	Mark one count level (dashed line)		Vassilis	2	Aaron	Vassilis wants to talk to Jim Mcfadden about this. Jim McFadden to review email.	
2013s	combine SST and ESA slices into a single plot?		Vassilis	2	Aaron		2 days
2013t	Allow for loading of user-specified distributions in gui. 8/23/10 Per Vassilis: For 2013t instead of allowing user specified distributions in the gui I will be adding an option to compare slices with specified functions		Vassilis	2	Aaron		4-6 hrs
2013w	Integrate our own slicer3.pro gui with regular 2-D slice plots.		Vassilis	2	Aaron		2 days
3014	We don't have support for filled symbols. This means symbols are only	12/11/09	Pat	3	Aaron		
	outlines.						
	There is no way to control the variable font size from the variable panel. There was a barrier to adding features to the variable panel when this came up before, in terms of a design that was too complex to modify reliably. When I fixed some previous bugs in this panel I simplified the code considerably. I now think that adding this feature is feasible.	12/11/09	Pat	3	Aaron		1 day
3031	GUI Overview plots sometimes have diamond shaped artifacts in the sample rate bar. Should fix.	1/5/10	Vassilis	3	Aaron	This is a side-effect of the a way that symbols are used as a hack to generate the sample rate bar. Fix after 3014 is fixed.	1/2 day
	When importing a variable with a valid 'V' component in its data struct, but no spec flag set in its meta data, the loaded data object fails to load the y-axis. This should be fixed, as it ends up incorrectly loading certain spectral quantities.		Pat	4	Aaron		
	When thm_load_fit is called requesting a single data type it will also return some auxiliary data types. For example: thm_load_fit.probe=b',datatype=fgs' returns: 1 thb_fit_code 2 thb_fit_npts 3 thb_fgs. load bug or test script bug) b. The relpathnames all keyword is broken.			4	Aaron		
2028	Variable units – generic solution - thm_load_spin, _state, _hsk, _sst, _esa, _bau, _fgm, _fbk, _fft, _fit, _scm, _efi, _trg, _asi, _gmag, _ask, _mom, _esa_pkt		Vassilis	4	Aaron		
2029	From Hannes		Hannes	4	Aaron		
2029a	Provided is the most common plot used by scientists that look at magnetic		Hannes	4	Aaron		
	The level 2 CDF files at http://themis.ssl.berkeley.edu/data_download.shtml should contain position in various coordinate systems as well. Preferably in the same resolution as the data. Otherwise Scientists need to get the position from another source. Notes from Vassilis: option to introduce the data in RE with keyword (one RE =6,478 kilometers ???). Like thm_load_fgm /pos_units= 'RE'. Also thm_load_state keyword out_coord = 'GSM', 'GSE',etc.		Hannes	4	Aaron		
2029c	If one loads fgm data from probe 'a' and let's say there are no data for the chosen interval. The variables tha fgl and tha fgl gsm etc. should all be empty. It could be those variables still contain data from the previously loaded interval.		Hannes	4	Aaron		
2030	upgrade thm_load to work with probe assignments		Vassilis	4	Aaron		
2031	move functionality of thm_load_state2 into thm_load_state and delete		Vassilis	1	Aaron		
	thm load state2				Adion		
2032	Multiple enhancements concerning keywords, valid_names and thm_load		Vassilis	4	Aaron		
	routines Cindy						}
		: :		:			}
	Jim L						L
4117	issue with FGS processing  I am a postdoc from UCLA working on the THEMIS data. The recently added FFF data is very helpful in our study with higher frequency resolution and longer time availability. I looked at FFF data and compared with FFP data during particle burst and attached a couple of examples as follows. In the attached figures, top three panels are electric field (1. FFP, 2. FFF, 3. closest FFP data at FFF recording times), and bottom three panels are magnetic field (4. FFP, 5. FFF, 6. closest FFP data at FFF recording times). As we can see from the figures, FFF data generally agrees well with FFP data, but sometimes is associated with a short time shift (e.g., ~10-05-12/12:51:54 UT).  When closed a warning needs to be sent to users.	9/30/10 8/16/10	Vassilis Wen Li	0	Jim L Jim L	analysis first fixing if needed priority 1 after I've had a chance to take a closer look at the FFF (apid 44f) vs. FFP (apid 44d) timing discrepancy you pointed out. I have a tool that tries to match the FFF samples bin-by-bin with the FFP samples, to locate the data points that are common to the two data sets, report the matching indices, and show any time differences found for the matching samples. Please refer to the attached output file fff_fp_comparison.txt. It seems that the IDPU is occasionally skipping over some of the FFP samples, and not copying them into the FFF data stream. 8/30/2010 Jim L to send out an email (high priority) to get a etufflatsat case setup. Awaiting "function generator" and Peter's return from vacation. 9/13/10 see Peter Berg for a piece of equipment. 9/20/10 Jim L to run on etu the old code and see if the problem can be duplicated. flatsat will not be available for 1-2 more weeks. 9/30/2010 going to test on Flatsat the week of 10/4-10/8. Prep for test and contact tom Clemons for support to hook up function generator. Next step: patch to probe	
	decompression algorithm - implementation and testing; FYI, I'm done (pending ETU testing) implementing the new lossy moment compression algorithm requested by Vassilis. It passes its self-consistency check (that the decompression algorithm exactly reverses the compression algorithm). We still have to test it against Peter's implementation on the ETU, to make sure the ground decompression is compatible with the FSW compression. He's probably not quite finished with the FSW side of it yet, so as soon as he's ready we'll give it a try on the ETU.	9/15/10	Vassilis	0	Jim L	flight software patch to remove the SST data from the moments packets for the ARTEMIS probes. Peter is going to implement the FSW side as a new compression algorithm, so I need to add support for it in the VC->L0 processing. Jim's code done awaiting for Peter's FSW patch and then will be run on the etu; 10/8 next step to test on flatsat	8 hrs

10/15/10 11:43 AM 2 20101011 - Themis Software Task Priorities.xls

4034a	Ferdinand sent was an attempt on his part to automate the shadow	4/14/10	Vassilis	1	. Jim L	Jim L to review Hannes's report.	
	processing. He wanted feedback whether the products produced are adequate and if the code is amenable to automation. We can pick it up with him once you have gone through it.					-	
4030	cross-check SST psir6 and psif data types for excess counts in psir6	4/8/10	Jim McFadden	1	Jim L	Talk to Davin as well.	
4030a	Review Onboard Scripts for possible error.	5/17/10	Jim Lewis	1	Jim McFadden, Davin, Robert Abiad	can duplicate on flatsat. Jim Mcfadden to review Jim L's email.	
4030b	Correct Existing Data	5/17/10	Jim McFadden	1	Jim L	4030a prerequsite	
4030c	If scripts change - make changes to processing scripts	5/17/10	Jim Lewis	1	Jim L	4030a prerequsite	
4027b	Reprocessing GOES Data	4/5/10	Tami - SPDF	1	Jim L	Reprocessing on hold until Howard Singer delivers another batch of binary GOES data files.	
	"Add support to thm_cotrans, ssl2gse, and ssl2dsl for /pseudo_dsl keyword. If keyword is present, look for and apply eclipse delta_phi corrections as appropriate."	6/1/10	Jim L	1	Jim L	thm_load_fit and thm_load_mom, add keyword. In progress Will review code Davin checked-in concerning tensor quantities in thm_load_mom.	
2266	Timing of Spin Fit data	10/16/09	Jim McFadden	1	Jim L		
	write a routine to check time tag monotonicity and repair tplot variable if necessary (with options for "replace with NaN" and "delete")		Jim L	1	Jim L	Create a routine to clean up tolot variables. Use in the load routines were susecptible. Recommend that we just remove what is needed to make the time tags monotonic, and issue a warning indicating that the user should consult the THEMIS software team about that data.	
2149h	integrate time tag fixer-upper with TDAS load routines		Jim L	1	Jim L		
	He requested some extra datetime formats. A. Numerical month & time (ie 2007-03-23/00:00:00). this option isn't listed.	3/12/10	Pat from a scientist (Martin Connors?)	1	Jim L		4 hrs
	He said there is an ANSI standard to separate date & time using a capital T and requested the option to put datetimes in this format. (ie '2007-03-23T00:00:00')	3/12/10	Pat from a scientist (Martin Connors?)	1	Jim L		
	Our "save data as" menu doesn't remember the previous directory > that the user saved to. It could and it should.	3/12/10	Pat from a scientist (Martin	1	Jim L		1 day
	once in a while (maybe 10-20 occurrences per probe during the entire mission), the FGM range doesn't change on all three axes at once:	9/10/09	Connors?) Jim L	2	Jim L		2 hrs
	Now that the L1 ESA/SST/MOM reprocessing is underway, these CDFs will soon contain the full ESA and SST configuration words, in addition to the solar wind flags, sweep modes, and so forth. With the full configuration data available, if someone wants to use a property of these instrument configurations that's not already present as a L1 variable, we don't need to reprocess L1 to add it we just write a little more code for TDAS, to extract the new attribute from the configuration data that's already present.						2-4 hrs
	Write some TDAS routines that take an apid and a configuration word, and return a structure with all the relevant properties of that configuration. This is basically reimplementing some logic that's already in the L0->L1 processing code (written in C). If anyone ever needs other attributes of the instrument configuration (for example: the angle maps corresponding to each configuration), we would update these routines to return the additional information.	9/10/10	Jim L	2	Jim L		
	In the load and/or calibration routines for ESA, SST, MOM: rather than using the ESA solar wind flags and sweep mode from the L1 CDFs, use the ESA full configuration instead (which is present in all three L1 types, for convenience), and use the routines from 4135a to extract the solar wind flags, sweep mode, and any other useful attributes. I think SST does not have any configuration flags similar to the ESA quantities (there's the attenuator status, but that's separate from the instrument configuration word), but it needs them in the future, they should be handled the same way as ESA (extract from SST configuration word instead of adding L1 variables). I can do this, but if the routines from part (a) are well-documented, any of us could probably do this part.	9/10/10	Jim L	2	Jim L or tbd		
4022	Update L1 master cdfs to support SPDF hosting	3/25/10	David	3+	Jim L		
3093	Automate processing of eclipse sunpulse data from FGM team	2/22/10	Jim L	3+	Jim L		
4040	Spinfits - separate E&B timestamps?	4/15/10	Jim L	3	Jim L	SPDF has issue creating plots on the L1 data with their software	
	either thm_load_fit or the GUI code that calls thm_load_fit should split the data into separate tplot variables for E and B, before importing them into the GUI data model. I think thm_load_fft already does something like this. See task 4040	4/23/10	Pat	3	Jim L	Jim M 4/23: thm_load_fit also splits into efit and bfit variables, so unless you need to look at raw bytes, the 'fit' datatype is not needed. Pat: Agreed. Short term, excluding the data type from the GUI seems like an easy solution.	
2082a	Spin modeling during shadows BugZid=43		Vassilis	3	Hannes	Jim L to write routine. Hannes send info.	
	Split L1 ESA (using Thomas's routine) in master ESA data cdf		Vassilis	3	Jim L	On Hold - awaiting Jim McFadden release: Then send David Sub Task List; Calibration variables removed from L1 data master CDF. (Side note: found and reported a bug in SKTEditor, which the Goddard team has agreed to fix) Waiting for feedback from Jim McFadden about how	
2038	GOES 10-12 Test data: h. update labels (Howard's request - minor tweak) STATE Web Page (s) bad timing sun pulse times (early January 2009)		Vassilis Vassilis Vassilis	3 3 3	Jim L Jim L Jim L	determine if to be reassigned review web pages Clarification needed	3-4 days
	L1 Data Processing History Info: SCM, EFI, STATE Refactor repeated CDF library code in CDF processing tools BugZid=50		Vassilis Vassilis	3	Jim L Jim L		
			raddillo		OIIII E		

2046	Create a more efficient & productive prototype QA Instrument Command Line		Vassilis	3	Jim L	In progress. Several templates created, selecting the
	Script - first template (s) functional blocks then scripts for FGM, ASK, SCM, FIT, MOM, ASI, EFI, FFT, FBK, Gmag, State, SST, ESA					appropriate command line routines to test.
2047	Separate E and B timestamps for spin fits: a) make a revised V02 master CDF with E and B separated b) change thm_load_fit to support V01 and V02 of the L1 CDFs c) change the L0->L1 processing code d) change the L1->L2 processing code e) test the changes, then reprocess to create the V02 CDFs (keeping the V01 files around for a while to ease the transition) BugzID=45		Vassilis	3	Jim L	Discuss with SPDF whether having one variable with multiple data sources is difficult for them
2047a	FGS sample times and values, showing repeated timestamps. BugzID=113 (BugzID=67 must be done first)		Vassilis	3	Jim L	
2047b	Repeated timestamps and gaps in spin fit data BugZid=113 (#67 may fix this one as well).		Vassilis	3	Jim L	
2077	Non Monotonic timestamps. BugzID=72		Vassilis	3	Jim L	
2078	bau_sunpulse_met assumes x86 endiannes (BugzID=13)		Vassilis	3	Jim L	
2047	task 2047 in my name: "Seperate E and B timestamps for spin fits", which is also a change to the L1 FIT master CDF and associated TDAS code. But unlike the spacecraft potential enhancement (which only adds new CDF variables, and is more-or-less backward compatible), 2047 would require us to bump the L1 FIT CDF version number to V02, and produce both V01 and V02 for a while, so users of TDAS 5.20 and earlier will still be able to load L1 FIT data. So I'm not sure whether the spacecraft potential task should include 2047, or not.	3/2/10	Jim L	4+	Jim L	
4075	describe the FBK data type, time tag specified to correspond to the beginning of the time interval of the data that went into the FBK data, the middle, or the end, or is that unspecified, and what's happening here is that the time tagging is being changed in year 3+ of the mission - in the L1 file definition document, at least, does not define the time-tagging conventions to this level of detail.	6/11/10	John Bonnell	4	Jim L	
4023 2080	Before EOM reprocess L1 cdfs due to master cdf changes for SPDF Phantom packets" cause non-monotonic distribution times. BugzID=25, low	3/25/10	David Vassilis	4	Jim L Jim L	
2081	priority.  Evaluate CDF compression algorithms BugZid=81		Vassilis	4	Jim L	
2083	Add "last processed" time to L1 (and L2?) CDFs BugZid=115		Vassilis	4	Jim L	
2084	transforming one data point from SM coordinates to GSM coordinates. ct=time_double('2008-02-16/04:50:00') dipole=[[0],[0],[1]] v=[1,2,3] store_data,'dipole_sm',data={x.ct,y:dipole_y:v} cotrans,'dipole_sm',dipole_gsm',/SM2GSM cotrans,'dipole_gsm','dipole_gsm','GM2GSM icotrans,'dipole_gse,'data=dipole_gse xdipgse=dipole_gse.y[0] ydipgse=dipole_gse.y[1] zdipgse=dipole_gse.y[2] tilt=atan(xdipgse,zdipgse) When I check the data for 'dipole_gsm', the values are 0,0,0. I'm not sure what they SHOULD be, but I know that their magnitude should equal 1. sqrt(x^2+y^2+z^2)=1		Christine	4	Jim L	
4097	cdf's with MD5 checksum	7/19/10	Jim L	4	Jim L	Jim L to send email with subtasks and estimates
2057	Jim M SCM CAL File Processing Doc		Vassilis	1	Jim M	5/21/10 Olivier will review - pinged Olivier again on 7/30/10
4004	Sort out if TDAS software can run off SPDF cdfs	3/5/10	David	1	Jim M	test tdas software with cdaweb data
3099f	Revise the calibration code for the particle data types (ESA, perhaps also SST or MOM?) to look for spacecraft potential in L1 FIT, if the moments are decimated	3/2/10	Jim L	1	Jim M	Run independent test on thm_load_esa_packet. Awaiting Jim McFadden to send code of separate routine.
3090	Then one needs to correct the particle distributions to be introduced in the same orientation. I.e., should use the corrected spinphase upon being introduced (on the fly). This means the particle loading software needs to read the above difference between corrected and uncorrected spinphase, and apply a rotation to the distribution functions upon reading. This should be done with a keyword first, and routinely when we get into orbit (by which time the shadow spinphase determinations will hopefully be automated). I think McFadden is the one to do this but he can also assign it.	2/22/10	Vassilis	1	Jim McFadden	3089 is prerequisite - Vassilis 4/23: un-rotate the V's from the dphi and the onboard spinphase) and compare with the ground-processed V from the distribution functions. ESA and MOM code to use new features of spin model. In progress and being done in conjunction with 3099f. Jim  Lewis needs to review spinmodel2 and thm_load_esa_packet to see how to incoporate spin model correctly.
3051	EFW spike removal	2/1/10	Vassilis	1	Jim M	Jim can't reproduce the crash that was reported. Vassilis says there is new code coming from LASP that should work better, V will send us the updated code when it's ready to be merged into our repository.
3041	Update overview plots to handle survey FFTs? Task modified as follow as of 8/30/2010: One overview plot for the three inner probes - 4 products (FBK-2,FFF-2) and one plot for the outer two probes (4 products for each).			1	Jim M	10-1-10 Vassilis sent plots to confirm
2103	EAC offsets	8/1/09	John Bonnell	1	Jim M	John sent Jim M code from Chris Cully showing how the offset should be calculated (8/12). 8-20-10 Jim M send John B for review a database of offsets. 9-2-10: John B to have feedback by 9-11.
2228	one outstanding issue with THM_LOAD/THM_CAL_EFI is that for some reason when I ask for the calibrated data in SPG (which should just be adjustment of gains and offsets, and conversion from ADC units to physical units, the code is trying to do some despin operations. Since this has direct impact on my ability to evaluate the EFI data quality,	9/3/09	John Bonnell	1	Jim M	Jim M to create an option in thm_cal_efi.pro so that data in physical units can be gotten out before any spin dependent offsets are applied. 8-20-10 Jim M committed changes and will send John B an email to review. 9-2-10: John B to have feedback by 9-11.

10/15/10 11:43 AM 4 20101011 - Themis Software Task Priorities.xls

2216	Fix the sign reversal of e34.	8/13/09	John Bonnell	: 1	Jim M	John sent Jim M a date/probe combination that Forrest	{
						Mozer used to establish the correct sign of e34 (8/12). Jim	
						M will make the appropriate thm_spinfit corrections. testing	
						in progress. John to review once testing is completed.	
l							
<b> </b>			ļ	ļ		<u> </u>	<u> </u>
4137	What I'm imagining would be a crib that loads the RAW TM data, then the	9/13/10	John Bonnell	1	Jim M	sent to John B and waiting for feedback	
	NO_EDC_OFFSET data, then the fully-calibrated data so one can see the various stages in the calibration process directly. If you have time in your						-
	schedule to start developing something like that, that would be a natural next						
	step for this part of the effort, and it would mean one more step forward.						
2225	L2 EFI cdf (quality flags)	8/31/04	John Bonnell	1	Jim M	Quality flags and L2 cdf will be addresses when we have a	
						clue about offsets, spinfits, etc	
4123	Remove IDL Save Sets (e.g. MOM), thm_cal_hsk. Also create read-me files	9/2/10	David	1	Jim M		
20	for SPDF.	0/2/10	David	·	· · · · · · · · · · · · · · · · · · ·		
		=					
3064	47. CL specplot missing peib data for tests 25 and 26	1/15/10	Jim M	1	Jim M		
3085	138. GUI SCM cotrans inconsistent results depending on starting/ending	2/18/10	Jim M	1	Jim M	pass warning to gui	}
	coordinate systems. Pass warning through to GUI						
4086	Requested better instructions on how to use TDAS with other IDL libraries	6/30/10	Strangeway	1	Jim M	(e.g. FAST, Cluster, etc) update documentation, suggest	tbd
						workarounds for specific situations (e.g. conflicts with TDAS	
						and FAST versions of tplot)	
4087	Suggested that we bundle quickstart document in TDAS zip	6/30/10	Strangeway	1	Jim M	Talk to David - thought we had one	1 week
,,,,,,,	TT 0.16		ļ	<b></b>			}
4056 2288	EFI Calibration Document had expected that this cotrans would occur at the very end, after all the	4/30/10 11/12/09	David Jim	3	Jim M Jim M	2256	}
2200	calibration code. But the calibration itself seems to be affected, as reflected	11/12/09	Jilli	3	JIIII IVI	see 2256	
	in the following differences between the log messages before/after rev 6929:						
l							
2283	There is another aspect to this problem. Dead-time corrections are severe for	11/2/09	Jim Mcfadden	3	Jim M	-	<del> </del>
1 -200	ion ESA SW data and there are no dead-time corrections for onboard	1112108	, om worducti		JIIII IVI		
l	moments. Some algorithm will have to be developed that does this						
	correction after the fact. Davin developed an algorithm like this for Wind 3DP.						
	That algorithm may not work directly due to differences in energy sweeps, but something like it could be developed for THEMIS. Davin and I can						
	provide some advice and direction. Similarly electron onboard moments in						
	the SW may also need some corrections this should also be worked out at						
l	the same time.						
2058	found 3 errors in the new th*_I2_esa masters - the good news is, with them		Vassilis	3	Jim M		
2060	L2 cdf Quality Flags: for SST		Vassilis	3	Jim M	·	····
	, ,						{
2175	L2 File Definitions Document		David	3	Jim M		
2087	Administrator's Guide		Vassilis	3	Jim M		
2088	Themis Developers Guide		Vassilis	3	Jim M		f
l	thm_load_mom: for quantities like velocity, the coordinate system isn't stored		Vassilis	3	Jim M		}
2224	in the meta data, and none of the units are stored in the place we normally try		Vassilis		JIIII W		
l	to store them (from Pat - Vassilis concurs) Will take a look.						
2091	Once Jim McFadden completes his mods for n 3d new 3 reprocess L2 cdfs		Vassilis	3	Jim M		}
2091	- entire mission		vassilis	3	JIIII IVI		
	thm_load_mom changes - reconcile mods with Davin at an appropriate time.		Vassilis	3	Jim M		
2055	ESA L2 from L1 (not packets) - create L2 and test thoroughly, then reprocess ESA		Vassilis	3	Jim M	On Hold; awaiting Jim L to split L1 into master cdf	
4003	ESA Document: ESA File and Calibation Processing	3/5/10	David	3	Jim M		<del></del>
4042	Script to run every two weeks to runs IDL TDAS and checks if a file can be	4/19/10	Pat	3	Jim M		
l	loaded from THEMIS SPDF file (s)			1			
2093	AE Indexes Issue Jan 8-12, keyograms Jan 12-13, Stripes- Vassilis: minor		Vassilis	4	Jim M	·	}
2094	Overview plot change: mode bar seems thick		Vassilis	4	Jim M	nothing we can do easily	
l							-
2095	Mosaic Processing - permanent script needed		Vassilis	4	Jim M		ļ
2100	EFI calibration		John Bonnell	4	Jim M		
	DC offset between 4sdo and 2sdo in boom plane Try to track down frequency scaling problem in DPWRSPC (dlimit setting?		John Bonnell John Bonnell	4	Jim M Jim M	Which is better? Assigned to J. B. (low priority).  On Hold - low priority	}
210011	Compare to old plots?).		John Bulliell	7	JIIII IVI	on riola - low priority	-
2100p	Modify THM_CAL_FIT to treat efs datatype - Install E12/E34 conditional		John Bonnell	4	Jim M		
l	based on th?_fit_code TPLOT variable. If E12 switched to E34 software needs to be revised to handle						
	needs to be revised to handle		·			<u></u>	}
2069	Support Mirror Sites		Vassilis	0	Pat		
2069a	Japan (ISAS)		Vassilis	0	Pat		
2069b 2069c			Vassilis Vassilis	0	Pat Pat	(Rumi - not always up to date for gmags)	
	Support gmag data remote sites.		Vassilis	0	Pat	(	
2070a	Augsburg (MACC's)		Vassilis	0	Pat		
2070b			Vassilis	0 3	Pat	On #1 In there any way for up to calibrate the DMI dat	
20700	Greenland - I think the following stations in our archives are essentially unusable scientifically (non calibrated-mis labeled): nrsq amk atu dmh		Vassilis	3	Pat	On #1 Is there any way for us to calibrate the DMI data - answer is NO. Basically what he's saying is that all our old	
	dnb gdh kuv naq nrd sco skt stf svs thl umq upn Following up with DTU					greenland data is in raw format, but none of our	
	on ways to correct. ***Periodic Download - go for it ***Old data not					documentation is labeled to indicate this. Someone could	
	calibrated - what to do? ***Release Greenland to SPDF? Integrate into					easily use the greenland data by accident and think that it is	
	load routines (yes)					actually calibrated. Replacing the old data with calibrated data would be the best option, but we may not be able do	
						that for all dates/sites. For the remainder we should	
						probably have very clear documentation, or maybe not	
						distribute the data at all. Without calibrations it shouldn't be used to do science.	
						used to do science.	
						On #2 I think HD7 is the format we want, but we generally	L
3034	U Alaska all working	12/7/09	Jim M	0	Pat		
3034	U Alaska all working	12/7/09	Jim M	0	Pat		,
4114	U Alaska all working  Once Jim completes latest round of L2 reprocessing - reprocess the Onboard moment overview plots		Jim M Pat	0	Pat Pat	in progress, keeps aborting	

10/15/10 11:43 AM 5 20101011 - Themis Software Task Priorities.xls

4104	8/30/2010 Pat forwarded email from Igor to Davin. Davin thinks it may have to do with attenuator status flag. Will check onboard versus ground moments.	4/19/10	lgor Kirpichev	0	Pat	Vassilis wants to talk to Davin. 8/30/2010 Pat forwarded email from Igor to Davin. 9/13/10: Pat will check if task 4030 is causing this problem and then David will email Igor. 9/20/2010 Pat will talk to Davin;10/7: once done reprocess I2 MOM?	
	Xuzhi reported a bug to me last night with the formatannotation procedure that was occurring in slide _2d. With the following settings, it incorrectly generates exponential notations for powers of 10, smaller in magnitude that 1e-10. This only seems to occur when the values are exact. 1.1e-11 comes out correct.	10/15/10	Pat	1	Pat		
	thm_part_getspec bug	9/14/10	Pat	0	Pat	monthly annoucement	
4151 4141	Move THEMIS EPO gmag jobs to AUX0 add interpolation internally to the calc routine	10/8/10 9/16/10	David Vassilis	0 1	Pat Pat		
4138	Install the new GEANT model when released. 4.9.4 is currently in beta.	9/14/10	Davin	1	Pat	awaiting new model 4.9.4	1-2 hrs
4134	I noticed some discrepancies in the SST attenuator calibrations for the on- board moments and the ground-computed moments. The on-board moments use a scaling factor of 1./128. and they use a 4-bit check to determine if the attenuator is open or closed. The ground-computed moments use a scaling factor of 1./64. and but they only check the least significant digit of the 4-bit attenuator flags to determine if the attenuator is opened or closed. I asked Davin and said I should change the code such that both use a scaling factor of 1./64. and both use the 4-bit check. This is a fairly simple change, but it does change how the attenuator is handled significantly.	9/10/10	Pat	1	Pat	1	
4152	verify the location of the sun-contaminated bins for each spacecraft and any change in location over time(they should change very slowly if at all). They would then re-activate the sun contamination masking. It was previously disabled because the masking was originally in the from place. Davin said that he wants to create the new configuration files that would be uploaded to the spacecraft.	10/8/10	Vassilis and Davin	1	Pat	Davin to handle S/C change. Pat is done.	
	SST calibrations	12/18/09	Davin	1	Pat		
3055c	Extend thm_pdist to populate all dist struct fields(mass etc) so that moments can be correctly generated	7/1/10	Davin	'	Pat		
	3055d1 Energy Scales. Scales for scaled raw energy boundaries. There will be 4 parameters. One for each sensor head. 3055d2 Energy Offsets. Offsets for scaled raw energy boundaries. There will be 4 parameters. One for each sensor head. 3055d3 Geometric factors. Scaling factors for raw fluxes. There will be 4 parameters. One for each sensor head. 3055d4 Efficiencies. Scaling factors for raw fluxes. There will be 16x4 parameters. One for each combination of energy bin/sensor head.	7/1/10	Davin	1	Pat		
3055e	Provide initial calibration file which contains calibration parameters that were previously hard-coded. This will serve as a template for future modifications.	7/1/10	Davin	1	Pat		
	In first version, I had split time in calibration file; used separate column for year month date hour minute second, Davin asked that it be stored as one column. This is already done.	7/12/10	Davin	1	Pat	Davin to Review 3055c - 3055j and see if further changes needed - eta 8/16	
3055f	The calibration file should include an additional factor: the nominal g-factor. The other 4 g-factor parameters will be corrections applied to the new factor.	7/12/10	Davin	1	Pat		
3055g	include 4 new parameters for the sst attenuator calibration	7/12/10	Davin	1	Pat		
	Need to include new parameters for dead time corrections. I need to review code to determine appropriate number of parameters and verify with davin.	7/12/10	Davin	1	Pat		
	Need to version calibration files. Looking at FGM for version control	7/12/10	Davin	1	Pat		
3055j	Right now, the calibration files are one line only. timestamps are included in the files, but they are not yet used by calibration code. add support for time varying parameters.	7/14/10	Davin	1	Pat		
3055k	Davin delivers SST calibration parameters	7/19/10	Davin	1	Davin		
30551	Install SST calibration parameters	7/19/10	Davin	1	Pat	dependent on 3055k	
	Put eclipse spin model correction code in SST as already has been done for	6/8/10	Jim M	1	: Jim M	wait for SST calibrations	
4068	esa packet pgm Lynn Wilson possible enhancements	6/1/10	Lynn Wilson	1	Pat	Review Lynn's software and generate list of features	
	Profiled EFI calibration can speed up by reducing the number of calls to spinmodel_interp_t. Right now >95% of time is spent in spinmodel. It calls spinmodel_interp_t 2x for each 3d data type, could probably use a single call for multiple data types with the same cadence.	1/25/10	Pat	1	Pat		
4083	GOES plots on the web	6/28/10	Vassilis	1.5	Pat	Vassilis wants overview plots for GOES, Jim M to write the code and generate GOES overview plots for the data we have so far. Not a daily process, because we only get binary GOES data in occasional batch updates from Howard Singer	
4143	Just a note that Haje will contact you when ready to start working on the Tsyganenko code for Solaris. I hope that will be within the next 3 months, in order to match the time of the next software release. Please assist Haje with access to Solaris machines or provide test information as necessary.	10/8/10	Vassilis	1.5	Pat		
	We would like to incorporate the Hermanus gmag data into the THEMIS database in some form of external ground station, like the Greenland chain.  Document: SST File and Calibation Processing	9/8/10	Vassilis David	2	Pat Pat		
	Ţ.						
4119a	Reorganize sun contamination keywords. (Add 'manual' option to method_sunpulse_clean)	8/26/10	Vassilis	2	Pat		
4119b	Add 'automatic' option to method_sunpulse_clean which will sum across time range provided by user in new keyword.	8/26/10	Vassilis	2	Pat		
	Create a new crib that shows only a few simplified options to the users. (all_angle_median,scale_sphere,manual bin selection(for fill), automatic bin selection)	8/26/10	Vassilis	2	Pat	4119a and b prereq's	1-2 hrs

10/15/10 11:43 AM 6 20101011 - Themis Software Task Priorities.xls

	When Cindy & I tried to load tha_eff on 2007-03-23, it didn't load and said	3/22/10	Pat	2	Pat	Jim M: I have no trouble with EFF data either for linux	4-6 hrs
	some calibration quantity couldn't be found. When I tried to load the same thing, I didn't have a problem. So the trick would be to find out what changed from my computer to Cindy's computer and to figure out how often our user's computers are going to have the same problem that Cindy's computer had.					or windows.	
l	I noticed a bug in the x-axis options panel. It probably also applies to the y- axis options. If the set-all button is selected on the grid tab, then changing panels doesn't update the settings on the grid tab to the settings currently displayed for that panel.	7/29/09	Pat	2	Pat	set to most recent user action for all routines	2-4 hrs
2285	thm load state out coord velocity calculations wrong Christine brought to my attention a bug that occurs if you use the TDAS tsyganenko routines in a way that is not really something that I expected, but seems to be a legitimate use of the routines. If passing in a set of input parameters that are stored in tplot variables but are not in time-series, the routine produces incorrect results.	11/4/09	Vassilis Christine	2	Pat Pat		
	For the beta and official sites we want to add a button at the bottom to the right of the existing two buttons. Official site web page url: http://themis.ssl.berkeley.edu/summary.shtml?autoload=1 Please center the 3 buttons. The new button will have the words "Plot Descriptions" and if clicked will link to the following: http://apollo.ssl.berkeley.edu/pub/THEMIS/3 Ground Systems/3.2 Science Operations/Science Operations Documents/THEMIS Summary Plot Description Tables	4/19/10	Pat	2	Pat		
	Alberta - At the moment the data files are from Dawson (daws), Churchill (fchu), Island Lake (isil) and Fort McMurray (mcmu). I will add Rabbit Lake and Taloyak at some time but we have some issues with mag pointing at those 2 sites. If you recall, the agreement between Ian and Vassilis was that this data wouldn't be copied to become part of a mirrored archive like the existing data we provide. Instead, each file would be obtained from this site each time it is requested (using curl or some such). This means we can use our own logs to monitor data usage. Themis Software to be able to retrieve from Alberta		Vassilis	3	Pat		
4120	Add title support to plotxy	8/27/10	Christine	3	Pat		
4121	Add multi-row/column span to plotxy	8/27/10	Christine	3	Pat		
	that streamlines the generation of gmag stackplots and a crib to show how to do this. (< than a day)  102. Tplot gui – overwrite warning when importing data, even if variable gets	2/3/10	Vassilis Pat	3	Jim M Pat		2 hrs 6 hrs
	renamed.	2/3/10	Pat				o nrs
2115	to to does not fail gracefully after illegal margin set. In this case:  tplot_options, xmargin',[100,100], tplot does not fail gracefully after illegal margin set. In this case: tplot_options, xmargin',[-1,-1]  -tplot does not fail gracefully after illegal margin set. In this case:  tplot_options,'ymargin',[100,100]			3	Pat		
	if you want to load a template, you need to pass the template path in via a keyword, or select an option to open it from the THEMIS->File Menu. I think we should consider adding the template path to the configuration file that we save, so that it can be loaded automatically.	10/19/09	Pat	3	Pat		
	Plot Description Doc Button	3/22/10	David	3	Pat		
	Iran into a small annoyance today when loading a themis document. I had originally loaded ESA and SST data for one time period, then overwrote that data by loading the same quantities but for a different time period. I did this several times and then saved the document for later. When re-opening the document I got a series of prompts asking whether I would like to re-write each quantity. It would speed up and streamline the process in this case if data that was later overwritten is not loaded when you open the document.	7/20/09	Aaron	3	Pat	I spoke to Pat about this yesterday and we both agreed that while we cannot be sure which quantities should be reloaded and which shouldn't (some may have been used temporarily for calculations). However, we can store the users's original choice to overwrite the data or not. So while we may not be able to save on loading time we can still keep the user from having to click multiple messages and from having to remember what they chose originally. The latter is particularly important since they may receive errors	16
	One feature that was never implemented for the mini-language is globbing. (The ability to use "* and "?" to reference multiple tplot variables at once.) This is a feature that is standard with many of our other tplot data processing routines. I think it would be very useful to include in the minilanguage.	8/5/09	Pat	3	Pat		40
	add MACCS gmag data from 2007 to our data archive. We already have MACCS data for some years and a process that automatically downloads it/converts to CDF. So the task would involve finding missing files from 2007 and feeding them into our pre-existing processing framework. It should be pretty straightforward, but probably non-trivial because of learning curve/unexpected details.  Add a configuration setting "force_download", which if enabled, will download.	2/19/10 2/22/10	James Weygand  Vassilis	3	Pat Pat		
	data even if the remote file is older than the local file. This comes up if you're switching back and forth between using QA data and production data; once you've downloaded QA data, it's hard to download (usually older) production data without manually removing any QA files. This should apply to all data sources – THEMIS, GOES, WIND, etc.						
	68. GUI z-axis options — when Fixed Min/Max selected, value in spinners does not reflect current range as it does for X and Y axes. Displayed range when spinners desensitized is inaccurate.	2/10/10	Aaron	4	Pat	chech draw object	
4005	The TDAS Software will be enhanced to incorporate data from the STEREO mission.	3/8/10	David	4	Pat		8 hrs
4006	add the following ancillary ground-based observations: MAGDAS Network, Auroral Electrojets (AE) and Ground Radars ( SuperDarn, AMISR and Sondrestorm)	3/8/10	David	4	Pat		4 hrs
3007	EPO-GMAG msgs: modify the script and only issue this message if > 2 days	12/8/09	David	4	Pat		
	How's it going with the stats? I noticed the query takes some time because it's looking at the whole table. It could be refined for specific time periods. The delay in return could be what's causing Dave to have access problems for the SSL firewall?	10/23/09	Tim	4	Pat	see 2277	

10/15/10 11:43 AM 7 20101011 - Themis Software Task Priorities.xls

0405	'1 P 1 W P 1						,
	I didn't realize the cotrans messed up the velocities for earth centered coordinates. Maybe what we really need to do is modify cotrans so that it		Pat/Jim L	4	Pat		
	coordinates. Maybe what we really need to do is modify cotrans so that it correctly transforms velocities. Users can incorrectly transform velocities just						}
	as easily using thm cotrans on the command line, as they can using the						-
	coord keyword.						
	Coord Reyword.						
2124	I loaded a plot which had the line color as white. Because the legend plots in		Pat	4	Pat		
	the same color as the line, the legend text did not show up. We should						}
	probably just put in a check for this case. If the line is white and the						-
	background is white then draw the text in black						
			<u> </u>	<u></u>			}
	Problem with edit3dbins is being caused by IDL's mouse system variable not		Aaron	4	Pat	verify note in quick reference guide and then task will be	
	being updated correctly on Macs. The ctime procedure, used to interactively					closed	
	select a time from a tplot window, relies on this variable to determine when a						{
	selection has been made in the tplot window. If the variable is never updated						
	then ctime gets caught in an infinite loop. It's unclear whether this is specific to a particular OS version, but the routine should probably be modified at						
	some point to maximize compatibility with Macs. In the meantime the						}
	alternate method of calling gettime that I copied you on yesterday should						{
	provide a temporary way around this bug.						
	provide a temporary way around this bug.						
2106	Add the ability to right-click on a variable in the widget-tree and display a		Pat	4	Pat	originally part of task 64, however, after further evaluation, it	{
	popup with basic information about the quantity such as dimensions, range,		Pal	4	Pal	was determined this best belonged with the widget tree	
	or other meta data as well as the ability to rename variable					rather than the analysis window	-
	or other meta data as well as the ability to remaine variable					Tation than the untrysic window	}
	I found a small bug in the z-axis panel in the gui. If I change the z-axis	8/27/09	Pat	4	Pat		
	annotation size of a layout with 2-panels each with one spectrogram, when I						{
	apply this change, it gets applied to both panels, even if set-all is off.						}
3063	40. CL tplot options setposition test plots all look the same	1/15/10	Pat	4	Pat	Long-standing tplot bug, may not ever be fixed	
				L			}
	One of Michael Hartinger (a grad student in atmos) is having trouble with	4/6/10	Michael	4	Pat	Michael supplied code for thm_part_moments	4-8 hrs
	thm_part_getspec when the SST is in fast survey mode. The routine can		Hartinger / Pat				{
	take a very long time to run because of the higher resolution. I think we						}
	should put a feature request on the list to automatically downsample the						
	particle data in time. Normally, I would suggest that uses downsample using						}
	one of our interpolation routines, but because the particle data is stored in a						-
	special common block, there is no easy way for end users to perform this						}
	operation.			İ			}
	Misc						}
							<b></b>
447	Save THEMIS document: Attempting to save to a read only file in Windows		ļ	1		IDL Error report to ITT	
			<del>}</del>	<del> </del>		-	
						1	1

8