Task#	Task Description	Date Opened	Reported By	Pri	Assigned To	Notes	Estimate (hrs)
	To be Assigned or Discussed strange THB L2 ESA behavior	12/2/10	Joseph King -			Jim L: Yes, we usually see a few ratty-looking samples	·
	fgs data missing	12/2/10	NASA Toshi Nishimura		all Jim L, Jim M,	whenever the ESA or SST switches modes. It's expected. Jim M: I looks to me that the spikes are happening when the probe goes from slow-survey to fast-survey mode. Jim L - email concerning STATE odf, Jim M - two options below,	
	Option 1		UCLA		Pat	The changes to the L2 processing code would be pretty minimal for both cases, these are easy fixes; it would only take a couple of hours to make changes and to test the new processing. Probably 3 days to fully reprocess the L2 data. Reprocess L2 files as was originally done, so that a given L2 file	
						for a given day has the same time range as the corresponding L1 file. This means that the file would typically start a few minutes into the day, and end a few minutes into the next day. This would be easier for L1 to L2 comparisons, and also comparisons of L2 data to L1 header information which is not included in the L2 files. This would be more difficult for end users who want to see the first few minutes of the day as Toshi wanted. They would have to make sure that they load the	
	Option 2					previous day's file toget the first few minutes of a given day, as is true for loading L1 data. Change L2 process so that the data in the L2 file for a given day	
						covers the full day. This is less useful for L1 to L2 comparisons, or for comparing L2 data with L1 header information, since the file time range is different. (My guess is that this does not happen much anyway) This is much better for the end user, since no they only need to load one file to get the full day.	
	for the WB reconfiguration, what one should see is that the APID 0x44A (EFW) data should shift from 16384 samp/s to 8192 samp/s, and should stay with the AC-coupled signals, with the 0x449 and 0x44B remaining at 8192 samp/s. I'm actually not very familiar with what was supposed ot happen in the "extended wave burst" commanding, and so someone else is going to need to let Jim know what the nominal output should have been, mostly in terms of the contiguous length of WB collection acquired.	12/7/10	John Bonnelll Deron	0	Jim L		1-2 hrs
4181 4182 4183							
4184 4185							
	General I noticed that the Data->Collaboration Tools->(subcategories) fall behind	7/28/09	Michael	3	Amanda	Run Compatiability View in Internet Explorer	
	the ARTEMIS graphic. Paper on interdependentcies of FGM and STATE Reprocessing	4/19/10	Pat	1	Jim L	David - Put Paper into themis doc format	; ;
4000	Document: Developers Guide Document: Administrators Guide	3/5/10 3/5/10	David David	3	Team	and the specific state of the specific state	
	Incorporate electron calibration into data	10/25/09	Vassilis	3	Davin		
	Enhanced SST and MOM Instrument Web Pages Harald		David		Davin		ļ
	ASI software - running fine as of 25 May 2010, L1's and mosaics are up-to- date.				Harald		
	Thumbnail Data: - cdf files done until October 2010 - overview plots done until October 2010				Harald	Updates ready 7-10th of the next month	
	- movies done until April 30, 2010						
	Full-resolution raw data: - complete for 2007, 2008, 2009 - Up to date and complete until April 2010				Harald		
	Full resolution data:				Harald		
	 - data cdf done for all 2007 and 2008 and up todate and complete through April 2010 - keogram cdf done for 2007-2008, 2008-2009 and up to date and complete 						
	through April 2010 Web site mosaics and movies:		<u> </u>		ļ		<u> </u>
	web site into said invives. - Mosaics and movies reprocessed for 2007/2008 and 2008/2009 seasons - Mosaics and movies up to date until April 30, 2010						
	Web site overview plots with full resolution data:						
2069d	- overview plots done for 2007 and 2008 and until mid-November 2009 UCLA – mirror site set-up		Vassilis		Harald	UCLA has 2-1TB and 2-2TB bricks.	
2000U	Hannes		*assilis	1	iaialu	SSETTIME FIRE GROWING.	
4153	maintenance of gmag stations "Exclude List"	10/11/10	David	0	Hannes		
4018a	New Calibration FGM parameters and spin axis offsets	5/10/10	Hannes	1	Hannes	offsets to be sent to instr scientists	
	Attitude Determination next few months	6/21/10	Hannes	1	Hannes	awaiting new offsets)
	Ferdinand sent was an attempt on his part to automate the shadow processing. He wanted feedback whether the products produced are adequate and if the code is amenable to automation. We can pick it up with him once you have gone through it. GSE-GSM	4/14/10 10/11/10	Vassilis Vassilis	1	Hannes Hannes	Report sent out on 9/13/10. Jim L has reviewed. 11/22/10 - Jim L sent Hannes email on one unexplained major issue	
4058	This is getting a bit out of hand I think. How about a configuration file? The software just reads keywords from a configuration file. With such a configuration file it is possible to set keywords automatically (for the scientists) but additionally it would give us the possibility to keep track of what the software does automatically. When I do calibrations I can then save the configuration file together with the results and not worry about the things that the software might have done automatically.	5/10/10	Hannes	3	Hannes	Hannes sent out new version for review.	
	quality flag for FGM data		Vassilis	3	Hannes	on hold	
2082a	Spin modeling during shadows BugZid=43		Vassilis	3	Hannes	Jim L to write routine. Hannes send info.	
	Aaron						

12/10/10 1:23 PM 1 20101210 - Themis Software Task Priorities.xls

	Do you know why the attached script crashes when thmsw_r7905_2010-11- 15 is used? Here is the error message: CHECK_EROUND: Incorrect number of arguments. Execution halted at: FORMATANNOTATION 312	11/22/10	Andrea Runov	0	Aaron	For some reason IDL seems to think that one of format annotation's sub functions is being called with the wrong number of arguments in this case. 12/7/10 Aaron: Andrei is going to go	
	E:\work\soft\thmsw_r7905_2010-11- 15\id\themis\thm_ui_new\utilities\formatannotation.pro PLOT_PART_SLICE2D_320 E:\work\soft\thmsw_r7905_2010-11- 15\id\themis\spacecraft\particles\slices\plot_part_slice2d.pro \$MAIN\$ 95					back and see if he can reproduce the error. He said there may have been some differences between the script he sent me and the one that produced the error originally. 12/10/10 - confirm with bleeding edge there is no issue	
	E:\work\soft\THEMIS\andrei\df_particle_distributions\thm_esae_dist_test_v02 .pro The script works well with r7844_2010-09-30.						
2013	2-D Slices		Vassilis	1	Aaron		
	Slices re-gridding: Add nearest neighbor interpolation across energy, based off bin size, & implement in gui	10/8/10	Vassilis	0	Aaron		
	modify the GUI to represent the recent changes	12/7/10	Vassilis	1	Aaron		
	add padding to the data for the given method Allow slices based off coordinates other than DSL.	12/7/10 10/8/10	Vassilis Vassilis	1	Aaron Aaron	Priority stay a '1'?	4-8 hrs
	User's Guide write-up and then review with Xuzhi		David	1	Aaron	changes in progress	
2013am	Crib		David	1	Aaron		
	The data processing panel doesn't allow split components. This is fine for some operations, even required, but for some operations this doesn't make sense. For example, clipping. There is a good chance that some people will want to clip each component at separate values.	12/11/09	Pat	1	Aaron	analysis completed; Create joinvec routine and implement into GUI data processing window along with splitvec.	4-6 hrs
	110. GUI – spinner widget, inconsistencies between actual and displayed value for very small numbers	2/12/10	Pat	2	Aaron	Support exponential notation for very small values	
3079a	Spinner Part	2/12/10	Pat	2	Aaron		
3079b	FormatAnnotation Part	2/12/10	Pat	2	Aaron	The format routine is incorrectly deciding the # of significant digits in a number when using decimal format. I think this may	4-5 hrs
						have been done originally for simplicity but it should be fixed	
	137. GUI spinner controls — when inputing value >= 2^16/2 in grid thickness spinner, causes error message and value reset to -32768. Pat: Problem is not the spinner. Object definitions using short ints when long ints should have been used.	2/16/10	Pat	2	Aaron	Probably short data type used where long required, affects many of the spinner controls	6-10 hrs
	Finishing the coordinate transformation of the thm_load_state data at input, to include transformation of spinaxis attitude, need to determine keyword switch, implement the rotation of the spinaxis elevation/azimuth from gei to arbitrary coordinates (consult with Pat, Vassilis)		Vassilis	2	Aaron	not allow velocity to go bad	1 hr
2013af	Mark one count level (dashed line)		Vassilis	2	Aaron	Vassilis wants to talk to Jim Mcfadden about this. Jim McFadden to review email.	
	combine SST and ESA slices into a single plot?		Vassilis	2	Aaron		2 days
	Allow for loading of user-specified distributions in gui. 8/23/10 Per Vassilis: For 2013t instead of allowing user specified distributions in the gui I will be adding an option to compare slices with specified functions		Vassilis	2	Aaron		4-6 hrs
2013w	Integrate our own slicer3.pro gui with regular 2-D slice plots.		Vassilis	2	Aaron		2 days
	We don't have support for filled symbols. This means symbols are only outlines.	12/11/09	Pat	3	Aaron		
3016	There is no way to control the variable font size from the variable panel. There was a barrier to adding features to the variable panel when this came up before, in terms of a design that was too complex to modify reliably. When I fixed some previous bugs in this panel I simplified the code considerably. I now think that adding this feature is feasible.	12/11/09	Pat	3	Aaron		1 day
	GUI Overview plots sometimes have diamond shaped artifacts in the sample rate bar. Should fix.	1/5/10	Vassilis	3	Aaron	This is a side-effect of the a way that symbols are used as a hack to generate the sample rate bar. Fix after 3014 is fixed.	1/2 day
	When importing a variable with a valid 'V' component in its data struct, but no spec flag set in its meta data, the loaded data object fails to load the y-axis. This should be fixed, as it ends up incorrectly loading certain spectral quantities.		Pat	4	Aaron		
2121	When thm_load_fit is called requesting a single data type it will also return			4	Aaron		
	some auxiliary data types. For example: thm_load_fit.probe=b',datatype=fgs' returns: 1 thb_fit_code 2 thb_fit_npts 3 thb_fgs. load bug or test script bug) b. The relpathnames all keyword is broken.						
2028	Variable units – generic solution - thm_load_spin, _state, _hsk, _sst,_esa, _bau, _fgm, _fbk, _fft, _fit, _scm, _efi, _trg, _asi, _gmag, _ask, _mom, _esa_pkt		Vassilis	4	Aaron		
	From Hannes		Hannes	4	Aaron		
	Provided is the most common plot used by scientists that look at magnetic The level 2 CDF files at http://themis.ssl.berkeley.edu/data_download.shtml		Hannes Hannes	4	Aaron Aaron		
	should contain position in various coordinate systems as well. Preferably in the same resolution as the data. Otherwise Scientists need to get the position from another source. Notes from Vassilis: option to introduce the data in RE with keyword (one RE =6,478 kilometers ???). Like thm load_fgm /pos_units= 'RE'. Also thm_load_state keyword out_coord = 'GSM', 'GSE',etc.						
	If one loads fgm data from probe 'a' and let's say there are no data for the chosen interval. The variables tha fgl and tha fgl gsm etc. should all be empty. It could be those variables still contain data from the previously loaded interval.		Hannes	4	Aaron		
2030	upgrade thm_load to work with probe assignments		Vassilis	4	Aaron		
	move functionality of thm_load_state2 into thm_load_state and delete thm load state2		Vassilis	4	Aaron		
2032	Multiple enhancements concerning keywords, valid_names and thm_load routines		Vassilis	4	Aaron		
	Cindy						rities.xls

	line I		1				
4034a	Jim L Ferdinand sent was an attempt on his part to automate the shadow	4/14/10	Vassilis	1	Jim L	Jim L to review Hannes's report - 11/22/10 completed and	
	processing. He wanted feedback whether the products produced are adequate and if the code is amenable to automation. We can pick it up with him once you have gone through it.					email sent to Hannes on one unexplaind major issue	
	Code modifications: 1. Add keyword "use_eclipse_corrections" to spinmodel_interp_t (defaults to "don't use") 2. Add informational message to state whether corrections are in use or not 3. Add similar keyword & informational message to other routines as necessary (thm_cotrans, ssl2dsl, thm_cal_fgm, etc)	11/22/10	Vassilis	1	Jim L	on hold	
l	Fix spin model code to mask out everything but the eclipse flag in the BAU sun sensor status; identify times when other status bits were set, and reprocess V01, V02, V03 state with fixed code	11/22/10	Vassilis	1	Jim L	on hold	
4164	THD time offset	11/15/10	Vassilis	1	Jim L	Forrest is reading the data from SDT, not TDAS. IF you could make the same plot as the top, Efield plot from the L1 or L2 data it would be great. For such high frequencies we have implemented phase and amplitude corrections, that are part of TDAS by the LASP team. Those would do a better job of calibrating the amplitude and phase. However, the timing is important to nail down between the different products. For example the Vs from 8kHz should provide roughly the same signal as the E's from 16kHz. So simply taking the V1-V2 and multiplying with 50m should produce the same signal roughly as E12, and you should thus be able to check the timing. I would not worry (yet) about the absolute amplitudes. — 12/10/10 proposed fix is minor and then reprocess a portion of the L1 and L2 EFI cdfs	1-2 days
	issue with FGS processing - timestamps cross-check SST psir6 and psif data types for excess counts in psir6	9/30/10 4/8/10	Vassilis Jim McFadden	1	Jim L Jim L	Jim L talked to Davin and sounds like we can shut the data off. Jim L will send email on the time saved by shutting this off.	
4030a	Review Onboard Scripts for possible error.	5/17/10	Jim Lewis	1		can duplicate on flatsat. Jim Mcfadden and Davin to review Jim L's email.	
4030b	Correct Existing Data	5/17/10	Jim McFadden	1	Jim L	4030a prerequsite	
4030c	If scripts change - make changes to processing scripts	5/17/10	Jim Lewis	1	Jim L	4030a prerequsite	
4027b	Reprocessing GOES Data	4/5/10	Tami - SPDF	1	Jim L	Reprocessing on hold until Howard Singer delivers another batch of binary GOES data files.	
	"Add support to thm_cotrans, ssl2gse, and ssl2dsl for /pseudo_dsl keyword. If keyword is present, look for and apply eclipse delta_phi corrections as appropriate."	6/1/10	Jim L	1	Jim L	thm_load_fit and thm_load_mom, add keyword. In progress - Will review code Davin checked-in concerning tensor quantities in thm_load_mom.	
2266	Timing of Spin Fit data	10/16/09	Jim McFadden	1	Jim L		
	write a routine to check time tag monotonicity and repair tplot variable if necessary (with options for "replace with NaN" and "delete")		Jim L	1	Jim L	Create a routine to clean up tplot variables. Use in the load routines were susecptible. Recommend that we just remove what is needed to make the time tags monotonic, and issue a warning indicating that the user should consult the THEMIS software team about that data.	
2149h	integrate time tag fixer-upper with TDAS load routines		Jim L	1	Jim L		
	He requested some extra datetime formats. A. Numerical month & time (ie 2007-03-23/00:00:00). this option isn't listed.	3/12/10	Pat from a scientist (Martin Connors?)	1	Jim L		4 hrs
l	He said there is an ANSI standard to separate date & time using a capital T and requested the option to put datetimes in this format. (ie '2007-03-23T00:00:00')	3/12/10	Pat from a scientist (Martin Connors?)	1	Jim L		
4016	Our "save data as" menu doesn't remember the previous directory > that the user saved to. It could and it should.	3/12/10	Pat from a scientist (Martin Connors?)	1	Jim L		1 day
4178	themis-tmserver1 is having disk problems	12/2/10	Jim L	2+	Jim L	themis-tmserver1 is having disk problems, and will be offline until I can replace the disk and restore from backups. So if you're doing any FLATSAT testing, the frame router won't be able to establish a connection to themis-tmserver1 – just wanted to let you folks know, so you won't waste your time troubleshooting the issue few cleanup tasks to be done	3-4 hrs
	once in a while (maybe 10-20 occurrences per probe during the entire mission), the FGM range doesn't change on all three axes at once:	9/10/09	Jim L	2	Jim L		2 hrs
	Now that the L1 ESA/SST/MOM reprocessing is underway, these CDFs will soon contain the full ESA and SST configuration words, in addition to the solar wind flags, sweep modes, and so forth. With the full configuration data available, if someone wants to use a property of these instrument configurations that's not already present as a L1 variable, we don't need to reprocess L1 to add it — we just write a little more code for TDAS, to extract the new attribute from the configuration data that's already present.						2-4 hrs
	Write some TDAS routines that take an apid and a configuration word, and return a structure with all the relevant properties of that configuration. This is basically reimplementing some logic that's already in the L0->L1 processing code (writen in C). If anyone ever needs other attributes of the instrument configuration (for example: the angle maps corresponding to each configuration), we would update these routines to return the additional information.	9/10/10	Jim L	2	Jim L		

12/10/10 1:23 PM 3 20101210 - Themis Software Task Priorities.xls

	,						
	In the load and/or calibration routines for ESA, SST, MOM: rather than using the ESA solar wind flags and sweep mode from the L1 CDFs, use the ESA full configuration instead (which is present in all three L1 types, for convenience), and use the routines from 4135a to extract the solar wind flags, sweep mode, and any other useful attributes. I think SST does not have any configuration flags similar to the ESA quantities (there's the attenuator status, but that's separate from the instrument configuration word), but it needs them in the future, they should be handled the same way as ESA (extract from SST configuration word instead of adding L1 variables). I can do this, but if the routines from part (a) are well-documented, any of us could probably do this part.	9/10/10	Jim L	2	Jim L or tbd		
4022	Update L1 master cdfs to support SPDF hosting	3/25/10	David	3+	Jim L		ļ
3093	Automate processing of eclipse sunpulse data from FGM team	2/22/10	Jim L	3+	Jim L	-	
4040	Spinfits - separate E&B timestamps?	4/15/10	Jim L	3	Jim L	SPDF has issue creating plots on the L1 data with their software	
						"	
	either thm_load_fit or the GUI code that calls thm_load_fit should split the data into separate tplot variables for E and B, before importing them into the GUI data model. I think thm_load_fft already does something like this. See task 4040	4/23/10	Pat	3	Jim L	Jim M 4/23: thm_load_fit also splits into efit and bfit variables, so unless you need to look at raw bytes, the 'fit' datatype is not needed. Pat: Agreed. Short term, excluding the data type from the GUI seems like an easy solution.	
2082a	Spin modeling during shadows BugZid=43		Vassilis	3	Hannes	Jim L to write routine. Hannes send info.	
2035	Split L1 ESA (using Thomas's routine) in master ESA data cdf		Vassilis	3	Jim L	On Hold - awaiting Jim McFadden release: Then send David Sub Task List; Calibration variables removed from L1 data master CDF. (Side note: found and reported a bug in SKTEditor, which the Goddard team has agreed to fix) Waiting for feedback from Jim McFadden about how calibration data should be handled (TH-AASCII calibration file (used for all probes) doesn't match anything I removed from the data CDF).	
2036	GOES 10-12 Test data: h. update labels (Howard's request - minor tweak)		Vassilis	3	Jim L	determine if to be reassigned	3-4 days
2038	STATE Web Page (s) bad timing sun pulse times (early January 2009)		Vassilis Vassilis	3	Jim L Jim L	review web pages Clarification needed	
				1 1		3.3	
	L1 Data Processing History Info: SCM, EFI, STATE Refactor repeated CDF library code in CDF processing tools BugZid=50		Vassilis Vassilis	3	Jim L Jim L		
	Create a more efficient & productive prototype QA Instrument Command Line Script - first template (s) functional blocks then scripts for FGM, ASK, SCM, FIT, MOM, ASI, EFI, FFT, FBK, Gmag, State, SST, ESA		Vassilis	3	Jim L	In progress. Several templates created, selecting the appropriate command line routines to test.	
	Separate E and B timestamps for spin fits: a) make a revised V02 master CDF with E and B separated b) change thm_load_fit to support V01 and V02 of the L1 CDFs (c) change the L0->L1 processing code d) change the L1->L2 processing code e) test the changes, then reprocess to create the V02 CDFs (keeping the V01 files around for a while to ease the transition) BugzID=45		Vassilis	3	Jim L	Discuss with SPDF whether having one variable with multiple data sources is difficult for them	
	FGS sample times and values, showing repeated timestamps. BugzID=113 (BugzID=67 must be done first)		Vassilis	3	Jim L		
	Repeated timestamps and gaps in spin fit data BugZid=113 (#67 may fix this one as well).		Vassilis	3	Jim L		
2077	Non Monotonic timestamps. BugzID=72		Vassilis	3	Jim L		
2078	bau sunpulse met assumes x86 endiannes (BugzID=13)		Vassilis	3	Jim L	-	
	task 2047 in my name: "Seperate E and B timestamps for spin fits", which is also a change to the L1 FIT master CDF and associated TDAS code. But unlike the spacecraft potential enhancement (which only adds new CDF variables, and is more-or-less backward compatible), 2047 would require us to bump the L1 FIT CDF version number to V02, and produce both V01 and V02 for a while, so users of TDAS 5.20 and earlier will still be able to load L1 FIT data. So I'm not sure whether the spacecraft potential task should include 2047, or not.	3/2/10	Jim L	4+	Jim L		
	describe the FBK data type, time tag specified to correspond to the beginning of the time interval of the data that went into the FBK data, the middle, or the end, or is that unspecified, and what's happening here is that the time tagging is being changed in year 3+ of the mission - in the L1 file definition document, at least, does not define the time-tagging conventions to this level of detail.	6/11/10	John Bonnell	4	Jim L		
2080	Before EOM reprocess L1 cdf's due to master cdf changes for SPDF Phantom packets" cause non-monotonic distribution times. BugzID=25, low priority.	3/25/10	David Vassilis	4	Jim L Jim L		
2081	Evaluate CDF compression algorithms BugZid=81		Vassilis	4	Jim L		
2083	Add "last processed" time to L1 (and L2?) CDFs BugZid=115		Vassilis	4	Jim L		
2084	transforming one data point from SM coordinates to GSM coordinates.		Christine	4	Jim L		
2004	ct=time_double('2008-02-16/04:50:00') dipole=[[0],[0],[1]] v=[1,2,3] store_data',dipole_sm',data={x:ct,y:dipole,v:v} cotrans,'dipole_sm','dipole_gsm',/SM2GSM		Onnoulle	4	JIIII L		
	cotrans,'dipole_gsm','dipole_gse',/GSM2GSE get_data,'dipole_gse',data=dipole_gse xdipgse=dipole_gse.y[0] ydipgse=dipole_gse.y[1] zdipgse=dipole_gse.y[2] tilt=atan(xdipgse.zdipgse) When I check the data for 'dipole_gsm', the values are 0.0.0. I'm not sure what they SHOULD be, but I know that their magnitude should equal 1. sqrt(x^2+y^2+z^2)=1						
	get_data,'dipole_gse',data=dipole_gse xdipgse=dipole_gse.y[0] ydipgse=dipole_gse.y[1] zdipgse=dipole_gse.y[2] tilt=atan(xdipgse,zdipgse) When I check the data for 'dipole_gsm', the values are 0.0,0. I'm not sure what they SHOULD be, but I know that their						

4168	When trying to output using tplot_ascii, it provides time output in msec precision, which is inadequate for SCW or EFW data. See attached. Could you change so that precise=4 will give microsecond precision (precise=3 is the default and provides msec precision).	11/29/10	Vassilis	0	Jim M	include in A&E	
4169	Also, trange=trange does not seem to work. Could you include the attached routine into our release? At least this will work under any circumstances and would be good to have as backup. I wrote it a	11/29/10	Vassilis	0	Jim M	include in A&E	
2057	while ago and has been useful to many people since. SCM CAL File Processing Doc		Vassilis	1	Jim M	5/21/10 Olivier will review - pinged Olivier again on 7/30/10. Ping again - we will include with Version 6 in Spring 2011	
4004	Sort out if TDAS software can run off SPDF cdf's	3/5/10	David	1	Jim M	test tdas software with cdaweb data. 11/12/10 - issue with L1 data beingon a ftp site and not on http** On hold until SPDF meeting 12/9	
2103	EAC offsets	8/1/09	John Bonnell	1	Jim M	John sent Jim M code from Chris Cully showing how the offset should be calculated (8/12). 8-20-10 Jim M send John B for review a database of offsets. 9-2-10: John B to have feedback by 9-11.	
2225	L2 EFI cdf (quality flags)	8/31/04	John Bonnell	1	Jim M	Quality flags and L2 cdf will be addresses when we have a clue about offsets, spinfits, etc	
4056	EFI Calibration Document	4/30/10	David	2	Jim M	Awaiting John Bonnell review eta 12/14	
2283	There is another aspect to this problem. Dead-time corrections are severe for ion ESA SW data and there are no dead-time corrections for onboard moments. Some algorithm will have to be developed that does this correction after the fact. Davin developed an algorithm like this for Wind 3DP. That algorithm may not work directly due to differences in energy sweeps, but something like it could be developed for THEMIS. Davin and I can provide some advice and direction. Similarly electron onboard moments in the SW may also need some corrections — this should also be worked out at the same time.	11/2/09	Jim Mcfadden	2	Jim M		
2175	L2 File Definitions Document		David	3	Jim M		
2087	Administrator's Guide		Vassilis	3	Jim M		
2088	Themis Developers Guide		Vassilis	3	Jim M		
2224	thm_load_mom: for quantities like velocity, the coordinate system isn't stored in the meta data, and none of the units are stored in the place we normally try to store them (from Pat - Vassilis concurs) Will take a look.		Vassilis	3	Jim M		
2091	Once Jim McFadden completes his mods for n_3d_new_3 reprocess L2 cdf's		Vassilis	3	Jim M		
	- entire mission		Vessilia		lim M		
2092 2055	thm load mom changes - reconcile mods with Davin at an appropriate time. ESA L2 from L1 (not packets) - create L2 and test thoroughly, then reprocess ESA		Vassilis Vassilis	3	Jim M Jim M	On Hold; awaiting Jim L to split L1 into master cdf	
4003 4042	Document: ESA File and Calibation Processing Script to run every two weeks to runs IDL TDAS and checks if a file can be loaded from THEMIS SPDF file (s)	3/5/10 4/19/10	David Pat	3	Jim M Jim M		
2093 2094	AE Indexes Issue Jan 8-12, keyograms Jan 12-13, Stripes- Vassilis: minor Overview plot change: mode bar seems thick		Vassilis Vassilis	4	Jim M Jim M	nothing we can do easily	
	Mosaic Processing - permanent script needed		Vassilis	4	Jim M		
	EFI calibration DC offset between 4sdo and 2sdo in boom plane Try to track down frequency scaling problem in DPWRSPC (dlimit setting?		John Bonnell John Bonnell John Bonnell	4 4	Jim M Jim M Jim M	Which is better? Assigned to J. B. (low priority). On Hold - low priority	
l	Compare to old plots?). Modify THM_CAL_FIT to treat efs datatype - Install E12/E34 conditional based on th? fit_code TPLOT variable. If E12 switched to E34 software		John Bonnell	4	Jim M		
	needs to be revised to handle						
2069	Support Mirror Sites		Vassilis	0	Pat		
2069a	Japan (ISAS)		Vassilis	0	Pat		
	Austria		Vassilis	0	Pat		
	France		Vassilis	0	Pat	(Rumi - not always up to date for gmags)	
2070 2070a	Support gmag data remote sites. Augsburg (MACC's)		Vassilis Vassilis	0	Pat Pat		
2070b	Alberta		Vassilis	0	Pat		
	Greenland		Vassilis		Pat		
2070c1	James just emailed with a question about the data. When I did the task before I didn't grab the whole data set, just what was requested. Another subtask would be to download the rest of the data.	11/23/10	James Weygand	1	Pat		
	DMI data(currently available Greenland data) was never calibrated and proper calibrations are not available. Need to properly label data and make sure users don't use data improperly.	11/23/10	Vassilis	3	Pat		
2070c3	Data from new provider is archived in CDF but TDAS modifications to make it accessible to users have not been made.	11/23/10	Vassilis	3	Pat		
2070c4	We also have software that can automatically harvest need greenland data as it becomes available, but the software is not currently operating. We could add it to a cron job	11/23/10	Vassilis	3	Pat		
3034	U Alaska all working	12/7/09	Jim M	0	Pat		
4179	latest version 7.5 of the IDL Geopack DLM. Supported operating systems are Linux, Mac, Sun, and Windows. 32 and 64 bit versions are available for all OS. I tried my best to get this done before your next software release and still leave some time for testing on your end.	12/3/10	Vassilis	1	Pat	platform testing and compatibility, and also lets make sure that Rules of the Road are displayed properly in the documentation regarding this DLM; Question for Vassilis - announcement with modified rotuine and replace the downland from the web site?	1 day
4138	Install the new GEANT model when released. 4.9.4 is currently in beta.	9/14/10	Davin	1	Pat	12/10/10 retest linux with patch and then test Mac	
4138a	Label active area for each detector. Update code to track statistics. (hit(e-)/fired(e-), edep/hit(e-)) Update code to aggregate statistics using the same					in progress	3-5 days
4138b	method as SST FPGA.(bins= F,T,O,FT,TO,FTO) Fire electrons through aperture perpendicular to detector surface. Determine		-				3-5 days
	fraction attenuated.						Ť

12/10/10 1:23 PM 5 20101210 - Themis Software Task Priorities.xls

4152	verify the location of the sun-contaminated bins for each spacecraft and any change in location over time(they should change very slowly if at all). They would then re-activate the sun contamination masking. It was previously disabled because the masking was originally in the from place. Davin said that he wants to create the new configuration files that would be uploaded to	10/8/10	Vassilis and Davin	1	Pat	Davin to handle S/C change. Pat is done.	
	the spacecraft.	10110100					,
4072	SST calibrations - Davin to Review code Put eclipse spin model correction code in SST as already has been done for esa packet pgm	6/8/10	Davin Jim M	1	Pat Jim M	wait for SST calibrations	
	Lynn Wilson possible enhancements	6/1/10	Lynn Wilson		Pat	Review Lynn's software and generate list of features	
4129	Calibration of different anodes - energy efficiency We would like to incorporate the Hermanus gmag data into the THEMIS database in some form of external ground station, like the Greenland chain. Can you implement this with the help of Jiang? I think Jiang will be writing code to read and validate the reading process anyway, for his own work, soon.	10/18/10 9/8/10	Vassilis Vassilis	2	Pat Pat	Need to talk to Davin In progress - on hold	
2060	L2 cdf Quality Flags: for SST		Vassilis	2	Pat		
4002	Document: SST File and Calibation Processing	3/5/10	David	2	Pat		
4119a	Reorganize sun contamination keywords. (Add 'manual' option to	8/26/10	Vassilis	2	Pat		
4119b	method_sunpulse_clean) Add 'automatic' option to method_sunpulse_clean which will sum across time	8/26/10	Vassilis	2	Pat	in progress - on hold	
	range provided by user in new keyword.						
4119c	Create a new crib that shows only a few simplified options to the users. (all_angle_median,scale_sphere,manual bin selection(for fill), automatic bin selection)	8/26/10	Vassilis	2	Pat	4119a and b prereq's	1-2 hrs
	When Cindy & I tried to load tha _eff on 2007-03-23, it didn't load and said some calibration quantity couldn't be found. When I tried to load the same thing, I didn't have a problem. So the trick would be to find out what changed from my computer to Cindy's computer and to figure out how often our user's computers are going to have the same problem that Cindy's computer had.	3/22/10	Pat	2	Pat	Jim M: I have no trouble with EFF data either for linux or windows.	4-6 hrs
2187	I noticed a bug in the x-axis options panel. It probably also applies to the y-	7/29/09	Pat	2	Pat	set to most recent user action for all routines	2-4 hrs
	axis options. If the set-all button is selected on the grid tab, then changing panels doesn't update the settings on the grid tab to the settings currently displayed for that panel.						
	thm_load_state out_coord velocity calculations wrong Christine brought to my attention a bug that occurs if you use the TDAS	11/4/09	Vassilis Christine	2	Pat Pat		
	tsyganenko routines in a way that is not really something that I expected, but seems to be a legitimate use of the routines. If passing in a set of input parameters that are stored in tplot variables but are not in time-series, the routine produces incorrect results.			_			
	For the beta and official sites we want to add a button at the bottom to the right of the existing two buttons. Official site web page url: http://themis.ssl.berkeley.edu/summary.shtml?autoload=1 Please center the 3 buttons. The new button will have the words "Plot Descriptions" and if clicked will link to the following: ftp://apollo.ssl.berkeley.edu/pub/THEMIS/3 Ground Systems/3.2 Science Operations/Science Operations Documents/THEMIS Summary Plot Description Tables	4/19/10	Pat	2	Pat		
	Alberta - At the moment the data files are from Dawson (daws), Churchill (fchu), Island Lake (isll) and Fort McMurray (mcmu). I will add Rabbit Lake and Taloyoak at some time but we have some issues with map pointing at those 2 sites. If you recall, the agreement between lan and Vassilis was that this data wouldn't be copied to become part of a mirrored archive like the existing data we provide. Instead, each file would be obtained from this site each time it is requested (using curl or some such). This means we can use our own logs to monitor data usage. Themis Software to be able to retrieve from Alberta		Vassilis	3	Pat		
4120	Add title support to plotxy	8/27/10	Christine	3	Pat		
2090	Add multi-row/column span to plobsy that streamlines the generation of gmag stackplots and a crib to show how to do this. (< than a day)	8/27/10	Christine Vassilis	3	Pat Jim M		2 hrs
	102. Tplot_gui – overwrite warning when importing data, even if variable gets renamed.	2/3/10	Pat	3	Pat		6 hrs
2115	tplot does not fail gracefully after illegal margin set. In this case: tplot_options,'xmargin',[100,100], tplot does not fail gracefully after illegal margin set. In this case: tplot_options,'xmargin',[-1,-1] -tplot does not fail gracefully after illegal margin set. In this case: tplot_options,'ymargin',[100,100]			3	Pat		
	if you want to load a template, you need to pass the template path in via a keyword, or select an option to open it from the THEMIS->File Menu. I think we should consider adding the template path to the configuration file that we save, so that it can be loaded automatically.	10/19/09	Pat	3	Pat		
4013	Plot Description Doc Button	3/22/10	David	3	Pat		
	I ran into a small annoyance today when loading a themis document. I had originally loaded ESA and SST data for one time period, then overwrote that data by loading the same quantities but for a different time period. I did this several times and then saved the document for later. When re-opening the document I got a series of prompts asking whether I would like to re-write each quantity. It would speed up and streamline the process in this case if data that was later overwritten is not loaded when you open the document.	7/20/09	Aaron	3	Pat	I spoke to Pat about this yesterday and we both agreed that while we cannot be sure which quantities should be re-loaded and which shouldn't (some may have been used temporarily for calculations). However, we can store the users's original choice to overwrite the data or not. So while we may not be able to save on loading time we can still keep the user from having to click multiple messages and from having to remember what they chose originally. The latter is particularly important since they may receive errors or get corrupted data if they do not choose	16
	One feature that was never implemented for the mini-language is globbing.(The ability to use "" and "?" to reference multiple tplot variables at once.) This is a feature that is standard with many of our other tplot data processing routines. I think it would be very useful to include in the minilanguage.	8/5/09	Pat	3	Pat	inay receive entitie or yet contigued data it they do not alloose	40

12/10/10 1:23 PM 6 20101210 - Themis Software Task Priorities.xls

	add MACCS gmag data from 2007 to our data archive. We already have MACCS data for some years and a process that automatically downloads it/converts to CDF. So the task would involve finding missing files from 2007 and feeding them into our pre-existing processing framework. It should be pretty straightforward, but probably non-trivial because of learning curve/unexpected details.	2/19/10	James Weygand	3	Pat		
	Add a configuration setting "force_download", which if enabled, will download data even if the remote file is older than the local file. This comes up if you're switching back and forth between using QA data and production data; once you've downloaded QA data, it's hard to download (usually older) production data without manually removing any QA files. This should apply to all data sources – THEMIS, GOES, WIND, etc.	2/22/10	Vassilis	3	Pat		
	68. GUI z-axis options — when Fixed Min/Max selected, value in spinners does not reflect current range as it does for X and Y axes. Displayed range when spinners desensitized is inaccurate.	2/10/10	Aaron	4	Pat	chech draw object	
	The TDAS Software will be enhanced to incorporate data from the STEREO mission.	3/8/10	David	4	Pat		8 hrs
	add the following ancillary ground-based observations: MAGDAS Network, Auroral Electrojets (AE) and Ground Radars (SuperDarn, AMISR and Sondrestorm)	3/8/10	David	4	Pat		4 hrs
3007	EPO-GMAG msgs: modify the script and only issue this message if > 2 days	12/8/09	David	4	Pat		
	How's it going with the stats? I noticed the query takes some time because it's looking at the whole table. It could be refined for specific time periods. The delay in return could be what's causing Dave to have access problems or the SSL firewall?	10/23/09	Tim	4	Pat	see 2277	
	I didn't realize the cotrans messed up the velocities for earth centered coordinates. Maybe what we really need to do is modify cotrans so that it correctly transforms velocities. Users can incorrectly transform velocities just as easily using thm_cotrans on the command line, as they can using the coord keyword.		Pat/Jim L	4	Pat		
	I loaded a plot which had the line color as white. Because the legend plots in the same color as the line, the legend text did not show up. We should probably just put in a check for this case. If the line is white and the background is white then draw the text in black		Pat	4	Pat		
	Problem with edit3dbins is being caused by IDL's mouse system variable not being updated correctly on Macs. The ctime procedure, used to interactively select a time from a tplot window, relies on this variable to determine when a selection has been made in the tplot window. If the variable is never updated then ctime gets caught in an infinite loop. It's unclear whether this is specific to a particular OS version, but the routine should probably be modified at some point to maximize compatibility with Macs. In the meantime the alternate method of calling gettime that I copied you on yesterday should provide a temporary way around this bug.		Aaron	4	Pat	verify note in quick reference guide and then task will be closed	
	Add the ability to right-click on a variable in the widget-tree and display a popup with basic information about the quantity such as dimensions, range, or other meta data as well as the ability to rename variable		Pat	4	Pat	originally part of task 64, however, after further evaluation, it was determined this best belonged with the widget tree rather than the analysis window	
	I found a small bug in the z-axis panel in the gui. If I change the z-axis annotation size of a layout with 2-panels each with one spectrogram, when I apply this change, it gets applied to both panels, even if set-all is off.	8/27/09	Pat	4	Pat		
3063	40. CL tplot options setposition test plots all look the same	1/15/10	Pat	4	Pat	Long-standing tplot bug, may not ever be fixed	
	One of Michael Hartinger (a grad student in atmos) is having trouble with thm_part_getspec when the SST is in fast survey mode. The routine can take a very long time to run because of the higher resolution. I think we should put a feature request on the list to automatically downsample the particle data in time. Normally, I would suggest that uses downsample using one of our interpolation routines, but because the particle data is stored in a special common block, there is no easy way for end users to perform this operation.	4/6/10	Michael Hartinger / Pat	4	Pat	Michael supplied code for thm_part_moments	4-8 hrs
	Misc			1			1
			1			- 1	