Task#	Task Description	Date Opened	Reported By	Pri	-					QA Suite			Adm	Dev	
					То	Notes	Estimate	A&E	Crib	or Script	UG	Qref	Guide	Guide	Web
	To be Assigned or Discussed		1			Notes		ļ							ļ
4223	VM email from ERG folks - question	4/19/11	ERG	1	Pat										
	· · · · · · · · · · · · · · · · · · ·						<u> </u>	{	ļ	}				ļ	I
	You had to manually restart the gmag processing a while back and it appears a similar manual processing may be required again now.	4/19/11	Vassilis	U	Pat										
4225	Remove Tim and add Lydia to thmsoc epo msgs	4/21/11	David	1	Pat			1							
4226	m not sure if this is new, or if I've only just noticed it, but when I try to generate an overview plot in the GUI, I get a crash	4/21/11	Jim L	0	Aaron										
4227															
4228							1								
4229							1			1					
							]	{		3					
	General					_			<u> </u>	jj					
4043	Paper on interdependentcies of FGM and STATE Reprocessing	4/19/10	Pat	1	Jim L	David - Put Paper into themis doc format									
	Check with Jon Loran further about a THEMIS SVN read only SSL account for IUGONET and ERG	12/16/10	David	QA	David	On Hold									
QA203	Put links to the ERG and IUGONET web sites on the themis website	12/16/10	David	QA	David	sent ERG and IUGONET folks email									
	Save THEMIS document: Attempting to save to a read only file in Windows outputs the correct error message, but IDL crashes immediately afterwards.	2/24/11	Team	1	David	IDL Error report to ITT									
							<u> </u>								

Task #	Task Description	Date Opened	Reported By	Pri						QA Suite			Adm	Dev	
					То	Notes	Estimate	A&E	Crib	or Script	UG	Qref	Guide	Guide	Web
	Harald		1			,								İ	
	L1's and mosaics are up-to-date and available through March 31, 2011				Harald										
	Thumbnail Data:				Harald	Updates ready 7-10th of the next month									
	- cdf files done until February 2011									1					
	- overview plots done until February 2011 - movies done until April 30, 2010			ļ				}	ļ	ļ		ļ		ļ	ļ
	- movies done until April 30, 2010							}							}
	Full-resolution raw data:			1	Harald										·
	- complete for 2007, 2008, 2009														
	- Up to date and complete until April 2010			ļ				}	ļ	ļ				ļ	ļ
	Full resolution data:			ļ	Harald			}	ļ	<del> </del>					····
	- data cdf done for all 2007 and 2008 and up todate and complete through April 2010														
	<ul> <li>keogram cdf done for 2007-2008, 2008-2009 and up to date and complete through April 2010</li> </ul>														
	Web site mosaics and movies:			ļ				}	ļ	ļ				ļ	ļ
	- Mosaics and movies reprocessed for 2007/2008 and 2008/2009 seasons														
	- Mosaics and movies up to date until April 30, 2010														
	Web site overview plots with full resolution data:			1											1
	- overview plots done for 2007-2009 and until April 2010														
2069d	UCLA – mirror site set-up		Vassilis	1	Harald	UCLA has 2-1TB and 2-2TB bricks.									
	Hannes									}					
	maintenance of gmag stations "Exclude List"	10/11/10	David	0	Hannes	Exclude List updated 4/15/11									
4018a	New Calibration FGM parameters and spin axis offsets	5/10/10	Hannes	1	Hannes	offsets sent to instr scientists; email from Braunschweig: Karl- Heinz will produce new Artemis calibration files after the Easter Holidays.									
4080	Attitude Determination next few months	6/21/10	Hannes	1	Hannes	awaiting new offsets		}							}
	Ferdinand sent was an attempt on his part to automate the shadow processing. He wanted feedback whether the products produced are adequate and if the code is amenable to automation. We can pick it up with him once you have gone through it.	4/14/10	Vassilis	1	Hannes	Report sent out on 9/13/10. Jim L has reviewed. 11/22/10 - Jim L sent Hannes email on one unexplained major issue									
	GSE-GSM	10/11/10	Vassilis	1	Hannes	unexplained major issue		}		1					·
	This is getting a bit out of hand I think. How about a configuration file? The software just reads keywords from a configuration file. With such a configuration file it is possible to set keywords automatically (for the scientists) but additionally it would give us the possibility to keep track of what the software does automatically. When I do calibrations I can then save the configuration file together with the	5/10/10	Hannes	3	Hannes	Hannes sent out new version for review.									
	results and not worry about the things that the software might have done automatically.														
2074c	quality flag for FGM data		Vassilis	3	Hannes	on hold									1
2082a	Spin modeling during shadows BugZid=43		Vassilis	3	Hannes	Jim L to write routine. Hannes send info.									

Task#	Task Description	Date Opened	Reported By	Pri						24.2 %					
					То	Notes	Estimate	A&E	Crib	QA Suite or Script	UG	Qref	Adm Guide	Dev Guide	Web
	Aaron	ļ				Notes									
	Andrei asked me if we have any code to determine L-shells from positions. We don't have any in TDAS but I know that Cindy wrote some for her work with orbits. We might want to consider checking this code into TDAS so that it is available to everyone.	1/7/11	Andrei	1	Aaron	just to check in		Y	Y	Y	Y				
2013	2-D Slices		Vassilis	2	Aaron										
2013af	Mark one count level (dashed line)		Vassilis	2	Aaron	Aaron to send email to Jim Mcfadden - awaiting 2013s and 2013t									
2013s	combine SST and ESA slices into a single plot		Vassilis	2	Aaron	testing is complete and checking in code doc	2 days	Υ	Υ	Υ	Υ				
	Allow for loading of user-specified distributions in gui. 8/23/10 Per Vassilis: For 2013t instead of allowing user specified distributions in the gui I will be adding an option to compare slices with specified functions		Vassilis	2	Aaron	testing is complete and checking in code doc		Y	Υ	Y	Y				
2013x	Add removal of SST contamination option(s) to slices		Vassilis	2	Aaron	allow from CL or GUI	1 day	Υ	Υ	Y	Y	!			
,	Determine how to remove artifacts found in some nearest neighbor plots.		Vassilis	2	Aaron	testing is complete and checking in code doc	2-5 days	Υ							
	The enhancement for QA 156 is to add a "lazy ytitles" option to the GUI. This means that a ytitle that has separators like spaces or underscores will have newlines inserted in their place so that long titles can fit in crowded layouts. This is a standard command line feature.	3/2/11	Pat	2	Aaron		2 days								
	SST Test Suite: (Feature) Reports that default labels are cluttered. Specifically, sst_en_eflux y-label is long, & the content of the label is more appropriate for the z-axis. I agree, but making the defaults work better will take some effort.	2/3/11	Pat (from Michael)	2	Aaron	see 4204									
	We don't have support for filled symbols. This means symbols are only outlines.	12/11/09	Pat	3	Aaron										
3031	GUI Overview plots sometimes have diamond shaped artifacts in the sample rate bar. Should fix.	1/5/10	Vassilis	3	Aaron	This is a side-effect of the a way that symbols are used as a hack to generate the sample rate bar. Fix after 3014 is fixed.	1/2 day								
	When importing a variable with a valid 'V' component in its data struct, but no spec flag set in its meta data, the loaded data object fails to load the y-axis. This should be fixed, as it ends up incorrectly loading certain spectral quantities.		Pat	4	Aaron										
	When thm_load_fit is called requesting a single data type it will also return some auxiliary data types. For example: thm_load_fit,probe='b',datatype='fgs' returns: 1 thb_fit_code 2 thb_fit_npts 3 thb_fgs. load bug or test script bug) b. The relpathnames all keyword is broken.			4	Aaron										
	Variable units – generic solution - thm_load_spin, _state, _hsk, _sst, _esa, _bau, _fgm, _fbk, _fft, _fit, _scm, _efi, _trg, _asi, _gmag, _ask, _mom, _esa_pkt		Vassilis	4	Aaron										
2029	From Hannes		Hannes	4	Aaron										
L	Provided is the most common plot used by scientists that look at		Hannes	4	Aaron				İ			Ì			
	The level 2 CDF files at http://themis.ssl.berkeley.edu/data_download.shtml should contain position in various coordinate systems as well. Preferably in the same resolution as the data. Otherwise Scientists need to get the position from another source. Notes from Vassilis: option to introduce the data in RE with keyword (one RE =6,478 kilometers ???). Like thm_load_fgm /pos_units= 'RE'. Also thm_load_state keyword out_coord = 'GSM', 'GSE',etc.		Hannes	4	Aaron										
	thm_load_fgm /pos_units= 'RE'. Also thm_load_state keyword														

Task#	Task Description	Date Opened	Reported By	Pri	Assigned To		Estimate	<b>18</b> E	Crih	QA Suite	IIG	Orof	Adm	Dev	Web
						Notes	LStillate	AGL	CIID	or Script	00	Qiei	Guide	Guide	Web
	If one loads fgm data from probe 'a' and let's say there are no data for the chosen interval. The variables tha_fgl and tha_fgl_gsm etc. should all be empty. It could be those variables still contain data from the previously loaded interval.		Hannes	4	Aaron										
2030	upgrade thm_load to work with probe assignments		Vassilis	4	Aaron										
	move functionality of thm_load_state2 into thm_load_state and delete thm_load_state2		Vassilis	4	Aaron										
	Multiple enhancements concerning keywords, valid_names and thm_load routines		Vassilis	4	Aaron										
2013w	Integrate our own slicer3.pro gui with regular 2-D slice plots.		Vassilis	4	Aaron	on hold	2 days	Υ	Υ	Υ	Υ				
	Cindy	·	•				i								1

Task #	Task Description	Date Opened	Reported By	Pri			:	-		04.0.4		<b>A</b> -1	<b>D</b>	
					То	Neter	Estimate	A&E	Crib	QA Suite or Script	Qref	Adm Guide	Dev Guide	Web
	New Programmer					Notes					 			
4001	Document: Administrators Guide	3/1/11	David	1	tbd	50% time		<del></del>			 			
4214	THEMIS Pipeline proof of concept regression tests	3/23/11	Jim L	1	tbd	50% time	<del>!</del>	{		}i	 }			{
	VC->L0	3/23/11	Jim L	1	tbd									
4214b	L0->L1	3/23/11	Jim L	1	tbd			1			 			
	empermeris->state v00	3/23/11	Jim L	1	tbd		[	1						
2046	Create a more efficient & productive prototype QA Instrument Command Line Script - first template (s) functional blocks then scripts for FGM, ASK, SCM, FIT, MOM, ASI, EFI, FFT, FBK, Gmag, State, SST, ESA		Vassilis	1	tbd	In progress. Several templates created, selecting the appropriate command line routines to test.								
2175	L2 File Definitions Document	3/1/11	David	2	tbd		<u> </u>				 			<b> </b>
4214	: THEMIS Pipeline proof of concept regression tests						ļ	ļ			 			
4214c	L1>L2	3/23/11	Jim L	2	tbd		:	1						
	GMAG	3/23/11	Jim L	2	tbd									
	AE Index	3/23/11	Jim L	2	tbd			}						]
	ASI	3/23/11	Jim L	2	tbd			}						
	mosaics	3/23/11	Jim L	2	tbd						 			]
	summary plots	3/23/11	Jim L	2	tbd			{			 			<b>.</b>
4200	Yuri has generated a 3 parameters for the THEMIS spacecraft L,L*,Mlat. These parameters are very useful scientifically. The task would be to archive these parameters in CDF and add a load routine in TDAS to read them. Currently, the data will be made available to us by Yuri via tab separated ascii files.	1/19/11	Yuri Shprits	2	tbd									
2149g	write a routine to check time tag monotonicity and repair tplot variable if necessary (with options for "replace with NaN" and "delete")		Jim L	2	tbd	Create a routine to clean up tplot variables. Use in the load routines were susecptible. Recommend that we just remove what is needed to make the time tags monotonic, and issue a warning indicating that the user should consult the THEMIS software team about that data.								
2149h	integrate time tag fixer-upper with TDAS load routines		Jim L	2	tbd						 			
4135	Now that the L1 ESA/SST/MOM reprocessing is underway, these CDFs will soon contain the full ESA and SST configuration words, in addition to the solar wind flags, sweep modes, and so forth. With the full configuration data available, if someone wants to use a property of these instrument configurations that's not already present as a L1 variable, we don't need to reprocess L1 to add it — we just write a little more code for TDAS, to extract the new attribute from the configuration data that's already present.	9/10/10	Jim L	3	tbd		2-4 hrs							
4135a	Write some TDAS routines that take an apid and a configuration word, and return a structure with all the relevant properties of that configuration. This is basically reimplementing some logic that's already in the L0->L1 processing code (written in C). If anyone ever needs other attributes of the instrument configuration (for example: the angle maps corresponding to each configuration), we would update these routines to return the additional information.	9/10/10	Jim L	3	tbd									

Task #	Task Description	Date Opened	Reported By	Pri	Assigned To	Notes	Estimate	A&E	Crib	QA Suite or Script	UG	Qref	Adm Guide	Dev Guide	Web
4135b	In the load and/or calibration routines for ESA, SST, MOM: rather than using the ESA solar wind flags and sweep mode from the L1 CDFs, use the ESA full configuration instead (which is present in all three L1 types, for convenience), and use the routines from 4135a to extract the solar wind flags, sweep mode, and any other useful attributes. I think SST does not have any configuration flags similar to the ESA quantities (there's the attenuator status, but that's separate from the instrument configuration word), but it needs them in the future, they should be handled the same way as ESA (extract from SST configuration word instead of adding L1 variables). I can do this, but if the routines from part (a) are well-documented, any of us could probably do this part.	9/10/10	Jim L	3	tbd										
2078	bau_sunpulse_met assumes x86 endiannes (BugzID=13)		Vassilis	3	tbd										
4027b	Reprocessing GOES Data	4/5/10	Tami - SPDF	1	tbd	Reprocessing on hold until Howard Singer delivers another batch of binary GOES data files.									
								1	†	1					1

Task #	Task Description	Date Opened	Reported By	Pri	Assigned To					QA Suite			Adm	Dev	
					10	Notes	Estimate	A&E	Crib	or Script	UG	Qref	Guide	Guide	Web
	Jim L		ł			Notes	İ								
4034a	Ferdinand sent was an attempt on his part to automate the shadow processing. He wanted feedback whether the products produced are adequate and if the code is amenable to automation. We can pick it up with him once you have gone through it.	4/14/10	Vassilis	0	Jim L										
	Option1) Just to recap: it will be more difficult than I thought to support switching between the default spin model and the eclipse spin model from F. Plaschke et al. It can't be implemented as a simple correction to the default model I would have to introduce a whole new set of variables in the L1 STATE CDF, duplicating the existing set of spin model variables, to be able to switch between corrected and uncorrected models. And eventually, we'll probably end up using the corrected model exclusively, so we'd end up with a lot of unused variables cluttering up the state CDFs.	4/16/10	Vassilis	0	Jim L	TDAS side - select on the fly to get the correction or not (keyword) - in progress	5 days	Y	Y						
	Code modifications: 1. Add keyword "use_eclipse_corrections" to spinmodel_interp_t (defaults to "don't use") 2. Add informational message to state whether corrections are in use or not 3. Add similar keyword & informational message to other routines as necessary (thm_cotrans, ssl2dsl, thm_cal_fgm, etc)	11/22/10	Vassilis	0	Jim L	must change everything that the calls the spin model - in progress		Y	Y					Y	
	At the moment, I have Ferdinand's eclipse spin models for THB and THC. There was some discussion about whether one of these models would also be appropriate to use for the THA, THD, and THE, but I don't remember what the recommendation was, or if that work is still in progress. The other thing I remember from our previous conversation is that they were thinking of distinguishing between "short" and "long" eclipses, and using different eclipse spin models for each situation.  The models I'm currently using are "thb_modell_2.sav" (dated Jul 9 2010), and "thc_modell_2.sav" (dated Aug 20, 2010).	4/8/11	Vassilis	1	Jim L	awaiting Ferdinand to be at UCLA									
4142	issue with FGS processing - timestamps	9/30/10	Vassilis	1	Jim L	not trivial	3-5 days	Y							ļ
2266	Timing of Spin Fit data	10/16/09	Jim McFadden	1	Jim L	see 4142	3-5 uays	'			*******				
	Separate E and B timestamps for spin fits: a) make a revised V02 master CDF with E and B separated b) change thm_load_fit to support V01 and V02 of the L1 CDFs c) change the L0->L1 processing code d) change the L1->L2 processing code e) test the changes, then reprocess to create the V02 CDFs (keeping the V01 files around for a while to ease the transition)	before the millenium started and when bugzilla's roam the free world	Vassilis	1	Jim L	Hard for SPDF to deal with, with their plotting tools - review priority with Vassilis; Check again with John Bonnel regarding timing differences between fgm and efi spin fits	4-5 days								
4030	cross-check SST psir6 and psif data types for excess counts in psir6	4/8/10	Jim McFadden	1	Jim L	Jim L talked to Davin and sounds like we can shut the data off. Jim L will send email on the time saved by shutting this off.									
4030a	Review Onboard Scripts for possible error.	5/17/10	Jim Lewis	1	Jim McFadden, Davin, Robert Abiad	can duplicate on flatsat. Jim Mcfadden and Davin to review Jim L's email.									

Task #	Task Description	Date Opened	Reported By	Pri			!			QA Suite			Adm	Dev	
					То	Netes	Estimate	A&E	Crib	or Script	UG	Qref	Guide	Guide	Web
4030b	Correct Existing Data	5/17/10	Jim McFadden	1	Jim L	Notes 4030a preregusite									
	ŭ														
4030c	If scripts change - make changes to processing scripts	5/17/10	Jim Lewis	1	Jim L	4030a prerequsite									
4070	"Add support to thm_cotrans, ssl2gse, and ssl2dsl for /pseudo_dsl	6/1/10	Jim L	1	Jim L	thm_load_fit and thm_load_mom,									
	keyword. If keyword is present, look for and apply eclipse delta_phi corrections as appropriate."					add keyword. In progress - Will review code Davin checked-in concerning tensor quantities in thm_load_mom.									
OA110	as you know we have a few folks here in our SPDF group who are	2/7/11	Tami	1	Jim L	Web Site - instruments will have a									ļ <b>l</b>
	using the THEMIS-B and C data for a lunar project. They have found and I've confirmed through CDAWeb, that the time stamps and associated data measurements for October, 9, 2010 THEMIS-B ESA, after time 15:58:40.695 are of a different resolution and the data values are either 0.0 or -NaN.				<b>3</b> 2	web page with "Sources of Data Anamolies". The first one being the ESA issue									
	Each of us should probably take a look at all the shell scriptswe're	3/11/11	Jim L	1	Jim L		<u> </u>	1							
	responsible for, scrub them for issues like this, and in the case of jobs running on gaia (and any other hosts that were recently upgraded), check the recent processing logs to make sure any failures are not signs of these or other incompatibilities.														
	once in a while (maybe 10-20 occurrences per probe during the entire mission), the FGM range doesn't change on all three axes at once:	9/10/09	Jim L	2	Jim L		2 hrs								
4022	Update L1 master cdfs to support SPDF hosting	3/25/10	David	3+	Jim L	I think 4022 is a an end-of-mission task: basically clean up all the L1 CDFs, so they are fully ISTP compliant and as compatible as possible with SPDF's tools. But "ISTP compliant" is a moving target - they keep adding new checks to the SKTEditor software so I think we made a task to do one final cleanup and reprocessing at the end of the mission, as opposed to reprocessing every time they introduce a new SKTEditor check that renders our L1 files non-ISTP-compliant.  So 4022 = final end-of-mission adjustments to master CDFs, 4023=final reprocessing. Both should remain open, with no immediate action required as far as I know.									
3093	Automate processing of eclipse sunpulse data from FGM team	2/22/10	Jim L	3+	Jim L		ļ								
4040	Spinfits - separate E&B timestamps?	4/15/10	Jim L	3	Jim L	SPDF has issue creating plots on the L1 data with their software									

Task#	Task Description	Date Opened	Reported By	Pri	Assigned To	Notes	Estimate	A&E	Crib	QA Suite or Script	UG	Qref	Adm Guide	Dev Guide	Web
4046	either thm_load_fit or the GUI code that calls thm_load_fit should split the data into separate tplot variables for E and B, before importing them into the GUI data model. I think thm_load_fft already does something like this. See task 4040	4/23/10	Pat	3	Jim L	Jim M 4/23: thm_load_fit also splits into efit and bfit variables, so unless you need to look at raw bytes, the 'fit' datatype is not needed. Pat: Agreed. Short term, excluding the data type from the GUI seems like an easy solution.									
2082a	Spin modeling during shadows BugZid=43		Vassilis	3	Hannes	Jim L to write routine. Hannes send									
2036	GOES 10-12 Test data: h. update labels (Howard's request - minor tweak)		Vassilis	3	Jim L	info. determine if to be reassigned	3-4 days								
	STATE Web Page (s) bad timing sun pulse times (early January 2009)		Vassilis Vassilis	3	Jim L Jim L	review web pages Clarification needed									
2043	L1 Data Processing History Info: SCM, EFI, STATE Refactor repeated CDF library code in CDF processing tools BugZid=50		Vassilis Vassilis	3	Jim L Jim L										
l	Non Monotonic timestamps. BugzID=72		Vassilis	3	Jim L										
	task 2047 in my name: "Seperate E and B timestamps for spin fits", which is also a change to the L1 FIT master CDF and associated TDAS code. But unlike the spacecraft potential enhancement (which only adds new CDF variables, and is more-or-less backward compatible), 2047 would require us to bump the L1 FIT CDF version number to V02, and produce both V01 and V02 for a while, so users of TDAS 5.20 and earlier will still be able to load L1 FIT data. So I'm not sure whether the spacecraft potential task should include 2047, or not.	3/2/10	Jim L	4+	Jim L										
	describe the FBK data type, time tag specified to correspond to the beginning of the time interval of the data that went into the FBK data, the middle, or the end, or is that unspecified, and what's happening here is that the time tagging is being changed in year 3+ of the mission - in the L1 file definition document, at least, does not define the time-tagging conventions to this level of detail.	6/11/10	John Bonnell	4	Jim L										
4023	Before EOM reprocess L1 cdf's due to master cdf changes for SPDF	3/25/10	David	4	Jim L										
2080	Phantom packets" cause non-monotonic distribution times. BugzID=25, low priority.		Vassilis	4	Jim L										
2081	Evaluate CDF compression algorithms BugZid=81		Vassilis	4	Jim L										
2083	Add "last processed" time to L1 (and L2?) CDFs BugZid=115		Vassilis	4	Jim L										
	transforming one data point from SM coordinates to GSM coordinates. ct=time_double('2008-02-16/04:50:00') dipole=[[0],[0],[1]] v=[1,2,3] store_data,'dipole_sm',data={x.ct,y.dipole,v.v} cotrans,'dipole_sm',dipole_gsm',SM2GSM cotrans,'dipole_gsm',dipole_gse',GSM2GSE get_data,'dipole_gse',data=dipole_gse xdipgse=dipole_gse.y[0] ydipgse=dipole_gse.y[1] zdipgse=dipole_gse.y[2] tilt=atan(xdipgse,zdipgse) When I check the data for 'dipole_gsm', the values are 0,0,0. I'm not sure what they SHOULD be, but I know that their magnitude should equal 1. sqrt(x^2+y^2+z^2)=1		Christine	4	Jim L										

Task#	Task Description	Date Opened	Reported By	Pri	Assigned To		Estimate	A&E	Crib	QA Suite or Script	UG	Qref	Adm Guide	Dev Guide	Web
						Notes	İ								1
4097	cdfs with MD5 checksum	7/19/10	Jim L	4	Jim L	Jim L to send email with subtasks and estimates									
4201	Kyoto final data - may have different URL naming scheme	2/2/11	Jim L	4	Jim L	they are only up to 2003 in final									1
4000	Jim M	4/0/44	.,												ļ
4222	Vassilis told me that you have some new code to calculate uncertainties in ESA moments. It's going to be my job to add this to the THM_PART_MOMENTS program. Is your new stuff going to be put online soon? If not, can i get a copy so that I can make the appropriate changes to the THM_PART_MOMENTS program.	4/8/11	Vassilis	1	Jim M										
4008a	He requested some extra datetime formats. A. Numerical month & time (ie 2007-03-23/00:00:00). this option isn't listed.	3/12/10	Pat from a scientist (Martin Connors?)	1	Jim M	in progress - eta 4/22									
4008b	He said there is an ANSI standard to separate date & time using a capital T and requested the option to put datetimes in this format. (ie '2007-03-23T00:00:00')	3/12/10	Pat from a scientist (Martin Connors?)	1	Jim M	in progress - 4/22									
2283a	Solar Wind moments corrected (Stephan Erickson)	4/18/11	Vassilis	1	Jim M										<del>  </del>
	There is another aspect to this problem. Dead-time corrections are severe for ion ESA SW data and there are no dead-time corrections for onboard moments. Some algorithm will have to be developed that does this correction after the fact. Davin developed an algorithm like this for Wind 3DP. That algorithm may not work directly due to differences in energy sweeps, but something like it could be developed for THEMIS. Davin and I can provide some advice and direction. Similarly electron onboard moments in the SW may also need some corrections — this should also be worked out at the same time.	11/2/09	Jim Mcfadden	2	Jim M	in progress - sent email to Jim McFadden									
2027e	Finishing the coordinate transformation of the thm_load_state data at input, to include transformation of spinaxis attitude, need to determine keyword switch, implement the rotation of the spinaxis elevation/azimuth from gei to arbitrary coordinates (consult with Pat, Vassilis)		Vassilis	2	Jim M	not allow velocity to go bad									
4224	The solar wind flag variables in the files are in much better shape than before, but if you read more than one file in sequence you will come across a record here or there that is a duplicate. For your 1st date below. The record w/ time 01-01-2010 00:01:58.426 exists in both the 2009/12/31 and 2010/01/01 data files	4/12/11	Natalia Papitashvili GSFC - ADNET	2		reported to UCB by Tami (SPDF)									
2224	thm_load_mom: for quantities like velocity, the coordinate system isn't stored in the meta data, and none of the units are stored in the place we normally try to store them (from Pat - Vassilis concurs) Will take a look.		Vassilis	2	Jim M										

Task #	Task Description	Date Opened	Reported By	Pri						OA Suit-			A dm	Day	
					То		Estimate	A&E	Crib	QA Suite or Script	UG	Qref	Adm Guide	Dev Guide	Web
						Notes								20.00	1
2035	Split L1 ESA (using Thomas's routine) in master ESA data cdf		Vassilis	2	Jim L	On Hold - awaiting Jim McFadden release: Then send David Sub Task List; Calibration variables removed from L1 data master CDF. (Side note: found and reported a bug in SKTEditor, which the Goddard team has agreed to fix) Waiting for feedback from Jim McFadden about how calibration data should be handled (TH-A ASCII calibration file (used for all probes) doesn't match anything I removed from the data CDF).									
4208a	Enhanced MOM Instrument Web Pages	3/5/10	David	2	Jim M	Talked to David first.									
4003	Document: ESA File and Calibation Processing	3/5/10	David	3	Jim M										
2088	Themis Developers Guide		Vassilis	3	Jim M										1
	Once Jim McFadden completes his mods for n_3d_new_3 reprocess i.2 cdfs - entire mission		Vassilis	3	Jim M										
	ESA L2 from L1 (not packets) - create L2 and test thoroughly, then reprocess ESA		Vassilis	3	Jim M	On Hold; awaiting Jim L to split L1 into master cdf									
	Script to run every two weeks to runs IDL TDAS and checks if a file can be loaded from THEMIS SPDF file (s)	4/19/10	Pat	3	Jim M										
2090	that streamlines the generation of gmag stackplots and a crib to show how to do this. (< than a day)		Vassilis	3	Jim M		2 hrs								
4218	thm_part_moments angular restriction	4/4/11	Vassilis	3	Jim M										1
2093	AE Indexes Issue Jan 8-12, keyograms Jan 12-13, Stripes- Vassilis:		Vassilis	4	Jim M										1
2094	Overview plot change: mode bar seems thick		Vassilis	4	Jim M	nothing we can do easily									
	Mosaic Processing - permanent script needed		Vassilis	4	Jim M										1
2100	EFI calibration		John Bonnell		Jim M										
	DC offset between 4sdo and 2sdo in boom plane		John Bonnell		Jim M	Which is better? Assigned to J. B. (low priority).									
	Try to track down frequency scaling problem in DPWRSPC (dlimit setting? Compare to old plots?).		John Bonnell		Jim M	On Hold - low priority									
2100p	Modify THM_CAL_FIT to treat efs datatype - Install E12/E34 conditional based on th?_fit_code TPLOT variable. If E12 switched to E34 software needs to be revised to handle		John Bonnell	4	Jim M										

Task#	Task Description	Date Opened	Reported By	Pri	Assigned To		Estimate	A&E	Crib	QA Suite or Script	UG	Qref	Adm Guide	Dev Guide	Web
	Ludia					Notes		ļ	ļ						ļ
4210	Lydia Modeling SST fluxes	3/12/11	Vassilis	1	Lydia	on hold		?	?						}I
	Greenland	0/12/11	Vassilis	0	Lydia	on note	<del> </del>	· ·	<del>                                     </del>	-					<del></del>
20.00			74666		2,4.4										{
	DMI data(currently available Greenland data) was never calibrated and proper calibrations are not available. Need to properly label data and make sure users don't use data improperly.	11/23/10	Vassilis	2	Lydia	after vacation									
2070c6	meta data master cdf change and reprocess	4/1/11	Lydia	0	Lydia	While checking through all the GMAG sites I noticed that the metadata for SOL (Solund) is incorrect. Some of the information listed is for 'DON> Dønna, Norw' rather than SOL. Also, some other sites have a very minor error: CDRT, CRVR, NAIN, PANG, RBAY all have a typo and list for example 'NAQ> Cape Dorset' rather than 'CDRT> Cape Dorset'.  in progress									
2070c5	New keywords, pgm doc change, QA Test Script	11/23/10	Vassilis	1	Lydia		i	Υ	Υ						1
4213	check the ASI and GMAG lists attached for Emmanuel to see if any new sites have been added. We maintain sites on this list that have been stopped. See attachments on ftp site for Additional task info.	3/23/11	David	2	Lydia										
	We would like to incorporate the Hermanus gmag data into the THEMIS database in some form of external ground station, like the Greenland chain. Can you implement this with the help of Jiang? I think Jiang will be writing code to read and validate the reading process anyway, for his own work, soon.	9/8/10	Vassilis	2	Lydia										
	Reorganize sun contamination keywords. (Add 'manual' option to method_sunpulse_clean)	8/26/10	Vassilis	2	Lydia		<del> </del>			1					
	Add 'automatic' option to method_sunpulse_clean which will sum across time range provided by user in new keyword.	8/26/10	Vassilis	2	Lydia										
4119c	Create a new crib that shows only a few simplified options to the users. (all_angle_median,scale_sphere,manual bin selection(for fill), automatic bin selection)	8/26/10	Vassilis	2	Lydia	4119a and b prereq's									
	-					<u> </u>	ļ	}					l		ļ

Task#	Task Description	Date Opened	Reported By	Pri	Assigned To	Notes	Estimate	A&E	Crib	QA Suite or Script	UG	Qref	Adm Guide	Dev Guide	Web
QA201	Send Tomo email to test v6.0 for VM	12/16/10	David	0	Pat	Pat sent email - awaiting IUGONET feedback (ping again)									
QA175	FT/OT SST Channels	3/9/11	Vassilis	1	Pat	in progress		Υ	Y						
2069	Support Mirror Sites		Vassilis	0	Pat										
2069a	Japan (ISAS)		Vassilis	0	Pat										
	Austria France		Vassilis Vassilis	0 0	Pat Pat	(Rumi - not always up to date for									
2070a	Support gmag data remote sites. Augsburg (MACC's) Alberta		Vassilis Vassilis Vassilis	0 0 0	Pat Pat Pat	gmags)									
	U Alaska all working	12/7/09	Jim M	0	Pat	Check if reprocessing and processing working									
4138	Install the new GEANT model when released. 4.9.4 is currently in beta.	9/14/10	Davin	1	Pat										
4138c	Fire electrons through aperture perpendicular to detector surface.  Determine fraction attenuated.	9/14/10	Davin	1	Pat	in testing - email sent to R. Lillis									
	Run simulation for fixed energy aimed at first detector(e- and p+), record energy deposited as a function of path length and projected path	12/14/10	Davin	1	Pat										
	Run simulation for variety of energies for all detectors, record energy deposited as a function of path length and projected path	12/14/10	Davin	1	Pat										
4138f	Run simulation for range of initial positions around the full sphere.	9/17/10	Davin	1	Pat		<u> </u>								
	verify the location of the sun-contaminated bins for each spacecraft and any change in location over time(they should change very slowly if at all). They would then re-activate the sun contamination masking. It was previously disabled because the masking was originally in the from place. Davin said that he wants to create the new configuration files that would be uploaded to the spacecraft.	10/8/10	Vassilis and Davin	1	Pat	Pat has enough info to generate tables to send to the S/C, Davin to ask Peter Harvey for more info									
3055	Install Calibration parameters from Davin (replace/amend current description)	12/18/09	Davin	1	Pat	awaiting values from Davin	for #a and #b - 4-6 hrs								
	Verify/Install attenuation parameters for each attenuator. There should be 8x5 = 40 parameters	12/14/10	Davin	1	Pat										
3055b	Verify/Install geometric factor corrections for each aperture. There should be 8x5 = 40 parameters.	12/14/10	Davin	1	Pat										
	Put eclipse spin model correction code in SST as already has been done for esa packet pgm Lynn Wilson possible enhancements	6/8/10 6/1/10	Jim M Lynn Wilson	1	pat Pat	wait for SST calibrations  Review Lynn's software and	<u>.</u>								
						generate list of features									
	Calibration of different anodes - energy efficiency L2 cdf Quality Flags: for SST	10/18/10	Vassilis Vassilis	1 2	Pat Pat	if Davin provides values for 3055									
4002	Document: SST File and Calibation Processing	3/5/10	David	2	Pat										

Task #	Task Description	Date Opened	Reported By	Pri	Assigned To		Estimate	4 ° E	Crib	QA Suite	UG	Qref	Adm	Dev	Web
						Notes	Estimate	AGE	CHD	or Script	UG	Qrei	Guide	Guide	web
4119a	Reorganize sun contamination keywords. (Add 'manual' option to method_sunpulse_clean)	8/26/10	Vassilis	2	Pat										
4119b	Add 'automatic' option to method_sunpulse_clean which will sum across time range provided by user in new keyword.	8/26/10	Vassilis	2	Pat	in progress - on hold									
	Create a new crib that shows only a few simplified options to the users. (all_angle_median,scale_sphere,manual bin selection(for fill), automatic bin selection)	8/26/10	Vassilis	2	Pat	4119a and b prereq's	1-2 hrs								
	When Cindy & I tried to load tha_eff on 2007-03-23, it didn't load and said some calibration quantity couldn't be found. When I tried to load the same thing, I didn't have a problem. So the trick would be to find out what changed from my computer to Cindy's computer and to figure out how often our user's computers are going to have the same problem that Cindy's computer had.	3/22/10	Pat	2	Pat	Jim M: I have no trouble with EFF data either for linux or windows.	4-6 hrs								
	Christine brought to my attention a bug that occurs if you use the TDAS tsyganenko routines in a way that is not really something that I expected, but seems to be a legitimate use of the routines. If passing in a set of input parameters that are stored in tplot variables but are not in time-series, the routine produces incorrect results.	11/4/09	Christine	2	Pat										
QA038	Windows - Layout option	1/21/11	Christine	2											
	6.a) I forgot to click Add to make new panels for each spacecraft's data and thus ended up with all data on one panel. The only way to fix this, that I saw, was to delete all the data and then start over, making sure to add a panel before selecting each dataset. As a user, I feel there should be an option to move data from one panel to another without having to remove it and select it again. For instance, we should be able to click and drag a piece of data from one panel to another panel.	1/21/11	Christine	2	Pat	checkbox - toggle	1-2 days								
	6.f) When the 5 panels have been made of the data, the type of data in each panel is labeled but the spacecraft is not included in the label. You only know which spacecraft is represented if you hover your mouse over the panel. I think the panel should have the sc label, especially for printing purposes.	1/21/11	Christine	2	Pat	come up with how to fix options with level of effort									
	REALLY don't like how when you select the dependent variable, the window slides over to center it. I want it to stay wehre it was unless I slide the window myself. Otherwise I'm constantly sliding it back to the left in order to see which variable I want to select.	1/21/11	Christine	2	Pat	fix only for windows									
	10.c,d) If you change the panel row number, you have to also change the panel row number to which you are changing it to. Ex. 10.c) asks to select the 3rd panel and click the up arrow key twice, and click apply. You can't do this unless you ALSO select panel 1 and click the down arrow key twice. Same for 10.c and dYou can't apply panel 3 to row change to 5 unless you change 5 to some unused row number. Should this be automated? If not then at least the suite's directions should be altered.	1/21/11	Christine	2	Pat	alter test suite and resolve for simple case - talk to Christine									

Task #	Task Description						1			OA Suite		Adm	Day	
					То		Estimate	A&E	Crib	QA Suite or Script	Qref	Adm Guide	Dev Guide	Web
QA038h	10.h) If you don't click cancel, but apply it and hit ok and go back to manually change it back to the original plot, the plot keeps the same	1/21/11	Christine	2	Pat	Notes analysis - for discussion with level of efforts								
	width for each panel as when there were 3 columns, even now there is only 1, so each panel is very short instead of being its full, one-column size. This shouldn't be the case.													
4208b	Enhanced SST Instrument Web Pages	3/5/10	David	2	Pat	Talked to David first.	ļ				 			<del> </del>
	Alberta - At the moment the data files are from Dawson (daws), Churchill (fchu), Island Lake (isll) and Fort McMurray (mcmu). I will add Rabbit Lake and Taloyoak at some time but we have some issues with map pointing at those 2 sites. If you recall, the agreement between Ian and Vassilis was that this data wouldn't be copied to become part of a mirrored archive like the existing data we provide. Instead, each file would be obtained from this site each time it is requested (using curl or some such). This means we can use our own logs to monitor data usage. Themis Software to be able to retrieve from Alberta		Vassilis	3	Pat									
4120	Add title support to plotxy	8/27/10	Christine	3	Pat						 			
4121	Add multi-row/column span to plotxy	8/27/10	Christine	3	Pat				ļ		 			
3053	102. Tplot_gui overwrite warning when importing data, even if variable gets renamed.	2/3/10	Pat	3	Pat		6 hrs							
2115	tplot does not fail gracefully after illegal margin set. In this case: plot_options, 'xmargin',[100,100], tplot does not fail gracefully after illegal margin set. In this case: tplot_options, 'xmargin',[-1,-1] -tplot does not fail gracefully after illegal margin set. In this case: tplot_options, 'ymargin',[100,100]			3	Pat									
2267	if you want to load a template, you need to pass the template path in via a keyword, or select an option to open it from the THEMIS->File Menu. I think we should consider adding the template path to the configuration file that we save, so that it can be loaded automatically.	10/19/09	Pat	3	Pat									
4013	Plot Description Doc Button	3/22/10	David	3	Pat									1
2176	I ran into a small annoyance today when loading a themis document. I had originally loaded ESA and SST data for one time period, then overwrote that data by loading the same quantities but for a different time period. I did this several times and then saved the document for later. When re-opening the document I got a series of prompts asking whether I would like to re-write each quantity. It would speed up and streamline the process in this case if data that was later overwritten is not loaded when you open the document.	7/20/09	Aaron	3	Pat	I spoke to Pat about this yesterday and we both agreed that while we cannot be sure which quantities should be re-loaded and which shouldn't (some may have been used temporarily for calculations). However, we can store the users's original choice to overwrite the data or not. So while we may not be able to save on loading time we can still keep the user from having to click multiple messages and from having to remember what they chose originally. The latter is particularly important since they may receive errors or get corrupted data if they do not choose the correct option	16							

Task #	Task Description	Date Opened	Reported By	Pri						OA Suito			A al	Desir	{
					То		Estimate	A&E	Crib	QA Suite or Script	UG	Qref	Adm Guide	Dev Guide	Web
2201	One feature that was never implemented for the mini-language is	8/5/09	Pat	3	Pat	Notes									ļ
	globbing.(The ability to use '*' and '?' to reference multiple tplot	0/3/09	гас	3	гаі										
	variables at once.) This is a feature that is standard with many of our						40								
	other tplot data processing routines. I think it would be very useful to include in the mini-language.														
				jj											
	add MACCS gmag data from 2007 to our data archive. We already have MACCS data for some years and a process that automatically	2/19/10	James Weygand	3	Pat										
	downloads it/converts to CDF. So the task would involve finding		weygand												
	missing files from 2007 and feeding them into our pre-existing processing framework. It should be pretty straightforward, but														
	processing framework. It should be pretty straightforward, but probably non-trivial because of learning curve/unexpected details.														
	Add a configuration setting "force_download", which if enabled, will download data even if the remote file is older than the local file. This	2/22/10	Vassilis	3	Pat			]							
	comes up if you're switching back and forth between using QA data														
	and production data; once you've downloaded QA data, it's hard to														
	download (usually older) production data without manually removing any QA files. This should apply to all data sources THEMIS,														
	GOES, WIND, etc.														
2005	CO CUIT - avia askissa ushan Fired Mir/May asladed value in	0/40/40	A	-	D-4	-b		ļ							ļ
	68. GUI z-axis options when Fixed Min/Max selected, value in spinners does not reflect current range as it does for X and Y axes.	2/10/10	Aaron	4	Pat	chech draw object									
	Displayed range when spinners desensitized is inaccurate.														
4005	The TDAS Software will be enhanced to incorporate data from the	3/8/10	David	4	Pat										ļ
.000	STEREO mission.	0.0.10	54				8 hrs								
4006	add the following ancillary ground-based observations: MAGDAS	3/8/10	David	4	Pat			}	ļ						}
	Network, Auroral Electrojets (AE) and Ground Radars (SuperDarn,	0.0.10	Jana				4 hrs								
	AMISR and Sondrestorm)			<u> </u>											
	EPO-GMAG msgs: modify the script and only issue this message if > 2 days	12/8/09	David	4	Pat										
	*	10/23/09	Tim	4	Pat	see 2277		ļ							ļ
	How's it going with the stats? I noticed the query takes some time because it's looking at the whole table. It could be refined for specific	10/23/09	11111	4	Pal	see 2277									
	time periods. The delay in return could be what's causing Dave to														
	have access problems - or the SSL firewall?								<u> </u>						
2135	I didn't realize the cotrans messed up the velocities for earth centered coordinates. Maybe what we really need to do is modify		Pat/Jim L	4	Pat										
	cotrans so that it correctly transforms velocities. Users can														
	incorrectly transform velocities just as easily using thm_cotrans on														
	the command line, as they can using the coord keyword.														
2124	l loaded a plot which had the line color as white. Because the		Pat	4	Pat			1							
	legend plots in the same color as the line, the legend text did not show up. We should probably just put in a check for this case. If the														
	line is white and the background is white then draw the text in black														
	Problem with edit3dbins is being caused by IDL's mouse system		Aaron	4	Pat	verify note in quick reference guide			<u> </u>						
	variable not being updated correctly on Macs. The ctime procedure,					and then task will be closed									
	used to interactively select a time from a tplot window, relies on this variable to determine when a selection has been made in the tplot														
	window. If the variable is never updated then ctime gets caught in an														
	infinite loop. It's unclear whether this is specific to a particular OS version, but the routine should probably be modified at some point to														
	maximize compatibility with Macs. In the meantime the alternate														
	method of calling gettime that I copied you on yesterday should provide a temporary way around this bug.														
	provide a temporary way around tills bug.														

Task #	Task Description	Date Opened	Reported By	Pri				-		QA Suite			Adm	Dev	T
					То	Notes	Estimate	A&E	Crib	or Script	UG	Qref	Guide	Guide	Web
2106	Add the ability to right-click on a variable in the widget-tree and display a popup with basic information about the quantity such as dimensions, range, or other meta data as well as the ability to rename variable		Pat	4	Pat	originally part of task 64, however, after further evaluation, it was determined this best belonged with the widget tree rather than the analysis window									
2220	I found a small bug in the z-axis panel in the gui. If I change the z- axis annotation size of a layout with 2-panels each with one spectrogram, when I apply this change, it gets applied to both panels, even if set-all is off.	8/27/09	Pat	4	Pat										
3063	40. CL tplot options setposition test plots all look the same	1/15/10	Pat	4	Pat	Long-standing tplot bug, may not ever be fixed									
4029	One of Michael Hartinger (a grad student in atmos) is having trouble with thm_part_getspec when the SST is in fast survey mode. The routine can take a very long time to run because of the higher resolution. I think we should put a feature request on the list to automatically downsample the particle data in time. Normally, I would suggest that uses downsample using one of our interpolation routines, but because the particle data is stored in a special common block, there is no easy way for end users to perform this operation.		Michael Hartinger / Pat	4	Pat	Michael supplied code for thm_part_moments	4-8 hrs								