| Task # | Task Description | Date Opened | Reported By | Pri | Assigned To | Notes | | A&E crib; |
|--------|---|----------------|-----------------------|-----|-------------|--|----------|---|
| | | Opened | | | | | Estimate | script; suite; UG; DevG; Qref; AdmG |
| | To be Assigned or Discussed | | | | | | | |
| 4802 | GOES particle data | 11/19/2012 | Vassilis | | | Adam Kellerman has already brought in Goes particle data. Having a crib sheet, plus a gui tool to plot them would be great. We can then create GOES overview plots. The gui api can be helpful towards that end. | | |
| | GOES magnetometer data from additional satellites - make available through TDAS somehow? | 11/20/2012 | Vassilis | | | So the NGDC GOES website is: http://www.ngdc.noaa.gov/stp/sa | | |
| 4806 | CLUSTER load routine? | 11/27/2012 | Johnathan Eastwood | | | There may be a way of importing this data into tplot already, but maybe under a non-obvious name? | | |
| 4809 | Crash loading GOES or ACE data with iugonet code on IDL_PATH with bleeding edge | 11/29/2012 | Jim L | | | | | |
| | Warnings in thm_part_moments (shows up in thm_crib_esa_extrapolation.pro) | 11/30/2012 | Pat | | | Basically, thm_part_moments has a bunch of strfilter calls that it uses to set metadata around line 338. Since not all the moment types are always created (e.gflux,_avgtemp,_sc_pot), we get a bunch of warnings when it runs now that look like this: STORE_DATA(121): Invalid name: Cannot use empty string to name tplot variable | | |
| 4815 | | | | | | | | |
| | | | | | | | | |
| | v7.0 QA Tasks for Review with Vassilis | | | | | | | |
| | General | | | | | | | |
| | Tips of the Month | | David | | Jim L | Next Candidates: Lynn Wilson Routines; Eclipse auto processing; FGM Reprocessing, CDF library 3.4.1 released (fixes memory issue for Linux users), Simplified eclipse spin model corrections, new SST calibrations, specplot datagap | | |
| 4792 | 2013 MAP for Senior Review | 11/1/2012 | | | Jim L | | | |
| | Laptop locks UCB and UCLA | 6/6/2012 | David | 0 | Team | | | |
| | Add links to FBK and FFT configuration history reports to THEMIS web site | 11/16/2012 | | 1 | Emmanuel | | | |
| 4661 | I tried to load 3dp datatype pm for 2012 - the testscript says to check availability at http://sprg.ssl.berkeley.edu/data/wind/3dp/ and test different combinations. There are cdfs for 3dp pm for 2012 on that site, but the have are _v05 and don't load. Should they load? | 6/6/2012 | Lydia | 1 | Jim L | Wait till after WIND reprocessing and see what happens to version numbers, if they're all consistent then 5 minute change to load routine. Will not do "load highest version" responsibility of WIND developers. | | |
| 4464 | All plug-ins for v7.10 - add a section to User's Guide for Plug-ins | 3/22/2012 | David | 1 | Jim L | Discuss at the appropriate time what the content would be. Also add a link for VM on the Software Web Page or Developers web page? | | |
| | Hannes | | | | | | | |
| | maintenance of gmag stations "Exclude List" | 10/11/2010 | David | 0 | Hannes | Exclude List up to date as of 9/20/2012 | | |
| 4018a | New Calibration FGM parameters and spin axis offsets | 5/10/2010 | Hannes | 1 | Hannes | 10/03/2012: Cal files updates, all probes from August 2012 on. | | |
| 4080 | Attitude Determination next few months | 6/21/2010 | Hannes | 1 | Hannes | 10-22-2012 Updated for 2012-04-01 – 2012-06-30 | | |
| 4472 | Inter-spacecraft FGM calibration for ARTEMIS. | 1/4/2012 | Vassilis | 1 | Hannes | 6/4/12 from Hannes: Artemis inter spacecraft differences show good results with current calibration | | |

| Task # | Task Description | Date Opened | Reported By | Pri | Assigned To | Notes | Estimate | A&E crib; script; suite; UG; DevG; Qref; AdmG |
|--------|--|----------------|-------------|-----|-------------|--|----------|--|
| 2074c | quality flag for FGM data. Dependencies on Ben's tasks 3093 and JWL's tasks 4142 and 2266. | | Vassilis | 2 | Hannes | quality flags for FGM data: Hannes talked to Ferdinand and suggests some flags in the state CDF: times when eclipse spin model adjustments were performed; times when spin fit & FGL data used to refine the eclipse spin model; times when V03 attitude corrections are available; times when spin fit timing had problems. Some of these flags already present in state CDF spin model variables. JWL will document in L1 file definition document. Final item not so easy, since we have trouble even detecting the timing problem in spin fits. Keep task open, Vassilis says we can come back to it when we have clarity on the spin fit timing. | | |
| | Aaron | | | | | | | |
| | Ongoing - Review all commits by Davin, Peter, etc for impact to TDAS. | 3/27/2012 | David | 0 | Aaron | Provide weekly report and spreadsheet | | |
| 4468 | Modify ESA packet loading code to use standard spinmodel routines rather than deprecated ASCII files. | | Jim L | 1 | Aaron | After TDAS 7.0. | 1 day | |
| | Routine to dump common block data to tplot variables (for regression testing) | | | 1 | Aaron | | | |
| | Replace ESA time tagging code with std spinmodel routines | | | 1 | Aaron | Reduced mode first (always 1 spin/sample), then other modes, using tmtools L0->L1 processing as reference implementation. Testing full and reduced modes, timestamp differences very minor and expected (on the order of 100 usec or less). | | |
| | Write some TDAS routines that take an apid and a configuration word, and return a structure with all the relevant properties of that configuration. This is basically reimplementing some logic that's already in the L0->L1 processing code (written in C). If anyone ever needs other attributes of the instrument configuration (for example: the angle maps corresponding to each configuration), we would update these routines to return the additional information. | 9/10/2010 | Jim L | 1 | Aaron | Code written, testing in progress | | |
| | Verify ESA data correctly time-tagged | | | 1 | Aaron | | | |
| 4468d | Add spinmodel loading code to thm_load_sst | | | 1 | Aaron | 10/26/2012 In progress | | |
| 4468e | Add eclipse delta-phi correction to ESA and SST common blocks | | | 1 | Aaron | 10/26/2012: ESA done, SST in progress | | |
| 4034a2 | thm_parts_moments update (spin moments mods) | 11/22/2010 | Vassilis | 1 | Aaron | initial simple way, final fix is to fix esa and sst 3D data structures. Probably a good idea to make a THEMIS-specific moment calculation routine, to avoid extensive changes to WIND code currently being used. Jim McFadden (as of 3/26/12) said he would review what Jim L sends him. Testing in progress with THB 2010-02-13 eclipse data . | | |
| 4509 | Some array accesses still use () instead of []. | 2/6/2012 | A. Breneman | 1 | Aaron | ESA packet loading code fixed, probably some other occurrences to be updated. | | |
| | Slices – add sun position to data structures rather than loading on demand | 11/30/2012 | | | Aaron | | | |
| | Slices – Do 1-count removal before averaging, rather than after | 11/30/2012 | | | Aaron | | | |
| | thm_part_dist_array memory allocation optimization | 11/13/2012 | Pat | 1 | Aaron | Scan common blocks and preallocate all needed memory rather than doing incremental allocation/copies. | | |

| | | | | _ · | = | I | 1 | |
|--------|---|----------------|----------------|-----|-------------|--|--------------------------|--|
| Task # | Task Description | Date Opened | Reported By | Pri | Assigned To | Notes | Estimate | A&E crib; script; suite; UG; DevG; Qref; AdmG |
| 4777 | thm_part_dist_array modification | 10/2/2012 | Aaron | 1 | | The task would be to vectorize thm_part_dist_array by having it directly access the common blocks where particle data are stored instead of looping over thm_part_dist. This would mean writing some vectorized sub-fuctions that recreate the operations done in datatype-specific routines called by thm_part_dist. Also, for this to work and be most effective all background/contamination removal and other similar routines would need to work on arrays of data structures. After 4795. | | |
| 4719 | ESA energy table updates – TDAS mods (ESA packet processing, calibration, summary plots, etc) | 8/2/2012 | Jim L | 1 | Aaron | Support new ESA config word in TDAS code. After 4718 (Jim L). | | |
| 4685 | Widget tree expansion, IDL 8.2 | 6/26/2012 | Pat | 2 | Aaron | IDL fixed a bug which we had worked around, need a version check to enable/disable the workaround so it will work on all IDL versions. | | |
| 4505 | Add a TDAS routine to do 1-d cuts - when ready to work send Aaron Bennenman an email for clarity of task and then review at the S/W meeting again with Vassilis. | 2/6/2012 | Aaron Breneman | 2 | Aaron | You could obtain a 1D cut of a slice by aligning the custom orientation vector (slice_orient keyword) such that the desired cut is along the x or y axis. The data could then be pulled directly from the array returned by thm_part_slice2d via the 'part_slice' keyword. This returns an R x R array containing the interpolated slice data (R=resolution). The x & y axis values for the array are returned in the 'xgrid' and 'ygrid' keywords. | 1 hr | |
| 4298 | the slices code should probably have a keyword to use the new SST calibrations. | 7/27/2011 | Pat | 2 | Aaron | On hold till the SST calibrations have found wider use. | | |
| | Cindy | | | | | | | |
| | Every 6 months check that the UCLA Mag Cal have not changed. | 9/6/2011 | David | 0 | Cindy | Next March 2013 | | |
| 4781 | GMAG station status: troubleshoot stations with no data reported | | | | Cindy | | | |
| 1177 | The above Axis Annotation tab buttons should probably get changed from "first/last" to "range min/max". They used to apply to tick positions, but now are really just the plot box (range) min/max. | | Michael | EL | | Still open. | for discussion, 2 hrs | |
| 4814 | Remove gen_gmag_jpg_list_new.ksh cron job, not needed now that station availability spreadsheet is in place. | 11/29/2012 | Cindy | | Cindy | remove from astraea2 crontab in SVN, thmsoc_dp_current/src/config/crontabs, and astraea2 system crontab | | |
| 4481 | New data product, AE index from THEMIS+std sites | 1/9/2012 | Vassilis | 1 | Cindy | awaiting Russian data 7/2/2012: Still need data from 2007- 2010. 7/27/2012: Getting current data again, still waiting for older data. | | |
| | Add NRCAN GMAG sites (EHB, actually chain of 5 GMAGs) | 8/3/2012 | Cindy | 1 | Cindy | In progress – working with Ian Schofield and Martin Connors to get data back to 2007. 8/24/2012: Vassilis is working with them to see if the data can be made available en masse rather than requesting individual plots. | | |
| | USGS magnetometer CDFs – update acknowledgement in master CDF | 11/29/2012 | Dieter Blitza | 1 | Cindy | Reprocess data CDFs with updated master CDF (usage and web site link in metadata) | | |
| | Add McMac magnetometer network (12 sites) to our data set. | 9/17/2012 | Vassilis | | Cindy | Meeting w/ Peter Chi on Tuesday 11/20/2012 | | |
| | Add STEP polar magnetometer network (6 sites) to our data set. | 9/17/2012 | Vassilis | | Cindy | | | |
| 4783 | OMNI load routine for GUI | 10/15/2012 | Vassilis | 2 | Cindy | Issue with consistency of data tree display when switching load tabs | | |

| Tool: " | Took Decemention | Data | Donorted Do | D: | Accierced T- | Notoo | | 1 |
|---------|--|----------------|-------------|-----|---------------------------|--|----------|--|
| Task # | Task Description | Date Opened | Reported By | Pri | Assigned To | notes | Estimate | A&E crib; script; suite; UG; DevG; Qref; AdmG |
| 2062 | Alberta - At the moment the data files are from Dawson (daws), Churchill (fchu), Island Lake (isll) and Fort McMurray (mcmu). I will add Rabbit Lake and Taloyoak at some time but we have some issues with mag pointing at those 2 sites. If you recall, the agreement between Ian and Vassilis was that this data wouldn't be copied to become part of a mirrored archive like the existing data we provide. Instead, each file would be obtained from this site each time it is requested (using curl or some such). This means we can use our own logs to monitor data usage. Themis Software to be able to retrieve from Alberta | | Vassilis | 2 | Cindy | Waiting for CARISMA - our side coding done - run a test when data available | | |
| 4706 | Missing data from McGrath magnetometer site | 7/18/2012 | Cindy | 2 | Cindy | . McGrath: Firewall issue at their end (no incoming ports open so we can't get in), Stu Harris is working with admins on their end, but might take a while to resolve. | | |
| 4409 | AE Stations: I am interested in including the "standard AE ground stations" i.e. the ones that go into the computation of the AE index - there are 12 - into the THEMIS pipeline. This is because we can then include them into the computation of our own pseudoAE. They include: FCC: Fort Churchill, LRV: Leirvorgur, a couple in Russia and one in Scandinavia etc. They should be available somehow. The ones in Russia have been made available through APL, and THEMIS has contributed to their refurbishment. I think we have established communication with APL's Kazue Takahashi and he said a couple of years ago that routine delivery of the Russian stations was impending. So by now they should be readyI think he should be a good source of information about the other stations as well, if you cannot find them on the web by searching or at WDC Kyoto. | 10/19/2011 | Vassilis | 2+ | Cindy | | | |
| 4409b | Dixon (DIK) (AARI, Russia) | 10/19/2011 | Vassilis | 2+ | Cindy | Downloads in progress. Data from 2011 on has been made available; they have agreed to provide data back to 2007. No 1 sec data available (minimum 1 minute sample interval). Sasha pinged 8/20. | | |
| 4409c | Cape Chelyuskin (CCS) (AARI, Russia) | 10/19/2011 | Vassilis | 2+ | Cindy | see 4409b | | |
| 4409d | Tixie Bay (TIK) (AARI, Russia) | 10/19/2011 | Vassilis | 2+ | Cindy | see 4409b | | |
| 4409e | Cape Wellen (CWE) - closed, replaced with Pebek (?) (AARI, Russia) | 10/19/2011 | Vassilis | 2+ | Cindy | see 4409b | | |
| | Eric | | | | | | | |
| | Jim L | | | | | | | |
| 4799 | Possible issue with onboard moments, or transform to GSM coords | | | | Jim L for initial look | Vz and Vx magnitudes close when in solar wind, sinusoidal behavior | | |
| 4764 | Steps/Sawtooth pattern in FGS data near perigee | 9/24/2012 | Vassilis | 1 | Jim L | Sudden changes at packet boundaries, probably a spin fit timing issue. | | |
| | Manual eclipse processing resets "last processed" date for automated processing; some processing logs not preserved | 7/24/2012 | Jim L | 1 | Jim L | If the automated processing is up to date, and I manually reprocess a time range early in the mission, the "last processed" date will get reset to the earlier date, which could trigger an unintended reprocessing of the full mission. "last processed" date should only be updated if it moves forward in time. | | |
| | Add examples of eclipse spin model corrections to crib sheets (fgm, efi, scm, fit, mom) | 7/27/2012 | Vassilis | 1 | Jim L | fgm, fit, mom, updated; efi, scm, new eclipse crib in progress. | | |

| Task # | Task Description | Date Opened | Reported By | Pri | Assigned To | Notes | Estimate | A&E crib; script; suite; UG; DevG; Qref; AdmG |
|--------|--|----------------|--------------|-----|-------------|---|----------|--|
| | Merge IUGONET code into TDAS | 10/17/2012 | Jim L | | Jim L | Some modified TDAS routines were provided in order to support IUGONET load routines and GUI tab – TDAS code may have been modified since then, need to ensure no regressions from taking IUGONET mods. | | |
| 4735 | Socware ksh directory cleanup | 8/24/2012 | Jim L | 1 | Jim L | /disks/socware/thmsoc_dp_current/src/ksh out of sync with repository; some files/subdirectories not present in SVN; some junk files (emacs backups, etc) | | |
| 4718 | ESA energy table updates – L0->L1 processing mods (tmtools) | 8/2/2012 | Jim L | 0 | Jim L | Modified tables will need a new ESA config word – tmtools L0- >L1 code needs to be updated to recognize it as a valid ESA mode. Waiting for Jim McFadden to help us update the mode spreadsheet with new config words and table configuration. 9/28/2012: New modes & config words may already be present in latest ETC spreadsheet. | | |
| 4326c | L1->L2 reprocessing for eclipse spin model corrections | 8/18/2011 | Vassilis | 1 | Jim L | After 4034a2, when eclipse spin model corrections are trustworthy enough to enable by default for L1->L2. | | |
| | Since the full distribution data is at 3 second resolution when we're in fast survey, we might want to consider stopping transmission of reduced distribution data when we're in fast survey. We could use the saved bandwidth to transmit reduced distribution data in 6 angle mode when we've in slow survey. | 6/4/2012 | Vassilis | 1 | Jim L | Requires flatsat testing & MOC support; on hold until NuStar launch/EOC. | | |
| | operating the particle instruments in "accumulate" rather than "snapshot" mode. So we'd be getting into some unexplored territory. The time tagging code in the L0->L1 particle distribution processing would need some slight modifications to support "accumulate" mode. The ESA load routines use the L0 packets directly, and probably also assume "snapshot" mode, so that's another potential set of required modifications. I wouldn't be surprised if the ESA and SST calibration code also assumes snapshot mode. It would need to be tested with real data (since we have no way to generate a realistic particle data stream on FLATSAT). | 12/1/2011 | Vassilis | 1 | Jim L | 5/21/12 as per Vassilis - give it a shot; Awaiting flatsat availability - after SST table updates and ESA energy table updates. Probably will have to wait until NuStar launch/EOC. In Progress | | |
| | Modify instrument scripts to enable accumulate mode, flatsat testing | 6/12/2011 | Jim L | 1 | Jim L / Ops | When MOC support available, probably after NuStar. | | |
| 4451c | tdas mods - if accumulate mode approved discuss at S/W meeting | 12/1/2011 | Vassilis | 1 | Jim L | double chech slices and getspec as per Aaron (next up) | | |
| | Put one probe in accumulate mode and verify correct L0->L1 and L1->L2 processing with live data. | 6/12/2011 | Jim L | 1 | Jim L | | | |
| 4612 | GOES 2008 Data | 4/20/2012 | Andrei Runov | 0 | Jim L | 7/26/2012: Some telemetry was lost in the process of an internal reorganization, Howard is looking into whether any additional magnetometer data can be recovered. | | |
| 4027b | Reprocessing GOES Data | 4/5/2010 | Tami - SPDF | 3 | Jim L | Reprocessing on hold until Howard Singer delivers another batch of binary GOES data files. In conjunction with task 4612. | | |
| 4142 | issue with FGS processing - timestamps | 9/30/2010 | Vassilis | 1 | Jim L | not trivial | | |
| 2266 | Timing of Spin Fit data | 10/16/2009 | Jim McFadden | 1 | Jim L | see 4142 | | |
| 4476 | Discuss thmsoc_dp_current deployment process, avoid unintended updates from trunk | 1/5/2012 | Jim L,David | 1 | Jim L | After QA, review CDF "software version" requirement with SPDF. | | |
| | Diagnose, repair? Spikes in FGS data. | 12/14/2011 | Vassilis | 1 | Jim L | No code changes required. Document on web site (anomalies/watch out fors) as something to be aware of when | | |
| | quality flag for FGM data - Jim L perform analysis, define task - someone else to do development | | Vassilis | 1 | Jim L | quality flags for FGM data: Hannes talked to Ferdinand and suggests some flags in the state CDF: times when eclipse spin | | |
| 4034a3 | awaiting feedback and performing analysis | 11/22/2010 | Vassilis | 1 | Jim L | Tips of the Month at some point? | | |

| Task # | Task Description | Date | Reported By | Pri | Assigned To | Notes | | A&E crib; |
|--------|--|------------|--------------|-----|-------------|--|----------|---|
| | | Opened | , | | | | Estimate | Script; suite; UG; DevG; Qref; AdmG |
| | Ferdinand P. suggests that we make available a diagnostic quantity produced by the eclipse spin modeling procedure. Add "phase" diagnostic quantity (from eclipse spin modeling process) to L1 STATE CDF, to give end users a sense of the expected angular error in the eclipse spin model. | 5/23/2011 | Ferdinand | 1 | Jim L | | 1-3 days | |
| 2047 | Separate E and B timestamps for spin fits: a) make a revised V02 | before the | Vassilis | 1 | Jim L | Hard for SPDF to deal with, with their plotting tools - review | | |
| 4030 | cross-check SST psir6 and psif data types for excess counts in psir6 | 4/8/2010 | Jim McFadden | 1 | Jim L | Jim L talked to Davin and sounds like we can shut the data off. Jim L will send email on the time saved by shutting this off. | | |
| 4030b | Correct Existing Data | 5/17/2010 | Jim McFadden | 1 | Jim L | 4030a prerequsite | | |
| 4030c | If scripts change - make changes to processing scripts | 5/17/2010 | Jim Lewis | 1 | Jim L | 4030a prerequsite | 4-5 days | |
| - | as you know we have a few folks here in our SPDF group who are using the THEMIS-B and C data for a lunar project. They have found and I've confirmed through CDAWeb, that the time stamps and associated data measurements for October, 9, 2010 THEMIS-B ESA, after time 15:58:40.695 are of a different resolution and the data values are either 0.0 or -NaN. | 2/7/2011 | Tami | 1 | Jim L | Web Site - instruments will have a web page with "Sources of Data Anamolies". The first one being the ESA issue | | |
| 4301 | "bad" themis thg I2 files - instrument files; L0->L1 processing produces incomplete/empty CDFs | 8/1/2011 | Tami | 2 | Jim L | one fixed - one priority 2 (data type VBx appeared once due to corrupted packet, produced empty CDF) | | |
| | once in a while (maybe 10-20 occurrences per probe during the entire mission), the FGM range doesn't change on all three axes at once: | 9/10/2009 | Jim L | 2 | Jim L | | | |
| | Jim M | | | | | | | |
| 4784 | Add RBSP orbit data to THEMIS plots | 10/16/2012 | Vassilis | | Jim M | 10/26/2012: John B will provide link for RBSP orbit data. I received a request to plot RBSP data on the THEMIS plots. Maybe as a fourth click to show both inner probes and RB? | | |
| 4797 | plotxyz error | 11/16/2012 | Pat | 1 | Jim M | I just noticed a bug in plotxyz, it is not skipping the reserved colors at the beginning of the themis color table. Since it reuses the specplot draw_color_scale routine, I'm guessing a change in that routine had an unanticipated effect on plotxyz. | | |
| 4779 | SVN commit hooks for updating "Help->About" screen with current revision number. Possible for TDAS version string as well? | 10/9/2012 | | 1 | Jim McT | It might be a good idea to add some functions like "get_tdas_revision" or "get_tdas_version_string", so that only a couple of files would be subject to version string updates, rather than having version string literals scattered around the TDAS code base that would all have to be updated. Will try making an ASCII file in bleeding_edge and release builds, see how that works before implementing SVN hooks. | | |
| 4152b | change the ESA tables such that the minimum magnetospheric electron energy becomes lower (about 3eV, or lower). McFadden can specify the lower energy | 10/20/2011 | Vassilis | 0 | Jim M | only ARTEMIS probes - Need to talk to Jim McFadden. Also need MOC Support. 8/10/2012: FLATSAT energy weights don't match Jim McFadden's spreadsheet, need to discuss with him, possibly 8/10/2012. 9/10/2012: Energy weight table discrepancy resolved, flatsat and probe EEPROM tables are fine. 9/28/2012: New modes & config words may already be present in latest ETC spreadsheet | | |
| 4152c | change the ESA tables such that electrons and ions can be changed separately into magnetospheric and solar wind modes. | 10/20/2011 | Vassilis | 0 | Jim M | | | |

| Tool # | Task Description | Data | Demonstrad Dr. | Dui | Accienced To | Netes | | |
|--------|---|----------------|----------------|-----|--------------|---|----------|--|
| Task # | Task Description | Date Opened | Reported By | Pri | Assigned To | NOTES | Estimate | A&E crib; script; suite; UG; DevG; Qref; AdmG |
| 4694 | Developers guide/admin guide update: troubleshooting SSH (SVN/rsync) access | 7/6/2012 | Jim L | 1 | | When setting up SVN access for a new user (or an old user using a new computer), or if a host key has changed, might need to do an interactive SSH login to answer the host key verification prompt before SVN or rsync will work. Dev guide due to SVN+SSH issue, Admin guide due to rsync over SSH issue. Additional note: people using putty/pageant on 64-bit machines should make sure they're using the latest version of putty, otherwise will have hard-to-diagnose access problems. 10/10/2012: Recent versions of MacOS ship with a different version of OpenSSH which causes problems for svn+ssh URLs. Resolution: edit .subversion/config [tunnels] section, add new 'tdas' protocol with "tdas = ssh -T -p 36867", then use "svn+tdas" instead of "svn+ssh" URLs. | | |
| 4003 | Document: ESA File and Calibation Processing | 3/5/2010 | David | 1 | Jim M | | | |
| | Quality flags for efi are wrong including electric field offsets in computation. On hold until Michael Hartinger sorts out. | 8/8/2011 | Vassilis | 1 | Jim M | discuss with Vassilis | | |
| | Dieter and I have tested the variables, there are two that don't seem to have data for the mission, and their catdesc's seem to indicate that they won't so can we "turn these off", or is there a plan to use them in the future? EFS_Q_MAG (Data Quality Parameter: set to NaN for EFS, as there is no good measure of data quality.) EFS_Q_PHA (Data Quality Parameter: Set to NaN, as there is no good way to measure data quality for EFS data.) | 6/6/2011 | Tami Kovalick | 2 | Jim M | They are empty at the moment, by design we may have a use for them in the future. Nothing needs to be done with SPDF. Look into EFS_Q_PHA and check with John Bonnell about the future. If we add these variables notify SPDF. | | |
| 2035 | Split L1 ESA (using Thomas's routine) in master ESA data cdf | | Vassilis | 2 | | On Hold - awaiting Jim McFadden release: Then send David Sub Task List; Calibration variables removed from L1 data master CDF. (Side note: found and reported a bug in SKTEditor, which the Goddard team has agreed to fix) Waiting for feedback from Jim McFadden about how calibration data should be handled (TH-A ASCII calibration file (used for all probes) doesn't match anything I removed from the data CDF). | | |
| 4208a | Enhanced MOM Instrument Web Pages | 3/5/2010 | David | 2 | Jim M | Talked to David first. | | |
| | Nick | | | | | | | |
| 960 | Add a change all pages option in the Page Options panel | | Aaron | 1 | Nick | Last step, update user's guide and relevant GUI test procedures | 2 days | |
| 4800 | thm_load_fbk alters input parameter | 11/19/2012 | Christine G | 1 | | when I run thm_load_fbk,probes=sc,trange=trange, sc is converted from a string to a string array. Then, later in my program, when I call store_data, the problem arisesBecause now instead of sc being a string (with dimensions 0), it is a string array (with dimensions 1). | | |
| 4804 | ESA, SST configuration history | 11/20/2012 | Jim L | | Nick | Produce HTML reports for ESA and SST configuration history, as was done for FFT and FBK. ESA in progress, SST next | | |
| | Axis Options: #1 When I turn off show-line and turn on mirror, the mirror doesn't show. This is not important, because it is not incorrect that it doesn't show, but we could maybe gray out the mirror check box + others when the show flag is not checked. | | Pat | 1 | Nick | | 1 day | |
| 1298 | One item that I think we forgot about when discussing the spinner issues is that it returns strings in it's event structures but doubles when using get_value from widget_control. We should make it more consistent by returning doubles in the event structu | | Aaron | BL | | Still an issue. | | |
| | | | | | | | | |
| | Pat | | | | | | | |

| Task # | Task Description | Date Opened | Reported By | Pri | Assigned To | | Estimate | A&E crib; script; suite; UG; DevG; Qref; AdmG |
|--------|--|----------------|----------------------|-----|--------------|--|----------|--|
| | Updated FGM calibrations for solar array currents, ADC nonlinearity available? | 5/30/2012 | Vassilis | 0 | Pat | Last Recieved - May 2012. May need to remind FGM team if we go a long time without updates. | | |
| 4713 | Since the diode degradation will be modeled as shifting the minimum energy of the SST up, we'll need to interpolate the SST efficiency parameters to the new energy bins. | 7/24/2012 | Vassilis | 0 | Pat | This may not actually be done by someone on the software team, but I thought I'd report it anyway, so that it doesn't get lost in the shuffle once the other calibrations are completed. | | |
| 4773 | Redo SST calibrations with new scheme: match intervals during quiet periods early in the mission, to establish relative efficiencies, then later in the mission to estimate degradation. | 10/1/2012 | Vassilis | 0 | Drew | | | |
| 4771 | Writeup for new SST calibration | 9/28/2012 | | 0 | Pat/Drew | For senior review. After 4773. | | |
| 4812 | SST extrapolation code – z-axis shift when using new SST calibrations | 11/30/2012 | | | Pat | | | |
| 4782 | Statistical error (based on counts) for SST data | 10/15/2012 | Christine G | 1 | Pat | Waiting for feedback from Christine | | |
| 4737 | calc enhancements | 9/3/2012 | Vassilis | 1 | Pat | For newly created variables, ytitle should default to the variable name; scale should reset to automatic and forced to be linear. Or, maybe better if it takes the lin/log options from a variable on the right hand side, if that's feasible. | | |
| 4519 | getspec (CL) rewrite for maintainability | 2/21/2012 | Pat, Aaron, Jim M | 1 | Pat/Vassilis | Code has become prone to bugs, very difficult to understand and maintain, would benefit greatly from rewriting from scratch with "lessons learned" up to this point. Level of effort? Pat and Vassilis to go over code, improve documentation, and identify areas that could be improved. | | |
| | GUI Getspec: Some regrid values yield all while plots (noticed in GUI getspec test suite for TDAS 7). If a re-write of thm_part_getspec this would be done as part of it. | 2/8/2012 | Aaron | | | 64x20 yield plots but 50x20 and 49x20 do not. All energy fluxes appear normal. This is certainly something strange happening in thm_part_moments2, so we probably want to wait until after QA to fix it. After 4519 | | |
| 4521 | GUI getspec: issues when setting phi limits and starting phi at same time - | 2/8/2012 | Aaron | | | I produced two phi plots with the phi limits set to $45 - 180$; the second plot also had the start angle set to 90 degrees. That plot begins at 90 degrees and appears as it should until just past 160 degrees at which point the remainder appears to be 'smeared' and ends at a maximum of ~440. Because of this it is also hard to tell if it looped back to the data between 45-90 correctly. After 4519 | | |
| 4507 | GUI getspec: no way to return just an energy spectrogram | 2/8/2012 | Aaron | | | Formerly QA099 After 4519 | | |
| 4723 | tplot feature request: formatting callbacks | 8/7/2012 | Pat | 1 | Pat | There doesn't appear to be a way to explicitly format a var_label in tplot using a callback function, the same way that I can format an annotation using a callback in normal IDL-plot. This is a prative big limitation on the var_labeleDiplot now it only | | |
| | GUI cotrans error checking | 7/24/2012 | Pat | 1 | Pat | When looking at the replay/overwrite logic in the GUI, I noticed a small issue. If you try to cotrans a variable that is not a 3-vector, it still asks you if you want to load the support data that is necessary for the transformation. I'm wondering if it might be better for it to check whether the variable can be transformed at all, before it tries to load the support data needed to run the transformation. | | |
| | Axis options: Major ticks by interval/Annotate every: For a non-time axis, switching between log/linear doesn't update the major tick every field as might be logical. ie. if you set to every 10000 n^1 on linear then switch to log it still tries 10000 10^n. Usually this means it fails to place any ticks/annotations if you switch between log/linear with either major ticks by interval or annotate every set. | 3/14/2012 | Lydia | 1 | Pat | Formerly QA271. If you have major tick every set and a mix of log and linear axes on the page and then use set all panels, you're bound to end up with no ticks on the panel with different scaling. | | |

| Task # | Task Description | Date Opened | Reported By | Pri | Assigned To | Notes | Estimate | A&E crib; script; suite; UG; DevG; |
|--------|--|----------------|-------------|-----|-------------|---|----------|--|
| | Deletion of data not reflected in saved/reloaded THEMIS document. Formerly QA206. Also remember to overwrite prompt setting (yes to all, etc) | 3/2/2012 | Lydia | | Pat | I loaded data for probes b and c and then went to plot the data and realised I should have loaded a and b for the tests. I returned to the load data panel and loaded the probe a data before deleting the probe c data. After saving as a themis document and reopening, the c data was loaded but not deleted. The data that was loaded and deleted using delete all data following the testscript does not appear when you reopen the document (as you'd expect). | | Qref; AdmG |
| 4460 | Add New Routines from Lynn Wilson | 3/22/2012 | Vassilis | 1 | Pat | | | |
| 4460-1 | Include: safe, minimal effort, obvious benefit. (21) | | Vassilis | 1 | Pat | | 3-4 days | |
| | Documentation only: LW3 has documented a routine that didn't have documentation previously, but incorporating routine body is not worthwhile.(possible bugs or too much effort) (12) | | Vassilis | 1 | Pat | | 1 day | |
| 4460-4 | Not sure: Need a scientist's opinion on the benefits of the routine. (26) | | Vassilis | ? | Pat | Vassilis will talk to Lynn Wilson and ask the benefits of these routines | | |
| 4460-5 | Not sure: Need more programmer time to make confident recommendation. (14) | | Vassilis | ? | Pat | Vassilis will talk to Lynn Wilson and ask the benefits of these routines | | |
| 4460-6 | Helper, only include if required by an included routine. (9) | | Vassilis | 1 | Pat | | | |
| 4627b | SST: Andrei did some work that makes it look like we may need to look at the inter-anode calibrations for probes B & C.(This may be more Drew than me) | 5/17/2012 | Vassilis | 1 | Pat | Complete 4627a - d by August 1 | | |
| 4627c | SST: We need to generate a combined spectrum product that includes the FTO(low) channel. This would be adding the FTO(low) channel to the F+FT combined spectrum that we've already created. | 5/17/2012 | Vassilis | 1 | Pat | | | |
| 4267d | Write code to remove proton and electron contamination from the electron and proton distributions using data and efficiencies from the F & O channels. | 6/27/2011 | Pat | 1 | Pat | Working on noise removal, etc. | | |
| 4627e | SST: After #a-d are done, we need to reprocess SST L2 with sun contamination removed and new calibrations applied. | 5/17/2012 | Vassilis | 1 | Pat | need 4267c to be completed | | |
| 4603 | make new SST Cal standard | 3/22/2012 | Vassilis | 1 | Pat | Revisit in July ** on hold ** | | |
| | A limitation for tplot came up for the EMIC plots. If you want to use the var_label feature(for example, to plot spacecraft position below spacecraft data) you can only put the var labels at the very bottom of the plot. In the case of EMIC, what we actually want to do is a layout that looks like this (from top to bottom) Plot1PrbA Plot2PrbA VarLabelPrbA Plot2PrbB Plot2PrbB Plot2PrbB Plot2PrbB Plot2PrbC VarLabelPrbC VarLabelPrbC etc | 8/2/2012 | Pat | 2 | Pat | You can't actually do this in tplot right now. To work around this limitation for the EMIC plots, I'm going to do some tricks making separate plots in the z-buffer and concatenating them then reposting them to the z-buffer. This will work for the overviews, but it is an ugly kluge. We should consider a task that adds this feature to tplot.(The task would be to add the feature to tplot and to add examples to the tplot cribs showing how to use the features) 8/6/2012: Workaround exists for EMIC plots, assess level of effort for more general solution. Will need Davin's approval if changes are nontrivial. Probably 2-4 days effort. | | |

| | | | | | = | . | | 1 |
|--------|--|----------------|-------------|-----|-------------|--|----------|--|
| Task # | Task Description | Date Opened | Reported By | Pri | Assigned To | Notes | Estimate | A&E crib; script; suite; UG; DevG; Qref; AdmG |
| 4686 | There were several reports that the dproc window was too small in IDL 8+. It looks like this is a side effect of the font change. | 6/27/2012 | Pat | 2 | Pat | For whatever reason, many widget sizes are specified in characters, instead of more standard units. This means that if the base font size of a character changes, so does the size of a viewable area. Just an FYI, I'm going to be rolling this one into the font size one. I'll list it as a reason why the font size change is such a pain in the rear. | | |
| | Major ticks by number/major ticks by interval: It might be nice to have major ticks by interval default to something logical rather than $1 n^1$. If you change 'Major ticks every' then 'Major ticks by number' is updated to something that closely matches that interval, but the reverse isn't true. I'm not sure if we necessarily need 'Major ticks every' to update when 'Major ticks by number' is changed, but it might be good to have it default at the beginning to something that sort of matched. | 3/15/2012 | Lydia | 2 | Pat | | | |
| | The bug that Drew had reported yesterday turned out to be not a bug, but because the bins that the sun decontamination code selected differed depending on the date selected and this wasn't clearly reported to the end-user. I put an informational message in to clarify what is happening, but after talking with Drew there are two other solutions that don't fit within the scope of QA, but would be good to consider later. There features are: #1 Add a keyword that returns the the bins that were flagged by automatic sunlight decontamination to the end user. #2 Provide an option to window the automatic sunlight decontamination code so that one test is not applied to the entire time period. | 2/22/2012 | Pat | 2 | Pat | | | |
| 2060 | L2 cdf Quality Flags: for SST | | Vassilis | 2 | Pat | | | |
| | Enhanced SST Instrument Web Pages | 3/5/2010 | David | 2 | Pat | See current ESA Instrument Web Pages - Make recommendations to Vassilis to improve. | | |