Opened C Estimate C UG; 1	Task #	Task Description	Date	Reported By	Pri	Assigned To	Notes		
4423 New keywords for thm_part_moments, 1-court subtraction Image: Subtract counts subtract subtract counts subtr	ruon "			Troportion Dy				Estimate	A&E crib; script; suite; UG; DevG; Qref; AdmG
4423 New keywords for thm_part_moments, 1-court subtraction Image: Subtract counts subtract subtract counts subtr		To be Assigned or Discussed							
4833	4829	9					moments. I am including the snippet below. I suggest that we do this routinely in thm_part_moments, using the following new keywords with defaults:		
Image: second	4832								
Image: Constraint of the Month Devid Image: Constraint of the Month Net Constraint of the Mont	4833								
Image: Constraint of the Month Devid Image: Constraint of the Month Net Constraint of the Mont									
Image: Constraint of the Month Devid Image: Constraint of the Month Net Constraint of the Mont									
Typs of the Month David Jun L Next Candidates: Lym Witson Routines; Eclipse auto processing; CPR Meprocessing; CPR Meprocesing; CPR Mepro		V7.0 QA Tasks for Review with Vassilis							
4732 2013 MAP for Senior Review 11/1/2012 - - Junt - - Junt -		General							
and the second secon		Tips of the Month		David		Jim L	processing; FGM Reprocessing, CDF library 3.4.1 released		
4792 2013 MAP for Senior Review 11/1/2012 - Jim L - </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td>model corrections, new SST calibrations, specplot datagap</td> <td></td> <td></td>							model corrections, new SST calibrations, specplot datagap		
4466 Litried to load 3dp datatype pm for 2012 - the testscript says to the syntheside service of the syntheside service	4792	2013 MAP for Senior Review	11/1/2012			Jim L			
check availability at http://sgr.ssl.berkeley.edu/data/wind/3dp/ and wersion numbers, if they're all consistent then 5 minute change to load not do "load highest version" responsibility of WIND developers. image to load not do "load highest version" responsibility of WIND developers. 4464 All plug-ins for v7.10 - add a section to User's Guide for Plug-ins 3/22/2012 David 1 Jim L Discuss at the appropriate time what the content would be: Also add a link for VM on the Software Web Page or Developers. image to load high add version" responsibility of WIND developers. image to load high add version" responsibility at high add version what the content would be: Also add a link for VM on the Software Web Page or Developers. image to load version what the content would be: Also add a link for VM on the Software Web Page or Developers. image to load version what the content would be: Also add a link for VM on the Software Web Page or Developers. image to load version what the content would be: Also add a link for VM on the Software Web Page or Developers. image to load version what the content would be: Also add a link for VM on the Software Web Page or Developers. image to load version what the content would be: Also add a link for VM on the Software Web Page or Developers. image to load version what the content would be: Also add a link for VM on the Software Web Page or Developers. image to load version what the software Web Page or Developers. image to load version what the Software Web Page or Developers. image to load version what the Software Web Page or Developers. image to load version what the Software Web Page or Developers. <t< td=""><td>4664</td><td>Laptop locks UCB and UCLA</td><td>6/6/2012</td><td>David</td><td>0</td><td>Team</td><td></td><td></td><td></td></t<>	4664	Laptop locks UCB and UCLA	6/6/2012	David	0	Team			
Hannes Image: Second Secon		check availability at http://sprg.ssl.berkeley.edu/data/wind/3dp/ and test different combinations. There are cdfs for 3dp pm for 2012 on	6/6/2012	Lydia	1	Jim L	version numbers, if they're all consistent then 5 minute change to load routine. Will not do "load highest version"		
4153 maintenance of gmag stations "Exclude List" 10/11/2010 David 0 Hannes Exclude List up to date as of 9/20/2012 (a) (a) 4018a New Calibration FGM parameters and spin axis offsets 5/10/2010 Hannes 1 Hannes 12/06/2012: Califies updates, all probes from mid-August 2012 on.	4464	All plug-ins for v7.10 - add a section to User's Guide for Plug-ins	3/22/2012	David	1	Jim L	be. Also add a link for VM on the Software Web Page or		
4018a New Calibration FGM parameters and spin axis offsets 5/10/2010 Hannes 1 Hannes 12/06/2012: Cal files updates, all probes from mid-August 2012 on. 4080 Attitude Determination next few months 6/21/2010 Hannes 1 Hannes 10-22-2012 Updated for 2012-04-01 – 2012-06-30 Image: Comparison of the state of t		Hannes							
4080 Attitude Determination next few months 6/21/2010 Hanness 1 Hanness 10-22-2012 Updated for 2012-04-01 - 2012-06-30 Image: Constraint of the constraints of the constraint of the cons			10/11/2010	David	0	Hannes			
4472Inter-spacecraft FGM calibration for ARTEMIS.1/4/2012Vassilis1Hannes6/4/12 from Hannes: Artemis inter spacecraft differences show good results with current calibration2074cquality flag for FGM data. Dependencies on Ben's tasks 3093 and JWL's tasks 4142 and 2266.Vassilis2Hannesquality flags for FGM data: Hannes talked to Ferdinand and suggests some flags in the state CDF: times when eclipse spin model adjustments were performed; times when spin fit & FGL data used to refine the eclipse spin model; times when v03 attitude corrections are available; times when v04 attitude corrections are available; times when v04 	4018a	New Calibration FGM parameters and spin axis offsets	5/10/2010	Hannes	1	Hannes			
2074cquality flag for FGM data. Dependencies on Ben's tasks 3093 and JWL's tasks 4142 and 2266.Vassilis2Hannesquality flags for FGM data: Hannes talked to Ferdinand and suggests some flags in the state CDF; times when eclipse spin model adjustments were performed in times when spin fit & FGL data used to refine the eclipse. Some of these spin model variables. JWL will decorrections are available; times when spin fit timing had problems. Some of these spin spin fits. Keep task open, Vassilis says we can come back to it when we have clarity on the spin fit timing.AaronImage: Mathematical state comparison of the spin fit timing.Image: Mathematical state comparison of the spin fit timing.4468Ongoing - Review all commits by Davin, Peter, etc for impact to3/27/2012David0AaronProvide weekly report and spreadsheetFor the spin fit timing.	4080	Attitude Determination next few months	6/21/2010	Hannes	1	Hannes	10-22-2012 Updated for 2012-04-01 – 2012-06-30		
and JWL's tasks 4142 and 2266.suggests some flags in the state CDF: times when eclipse spin model adjustments were performed; times when spin fit & FGL data used to refine the eclipse spin model; times when spin fit iming had problems. Some of these flags already present in state CDF spin model variables. JWL will document in L1 file definition document. Final item or so easy, since we have trouble even detecting spin fit timing.MethodAaronMethodMethodMethodMethod4468Ongoing - Review all commits by Davin, Peter, etc for impact to3/27/2012David0AaronProvide weekly report and spreadsheet	4472	Inter-spacecraft FGM calibration for ARTEMIS.	1/4/2012	Vassilis	1	Hannes	6/4/12 from Hannes: Artemis inter spacecraft differences show good results with current calibration		
4468 Ongoing - Review all commits by Davin, Peter, etc for impact to 3/27/2012 David 0 Aaron Provide weekly report and spreadsheet	2074c	and JWL's tasks 4142 and 2266.		Vassilis	2	Hannes	suggests some flags in the state CDF: times when eclipse spin model adjustments were performed; times when spin fit & FGL data used to refine the eclipse spin model; times when V03 attitude corrections are available; times when spin fit timing had problems. Some of these flags already present in state CDF spin model variables. JWL will document in L1 file definition document. Final item not so easy, since we have trouble even detecting the timing problem in spin fits. Keep task open, Vassilis says we can come back to it when we have clarity		
		Aaron							
			3/27/2012	David	0	Aaron	Provide weekly report and spreadsheet		

Task #	Task Description	Date Opened	Reported By	Pri	Assigned To		Estimate	A&E crib; script; suite; UG; DevG; Qref; AdmG
4034a2	thm_parts_moments update (spin moments mods)	11/22/2010	Vassilis	1	Aaron	Testing on 2-13-2010/THB eclipse looks good, looking at other eclipses under different conditions to assess performance of eclipse corrections.		
	Slices – add sun position to data structures rather than loading on demand	11/30/2012			Aaron	in progress		
	thm_part_dist_array memory allocation optimization	11/13/2012	Pat	1	Aaron	Scan common blocks and preallocate all needed memory rather than doing incremental allocation/copies.		
4777	thm_part_dist_array modification	10/2/2012	Aaron	1	Aaron	The task would be to vectorize thm_part_dist_array by having it directly access the common blocks where particle data are stored instead of looping over thm_part_dist. This would mean writing some vectorized sub-fuctions that recreate the operations done in datatype-specific routines called by thm_part_dist. Also, for this to work and be most effective all background/contamination removal and other similar routines would need to work on arrays of data structures. May be rather complicatedassess level of effort, then prioritize.		
	ESA energy table updates – TDAS mods (ESA packet processing, calibration, summary plots, etc)	8/2/2012	Jim L	1	Aaron	Support new ESA config word in TDAS code. After 4718 (Jim L).		
4685	Widget tree expansion, IDL 8.2	6/26/2012	Pat	2	Aaron	IDL fixed a bug which we had worked around, need a version check to enable/disable the workaround so it will work on all IDL versions.		
4505	Add a TDAS routine to do 1-d cuts - when ready to work send Aaron Bennenman an email for clarity of task and then review at the S/W meeting again with Vassilis.	2/6/2012	Aaron Breneman	2	Aaron	You could obtain a 1D cut of a slice by aligning the custom orientation vector (slice_orient keyword) such that the desired cut is along the x or y axis. The data could then be pulled directly from the array returned by thm_part_slice2d via the 'part_slice' keyword. This returns an R x R array containing the interpolated slice data (R=resolution). The x & y axis values for the array are returned in the 'xgrid' and 'ygrid' keywords.	1 hr	
4298	the slices code should probably have a keyword to use the new SST calibrations.	7/27/2011	Pat	2	Aaron	On hold till the SST calibrations have found wider use.		
	Cindy							
	Every 6 months check that the UCLA Mag Cal have not changed.	9/6/2011	David	0	Cindy	Next March 2013		
	GMAG station status: troubleshoot stations with no data reported				Cindy	Next March 2012		
	Ping Sasha for status of back AE station data Add NRCAN GMAG sites (EHB, actually chain of 5 GMAGs)	8/3/2012	Cindy	1	Cindy	Next March 2013 In progress – working with Ian Schofield and Martin Connors to get data back to 2007. 8/24/2012: Vassilis is working with them to see if the data can be made available en masse rather than requesting individual plots.		
	Add McMac magnetometer network (12 sites) to our data set.	9/17/2012	Vassilis		Cindy	Pinged Peter Chi, 12/12		
	Add STEP polar magnetometer network (6 sites) to our data set.	9/17/2012	Vassilis		Cindy	12/12/2012 Ian Schofield is gathering Dr. Hayashi's data for us, will get back to us after Jan 1.		
	OMNI load routine for GUI	10/15/2012	Vassilis	2	Cindy	Working well in preliminary tests, final testing & API documentation updates in progress.		
	epo_jpg_check.ksh still using lock file, should be using call_script style checking instead.	12/17/2012	Jim L		Cindy	Lock file /tmp/epo_jpg_check_lock already exists, exiting.		
	Alberta - At the moment the data files are from Dawson (daws), Churchill (fchu), Island Lake (isll) and Fort McMurray (mcmu). I will add Rabbit Lake and Taloyoak at some time but we have some issues with mag pointing at those 2 sites. If you recall, the agreement between Ian and Vassilis was that this data wouldn't be copied to become part of a mirrored archive like the existing data we provide. Instead, each file would be obtained from this site each time it is requested (using curl or some such). This means we can use our own logs to monitor data usage. Themis Software to be able to retrieve from Alberta		Vassilis	2	Cindy	Waiting for CARISMA - our side coding done - run a test when data available		

Task #	Task Description	Date	Deported By	Dri		Notoc		
TASK #	Task Description	Opened	Reported By	PII	Assigned To	NOLES	Estimate	A&E crib; script; suite; UG; DevG; Qref; AdmG
4706	Missing data from McGrath magnetometer site	7/18/2012	Cindy	2	Cindy	. McGrath: Firewall issue at their end (no incoming ports open so we can't get in), Stu Harris is working with admins on their end, but might take a while to resolve.		
4481	New data product, AE index from THEMIS+std sites	1/9/2012	Vassilis	1	Cindy	awaiting Russian data 7/2/2012: Still need data from 2007- 2010. 7/27/2012: Getting current data again, still waiting for older data. 12/17/2012: Older data in different formats, Sasha is getting some other people involved and expects to deliver by Spring 2013.		
	AE Stations: I am interested in including the "standard AE ground stations" i.e. the ones that go into the computation of the AE index - there are 12 - into the THEMIS pipeline. This is because we can then include them into the computation of our own pseudoAE. They include: FCC: Fort Churchill, LRV: Leirvorgur, a couple in Russia and one in Scandinavia etc. They should be available somehow. The ones in Russia have been made available through APL, and THEMIS has contributed to their refurbishment. I think we have established communication with APL's Kazue Takahashi and he said a couple of years ago that routine delivery of the Russian stations was impending. So by now they should be readyI think he should be a good source of information about the other stations as well, if you cannot find them on the web by searching or at WDC Kyoto.	10/19/2011	Vassilis	2+	Cindy			
4409b	Dixon (DIK) (AARI, Russia)	10/19/2011	Vassilis	2+	Cindy	Downloads in progress. Data from 2011 on has been made available; they have agreed to provide data back to 2007. No 1 sec data available (minimum 1 minute sample interval). Sasha pinged 8/20.		
4409c	Cape Chelyuskin (CCS) (AARI, Russia)	10/19/2011	Vassilis	2+	Cindy	see 4409b		
4409d	Tixie Bay (TIK) (AARI, Russia)	10/19/2011	Vassilis	2+	Cindy	see 4409b		
4409e	Cape Wellen (CWE) - closed, replaced with Pebek (?) (AARI, Russia)	10/19/2011	Vassilis	2+	Cindy	see 4409b		
	Eric							
	Steps/Sawtooth pattern in FGS data near perigee	9/24/2012	Vassilis	1		Sudden changes at packet boundaries, probably a spin fit timing issue. On hold pending Jim L's analysis		
	Script to identify time intervals with FGL/FGH/FGE coverage in high B field	9/24/2012	Vassilis	1	Eric			
	Look at FGS dB/dt and FGS header times to identify when glitches are occurring	9/24/2012	Vassilis	1	Eric			
	When glitches are present, compare FGS and waveform data looking for time offsets (off by 1 spin in FGS?)	9/24/2012	Vassilis	1	Eric	Seems to be happening intermittently, every other packet?		
	GUI Load Data: Console errors when selecting "None" from instrument type dropdown	2/17/2012	Jim L		Eric	Not trivial to remove the "None" selection from the instrument type combobox. "None" was basically a placeholder for the "load ASI" feature that might not be implemented for a long time, if ever. Consequently, the code for changing between instrument types is looking for hard-coded array indices into the combobox list and treating them as special cases. Dropdown error msg fixed, but code still badly needs a rewrite.		
	IUGONET plugin forked some TDAS routines, some updates probably now moved into TDAS, any remaining incompatibilities? SVN URL: svn+ssh://thmsvn@ambrosia.ssl.berkeley.edu/repos/thmsoc/trunk/i dl/iugonet	12/20/2012	Pat			file_http_copy and file_retrieve changes already in trunk, changes to thm_ui_calendar now ported to trunk. Now year dropdown has a very long list of years back to 1880. Maybe start year should be a parameter when the widget is created, so people who only work on THEMIS data won't have to deal with scrolling past dates in the 1800's?		
	Would be nice to have a way to move different panels from one page to another	11/22/2011	Oldie	3	Pat	sort how level of effort to accomplish. On hold, after QA		

Task #	Task Description	Date Opened	Reported By	Pri	Assigned To	Notes	Estimate	A&E crib; script; suite; UG; DevG; Qref; AdmG
	Our numerical entry fields only accept exponential notation entries of the form (1.23e-3) but not the more traditional format(1.23*10^- 3). We may want to leverage the code base from the mini language so that we can interpret these entries as numbers.		Pat	EL			3 days	
	State Reduced: The save document dialog remembers your previous selection, but it doesn't do it quite right. It puts the expanded path of the file in the selection area. For example("/Users/pcruce/temp/state.tgd"). It should instead use the "path" keyword to dialog_pickfile so that the initial directory is the directory of your current selection ("/Users/pcruce/temp/") and the path keyword so that your initial selection is not the expanded path("state.tgd").		Pat	EL		Still happening? "Save THEMIS Document"	1 hr	
	State Reduced: When Opening a Themis Document, it should list the directory of your previous selection.		Pat	EL		"Open THEMIS Document" (see 1497)	3 hrs	
	Add a new feature that allows the user to delete variables from the data processing window (avoids having to open the manage data window every time)		Aaron	tbd		Still needed?		
	I loaded some ACE data with a long name 'ace_h1_mfi_SC_pos_GSE_x. It is supposed to draw a larger legend when names are long, but there must be a problem because the labels and the numbers are colliding in this example.	8/13/2009	Pat	3		Still happening? (See thm_ui_load_themis_data.txt for example of loading/plotting ACE data) Couldn't reproduce, must have been fixed already.	<2 hrs	
	Jim L							
4802	GOES particle data	11/19/2012	Vassilis			Adam Kellerman has already brought in Goes particle data. Having a crib sheet, plus a gui tool to plot them would be great. We can then create GOES overview plots. The gui api can be helpful towards that end.		
4805	GOES magnetometer data from additional satellites - make available through TDAS somehow?	11/20/2012	Vassilis			So the NGDC GOES website is: http://www.ngdc.noaa.gov/stp/sa		
4806	CLUSTER load routine?	11/27/2012	Johnathan Eastwood			There may be a way of importing this data into tplot already, but maybe under a non-obvious name? Ask Jim McFadden, Tai Phan, French team?		
4831	Admin guide updates: eclipse spin corrections, chk_bfds_archive	1/3/2013			Jim L			
	Eclipse correction for onboard moment tensor quantities doesn't look right.	12/11/2012	Aaron		Jim L	Sinusoidal features get worse when corrections applied to onboard moments; Aaron's ground moment corrections show improvement. Onboard correction applied in wrong direction? 1/03/2013: Transposed rotation matrices, looks betterAaron checked ground vs. onboard eclipse corrections and then now match.		
	Developer guide updates for GUI API, placeholders for rest of SPEDAS to plugin interface	12/7/2012	Vassilis					
	Eclipse spin model processing: some eclipses not being processed with current code, but Ferdinand's code is giving results?	12/7/2012	Ferdinand		Jim L	Ferdinand has updated eclipse model parameters for inner probes		
	Manual eclipse processing resets "last processed" date for automated processing; some processing logs not preserved	7/24/2012	Jim L	1	Jim L	If the automated processing is up to date, and I manually reprocess a time range early in the mission, the "last processed" date will get reset to the earlier date, which could trigger an unintended reprocessing of the full mission. "last processed" date should only be updated if it moves forward in time.		
	Add examples of eclipse spin model corrections to crib sheets (fgm, efi, scm, fit, mom)	7/27/2012	Vassilis	1	Jim L	fgm, fit, mom, updated; efi, scm, new eclipse crib in progress.		
4735	Socware ksh directory cleanup	8/24/2012	Jim L	1	Jim L	/disks/socware/thmsoc_dp_current/src/ksh out of sync with repository; some files/subdirectories not present in SVN; some junk files (emacs backups, etc)		

47210Can encly table splates - L2>L processing roads (winner)Allow L2Allow L2 <th>Task #</th> <th>Task Description</th> <th>Date</th> <th>Reported By</th> <th>Pri</th> <th>Assigned To</th> <th>Notes</th> <th></th> <th>A&E crib;</th>	Task #	Task Description	Date	Reported By	Pri	Assigned To	Notes		A&E crib;
Also and a stand and a stand and a stand and analysis of the stand and a stand and			Opened					Estimate	
Inclusion	4718	ESA energy table updates – L0->L1 processing mods (tmtools)	8/2/2012	Jim L	0	Jim L	>L1 code needs to be updated to recognize it as a valid ESA mode. Waiting for Jim McFadden to help us update the mode spreadsheet with new config words and table configuration. 9/28/2012: New modes & config words may already be present		
In last survey, we might work to consider stopping transmission of reduced fibritumin data where in its survey. We could use powering provides in the construction of data where in the same properties in the construction of data where in the same processing work to particle information. The construction of data with processing work to particle information. The construction of the construction of the construction of the construction of the provides in the construction of the construction of the construction of the provides in the construction of the construction of the construction of the processing work to particle information. The construction of the processing work to particle information in the construction of the processing work to particle information. The construction of the processing work to particle information in the construction of the processing work to particle information of the construction of the processing work to particle information in the construction of the processing work to particle information of the construction of the processing work to particle information of the construction of the processing work to particle information of the construction of the processing work to particle information of the construction of the processing work to particle information of the construction of the processing work to particle information of the construction of the processing work to particle information of the construction of the processing work to particle information of the construction of the processing work to particle information of the construction of the processing work to particle information of the construction of the processing work to particle information of the construction of the processing work the construction of the construction of the processing work to particle information of the construction of the construction of the processing work to particle information of the construction of the construction of the processing work to particle information of the proce	4326c	L1->L2 reprocessing for eclipse spin model corrections	8/18/2011	Vassilis	1	Jim L			
singlishing mode: So weld to getting into some unexplored getting into some unexplored inter into the inter source in the C-S-1 parked distribution in the constraint mode: availability - dater SST table updates and ESA energy table updates and ESA energy table updates and ESA energy table updates and the constraint mode: inter SST table updates and ESA energy table updates		in fast survey, we might want to consider stopping transmission of reduced distribution data when we're in fast survey. We could use the saved bandwidth to transmit reduced distribution data in 6 angle mode when we've in slow survey.	6/4/2012	Vassilis	1	Jim L			
testing <t< td=""><td></td><td>"snapshot" mode. So we'd be getting into some unexplored territory. The time tagging code in the L0->L1 particle distribution processing would need some slight modifications to support "accumulate" mode. The ESA load routines use the L0 packets directly, and probably also assume "snapshot" mode, so that's another potential set of required modifications. I wouldn't be surprised if the ESA and SST calibration code also assumes snapshot mode. It would need to be tested with real data (since we have no way to generate a realistic</td><td>12/1/2011</td><td>Vassilis</td><td>1</td><td>Jim L</td><td>availability - after SST table updates and ESA energy table updates. Probably will have to wait until NuStar launch/EOC. In</td><td></td><td></td></t<>		"snapshot" mode. So we'd be getting into some unexplored territory. The time tagging code in the L0->L1 particle distribution processing would need some slight modifications to support "accumulate" mode. The ESA load routines use the L0 packets directly, and probably also assume "snapshot" mode, so that's another potential set of required modifications. I wouldn't be surprised if the ESA and SST calibration code also assumes snapshot mode. It would need to be tested with real data (since we have no way to generate a realistic	12/1/2011	Vassilis	1	Jim L	availability - after SST table updates and ESA energy table updates. Probably will have to wait until NuStar launch/EOC. In		
4451dPut one probe in accumulate mode and verify correct LO->L1 and L1->L2 processing with live data.6/12/2011Jim L1Jim L1Jim L4612GOES 2008 Data4/20/2012Andrei Runov0Jim L7/26/2012: Some telemetry was lost in the process of an internal roorganization, Howard is looking into whether any additional magnetometer data can be recovered.4027bReprocessing ODES Data4/5/2010Tami - SPDF3Jim LReprocessing on Ond until Howard Singer delivers another batch of binary GOES data files. In conjunction with task 4612.4142issue with FGS processing - timestamps9/30/2010Vassilis1Jim LReprocessing on Ond until Howard Singer delivers another batch of binary GOES data files. In conjunction with task 4612.4476Discuss thmsce. dp. current deployment process, avoid unintended10/16/2009Jim KPadden1Jim LSee 4142 After A7644476Discuss thmsce. dp. current deployment process, avoid unintended11/2/2012Jim L, David1Jim LAfter QA, review CDF "software version" requirement with SPDF.4465Diagnose, repair? Spikes in FGS data.12/14/2011Vassilis1Jim LNo code changes required. Document on web site (anomalies/watch out fors) as something to be aware of when (aquality flags for FGM data - Jim L perform analysis, define task - someone else to do development11/22/2010Vassilis1Jim LTips of the Month at some point?1-3 days4034a8awaiting feedback and performing analysis11/22/2010Vassilis1Jim L	4451b		6/12/2011	Jim L	1	Jim L / Ops	When MOC support available, probably after NuStar.		
L1-L2 processing with live data.Image: Construction of the second of the se	4451c	tdas mods - if accumulate mode approved discuss at S/W meeting	12/1/2011	Vassilis	1	Jim L	double chech slices and getspec as per Aaron (next up)		
Image: series of the series	4451d		6/12/2011	Jim L	1	Jim L			
A142 issue with FGS processing - timestamps 9/30/2010 Vassilis 1 Jim L batch of binary GOES data files. In conjunction with task 4612. Image: Constraint of binary GOES data files. In conjunction with task 4612. Image: Constraint of binary GOES data files. In conjunction with task 4612. Image: Constraint of binary GOES data files. In conjunction with task 4612. Image: Constraint of binary GOES data files. In conjunction with task 4612. Image: Constraint of binary GOES data files. In conjunction with task 4612. Image: Constraint of binary GOES data files. In conjunction with task 4612. Image: Constraint of binary GOES data files. In conjunction with task 4612. Image: Constraint of binary GOES data files. In conjunction with task 4612. Image: Constraint of binary GOES data files. In conjunction with task 4612. Image: Constraint of binary GOES data files. In conjunction with task 4612. Image: Constraint of binary GOES data files. In conjunction with task 4612. Image: Constraint of binary GOES data files. In conjunction with task 4612. Image: Constraint of binary GOES data files. In conjunction with task 4612. Image: Constraint of binary GOES data files. In conjunction with task 4612. Image: Constraint of binary GOES data files. In conjunction with task 4612. Image: Constraint of binary GOES data files. In conjunction with task 4612. Image: Constraint of binary GOES data files. In conjunction with task 4612. Image: Constraint of binary GOES data files. In conjunction with task 4612. Image: Constraint of binary GOES data files. In conjunction with task 4612. Image: Constraint of binary GOES data files. I	4612	GOES 2008 Data	4/20/2012	Andrei Runov	0	Jim L	internal reorganization, Howard is looking into whether any		
2266Timing of Spin Fit data10/16/2009Jim McFadden1Jim LSee 4142 After 4764Image: Constraint of the set of th	4027b	Reprocessing GOES Data	4/5/2010	Tami - SPDF	3	Jim L	Reprocessing on hold until Howard Singer delivers another		
4476 Discuss thmsoc_dp_current deployment process, avoid unintended updates from trunk 1/5/2012 Jim L, David 1 Jim L After QA, review CDF "software version" requirement with SPDF. Image: Control of the software version in the software version in the software version in the eclipse spin modeling process) to L1 Start Control of the spin model. Image: Contof the spin model of the spin model of the spin model.<	4142	issue with FGS processing - timestamps	9/30/2010	Vassilis	1	Jim L	not trivial. After 4764		
updates from trunkupdates from from trunkupdates from trunk	2266	Timing of Spin Fit data	10/16/2009	Jim McFadden	1	Jim L	See 4142 After 4764		
Construction </td <td>4476</td> <td></td> <td>1/5/2012</td> <td>Jim L,David</td> <td>1</td> <td>Jim L</td> <td>After QA, review CDF "software version" requirement with SPDF.</td> <td></td> <td></td>	4476		1/5/2012	Jim L,David	1	Jim L	After QA, review CDF "software version" requirement with SPDF.		
someone else to do developmentsomeonesuggests some flags in the state CDF: times when eclipse spin4034a3awaiting feedback and performing analysis11/22/2010Vassilis1Jim LTips of the Month at some point?Ims L4236Ferdinand P. suggests that we make available a diagnostic quantity produced by the eclipse spin modeling procedure. Add "phase" diagnostic quantity (from eclipse spin modeling process) to L1 STATE CDF, to give end users a sense of the expected angular error in the eclipse spin model.5/23/2011Ferdinand1Jim L4236Ferdinand P. suggests that we make available a diagnostic quantity produced by the eclipse spin modeling procedure. Add "phase" diagnostic quantity (from eclipse spin modeling process) to L1 STATE CDF, to give end users a sense of the expected angular error in the eclipse spin model.5/23/2011Ferdinand state1Jim LJim L1-3 days1-3 days			12/14/2011		1	Jim L	(anomalies/watch out fors) as something to be aware of when		
4236 Ferdinand P. suggests that we make available a diagnostic quantity produced by the eclipse spin modeling procedure. Add "phase" diagnostic quantity (from eclipse spin modeling process) to L1 STATE CDF, to give end users a sense of the expected angular error in the eclipse spin model. 5/23/2011 Ferdinand 1 Jim L 1-3 days	2074c			Vassilis			suggests some flags in the state CDF: times when eclipse spin		
produced by the eclipse spin modeling procedure. Add "phase" diagnostic quantity (from eclipse spin modeling process) to L1 STATE CDF, to give end users a sense of the expected angular error in the eclipse spin model.							Tips of the Month at some point?		
2047 Separate E and B timestamps for spin fits: a) make a revised V02 before the Vassilis 1 Jim L Hard for SPDF to deal with, with their plotting tools - review		produced by the eclipse spin modeling procedure. Add "phase" diagnostic quantity (from eclipse spin modeling process) to L1 STATE CDF, to give end users a sense of the expected angular	5/23/2011	Ferdinand	1	Jim L		1-3 days	
	2047	Separate E and B timestamps for spin fits: a) make a revised V02	before the	Vassilis	1	Jim L	Hard for SPDF to deal with, with their plotting tools - review		

Task #	Task Description	Date Opened	Reported By	Pri	Assigned To	Notes	Estimate	A&E crib; script; suite; UG; DevG; Qref; AdmG
4030	cross-check SST psir6 and psif data types for excess counts in psir6	4/8/2010	Jim McFadden	1	Jim L	Jim L talked to Davin and sounds like we can shut the data off. Jim L will send email on the time saved by shutting this off.		
4030b	Correct Existing Data	5/17/2010	Jim McFadden	1	Jim L	4030a prerequsite		
4030c	If scripts change - make changes to processing scripts	5/17/2010	Jim Lewis	1	Jim L	4030a prerequsite	4-5 days	
QA110	as you know we have a few folks here in our SPDF group who are using the THEMIS-B and C data for a lunar project. They have found and I've confirmed through CDAWeb, that the time stamps and associated data measurements for October, 9, 2010 THEMIS-B ESA, after time 15:58:40.695 are of a different resolution and the data values are either 0.0 or -NaN.	2/7/2011	Tami	1	Jim L	Web Site - instruments will have a web page with "Sources of Data Anamolies". The first one being the ESA issue		
4301	"bad" themis thg I2 files - instrument files; L0->L1 processing produces incomplete/empty CDFs	8/1/2011	Tami	2	Jim L	one fixed - one priority 2 (data type VBx appeared once due to corrupted packet, produced empty CDF)		
2248	once in a while (maybe 10-20 occurrences per probe during the entire mission), the FGM range doesn't change on all three axes at once:	9/10/2009	Jim L	2	Jim L			
	Jim M							
4824	Xuzhi help request – ESA moment calculation	12/17/2012	Xuzhi	1	Jim M	No potential subtraction in L2? Responded w/ email, anything left to do on this?		
4799	Possible issue with onboard moments, or transform to GSM coords			1	Eric	Only present in online plots. Problem fixed, reprocessing in progress.		
4784	Add RBSP orbit data to THEMIS plots	10/16/2012	Vassilis		Jim M	10/26/2012: John B will provide link for RBSP orbit data. I received a request to plot RBSP data on the THEMIS plots.		
						Maybe as a fourth click to show both inner probes and RB?		
	Need IDL-only FITS reader code suitable for inclusion in SPEDAS	12/11/2012	Mini-GEM		Jim M			
	Use improved IDLDOC procedure to generate TDAS HTML documentation?	12/11/2012	Mini-GEM		Jim M	better format, more web-friendly? IDL 8.0+ versions OK since it won't be distributed with TDAS, only the HTML output.		
4779	SVN commit hooks for updating "Help->About" screen with current revision number. Possible for TDAS version string as well?	10/9/2012		1	Jim McT	It might be a good idea to add some functions like "get_tdas_revision" or "get_tdas_version_string", so that only a couple of files would be subject to version string updates, rather than having version string literals scattered around the TDAS code base that would all have to be updated. Will try making an ASCII file in bleeding_edge and release builds, see how that works before implementing SVN hooks.		
4152b	change the ESA tables such that the minimum magnetospheric electron energy becomes lower (about 3eV, or lower). McFadden can specify the lower energy	10/20/2011	Vassilis	0	Jim M	only ARTEMIS probes - Need to talk to Jim McFadden. Also need MOC Support. 8/10/2012: FLATSAT energy weights don't match Jim McFadden's spreadsheet, need to discuss with him, possibly 8/10/2012. 9/10/2012: Energy weight table discrepancy resolved, flatsat and probe EEPROM tables are fine. 9/28/2012: New modes & config words may already be present in latest ETC spreadsheet.		
4152c	change the ESA tables such that electrons and ions can be changed separately into magnetospheric and solar wind modes.	10/20/2011	Vassilis	0	Jim M			

Task #	Task Description	Date	Reported By	Pri	Assigned To	Notes		A&E crib;
		Opened					Estimate	A&E chb; script; suite; UG; DevG; Qref; AdmG
4694	Developers guide/admin guide update: troubleshooting SSH (SVN/rsync) access	7/6/2012	Jim L	1	Jim M	When setting up SVN access for a new user (or an old user using a new computer), or if a host key has changed, might need to do an interactive SSH login to answer the host key verification prompt before SVN or rsync will work. Dev guide due to SVN+SSH issue, Admin guide due to rsync over SSH issue. Additional note: people using putty/pageant on 64-bit machines should make sure they're using the latest version of putty, otherwise will have hard-to-diagnose access problems. 10/10/2012: Recent versions of MacOS ship with a different version of OpenSSH which causes problems for svn+ssh URLs. Resolution: edit .subversion/config [tunnels] section, add new 'tdas' protocol with "tdas = ssh -T -p 36867", then use "svn+tdas" instead of "svn+ssh" URLs.		
4003	Document: ESA File and Calibation Processing	3/5/2010	David	1	Jim M			
4312	Quality flags for efi are wrong including electric field offsets in computation. On hold until Michael Hartinger sorts out.	8/8/2011	Vassilis	1	Jim M	discuss with Vassilis		
2035	Split L1 ESA (using Thomas's routine) in master ESA data cdf		Vassilis	2	Jim M	On Hold - awaiting Jim McFadden release: Then send David Sub Task List; Calibration variables removed from L1 data master CDF. (Side note: found and reported a bug in SKTEditor, which the Goddard team has agreed to fix) Waiting for feedback from Jim McFadden about how calibration data should be handled (TH-A ASCII calibration file (used for all probes) doesn't match anything I removed from the data CDF).		
4208a	Enhanced MOM Instrument Web Pages	3/5/2010	David	2	Jim M	Talked to David first.		
	Nick							
	Update FBK, FFT, ESA, SST configuration history HTML pages				Nick	Update monthly for now.		
4828	thm_load_fit produces NaN-filled FGS and probably EFS samples	12/20/2012	Jim L		Nick	Most likely at packet boundaries (L0->L1 processing), possibly related to spikes seen in calibrated FGS? Causes NaN-filled matrices in tvector_rotate.		
4830	Astraea2 crontab errors, some long lines got cut off?	1/3/2013	Nick		Nick	Happened in SVN revision 9542, restore affected lines to version from rev 9541		
4804	ESA, SST configuration history	11/20/2012	Jim L		Nick	HTML reports now available. Next step: put time intervals in a database so we can produce different views (ascii tables, timeline, interactive views) with php scripts that pull from the same database.		
	thm_load_sst, thm_load_mom have no way of loading ESA or SST config variables from L1 CDFs	12/12/2012	Jim L		Nick			
4819	Generic "terms of use/rules of the road" popup for SPEDAS	12/11/2012	Mini-GEM		Nick	Caller provides some sort of mission identifier & custom message; after displaying message, give user a chance to accept/decline; if accepted, remember for rest of IDL session (common block?) and don't prompt again (for that mission ID). Should work in CL or GUI environment.		
4541	tvector_rotate: some rotation matrices produced by rot_testscript are all NaNs.	3/13/2012	Jim L			2 matrices out of 27895 (indices 18783 and 23042) are all NaNs, rest OK. Possibly missing FGM data points at those sample times? No action required for QA. Formerly QA268. See task 4828, some NaN-filled samples produced by thm_load_fit.		
	Axis Options: #1 When I turn off show-line and turn on mirror, the mirror doesn't show. This is not important, because it is not incorrect that it doesn't show, but we could maybe gray out the mirror check box + others when the show flag is not checked.		Pat	1	Nick	Still an issue.	1 day	

Task #	Task Description	Date	Reported By	Pri	Assigned To	Notes		A&E crib;
		Opened					Estimate	script; suite; UG; DevG; Qref; AdmG
	One item that I think we forgot about when discussing the spinner issues is that it returns strings in it's event structures but doubles when using get_value from widget_control. We should make it more consistent by returning doubles in the event structu		Aaron	BL		Discuss with Aaron/team. May impact lots of call locations.		
	Right now, if you make changes to lines via the line options and select 'Ok', then cancel out of the changes in the layout options, it will cancel the changes you made in the line options. I think we might want to consider a way to prevent this. Alterna			EL		Can't reproduce, closing.	2 days	
	Var options - would be nice to have Panel droplist return to the Panel that was last modified. Right now it always opens with Panel 1.		Cindy	EL		Not sure where to store last modified panel information. Discuss v	1/2 day	
	It looks to me like the administrator's guide is out of date. For the table that lists which machine each script runs on, it lists the pre- VM machine name, not the post-VM machine name. For example, for overplot.ksh, is lists	5/29/2012	Pat	1+	Nick	Check admin guide against crontabs. Some machine names have changed, gaia->gaia2, python->python2. Some obsolete scripts removed or commented out of crontabs? Crontab SVN URL is: svn+ssh://thmsvn@ambrosia.ssl.berkeley.edu/repos/thmsoc/tru nk/src/config/crontabs	3-5 hrs	
	If I select edit and a spectral is selected, the z-axis settings open, but the first spectral panel is always selected. The panel that the selected trace is on should be selected.		Pat	EL		In Layout Options panel when a spectral quantity is highlighted	2 hrs (? Done)	
	I noticed that when X is not time and set to log10 scaling, the annotations are still in scientific notation instead of 10 ^x X format. In natural log scaling, the format is e ^x X. Just wondering if this was supposed to be consistent.		Michael	EL		Already fixed.		
1576	I was thinking it would be nice if we enabled resize on the overview plot key window. That way on larger monitors, users could extend the window so that they can see the whole key at once.		Pat	4		Discuss with team.		
	Calculate If the cursor is clicked onto the the last line in the program area, and if that line is blank, then inserted data names will appear either at the top of the field or at a recently clicked location. Pat		Aaron	tbd		Can't reproduce.		
	Updated FGM calibrations for solar array currents vs. spin phase?	5/30/2012	Vassilis	0	Pat	Last Recieved - May 2012. May need to remind FGM team if we go a long time without updates. David Fischer will probably have updates after Jan 1.		
4826	Keyword to convert SST data into an omni spectrum before moments are calculated	12/19/2012	Drew		Pat			
4713	Since the diode degradation will be modeled as shifting the minimum energy of the SST up, we'll need to interpolate the SST efficiency parameters to the new energy bins.	7/24/2012	Vassilis	0	Pat	This may not actually be done by someone on the software team, but I thought I'd report it anyway, so that it doesn't get lost in the shuffle once the other calibrations are completed.		
	Redo SST calibrations with new scheme: match intervals during quiet periods early in the mission, to establish relative efficiencies, then later in the mission to estimate degradation.	10/1/2012	Vassilis	0	Drew			
	Writeup for new SST calibration	9/28/2012		0		For senior review. After 4773.		
	tplot feature request: formatting callbacks	8/7/2012	Pat	1	Pat	There doesn't appear to be a way to explicitly format a var_label in tplot using a callback function, the same way that I can format an annotation using a callback in normal IDL-plot. This is a pretty big limitation on the var_labels. Right now it only		
4809	Crash loading GOES or ACE data with iugonet code on IDL_PATH with bleeding edge	11/29/2012	Jim L		Pat	call_sequence API has changed, IUGONET includes modified call_sequence code using the older API and needs to be updated. Pat to update IUGONET code (easy), then advise plugin developers how to handle call_sequence calls through API.		

Task #	Task Description	Date Opened	Reported By	Pri	Ū		Estimate	A&E crib; script; suite; UG; DevG; Qref; AdmG
	getspec (CL) rewrite for maintainability	2/21/2012	Pat, Aaron, Jim M	1	Pat/Vassilis	Code has become prone to bugs, very difficult to understand and maintain, would benefit greatly from rewriting from scratch with "lessons learned" up to this point. Level of effort? Pat and Vassilis to go over code, improve documentation, and identify areas that could be improved.		
4519a	Aaron has identified some "cut points" for sections that can be pulled out as separate procedures.				Pat	Extract procedures, figure out which variables are used/required in each section.		
	GUI Getspec: Some regrid values yield all while plots (noticed in GUI getspec test suite for TDAS 7). If a re-write of thm_part_getspec this would be done as part of it.	2/8/2012	Aaron			64x20 yield plots but 50x20 and 49x20 do not. All energy fluxes appear normal. This is certainly something strange happening in thm_part_moments2, so we probably want to wait until after QA to fix it. After 4519		
	GUI getspec: issues when setting phi limits and starting phi at same time -	2/8/2012	Aaron			I produced two phi plots with the phi limits set to 45 - 180; the second plot also had the start angle set to 90 degrees. That plot begins at 90 degrees and appears as it should until just past 160 degrees at which point the remainder appears to be 'smeared' and ends at a maximum of ~440. Because of this it is also hard to tell if it looped back to the data between 45-90 correctly. After 4519		
	GUI getspec: no way to return just an energy spectrogram	2/8/2012	Aaron			Formerly QA099 After 4519		
	Implement error estimates (/get_error) for angular spectrograms GUI cotrans error checking	12/10/2012 7/24/2012	Vassilis Pat	1	Pat	After 4519 When looking at the replay/overwrite logic in the GUI, I noticed a small issue. If you try to cotrans a variable that is not a 3-vector, it still asks you if you want to load the support data that is necessary for the transformation. I'm wondering if it might be better for it to check whether the variable can be transformed at all, before it tries to load the support data needed to run the transformation.		
	Axis options: Major ticks by interval/Annotate every: For a non-time axis, switching between log/linear doesn't update the major tick every field as might be logical. ie. if you set to every 10000 n ⁻¹ on linear then switch to log it still tries 10000 10 ⁻ⁿ . Usually this means it fails to place any ticks/annotations if you switch between log/linear with either major ticks by interval or annotate every set.	3/14/2012	Lydia	1	Pat	Formerly QA271. If you have major tick every set and a mix of log and linear axes on the page and then use set all panels, you're bound to end up with no ticks on the panel with different scaling.		
4537	Deletion of data not reflected in saved/reloaded THEMIS document. Formerly QA206. Also remember to overwrite prompt setting (yes to all, etc)	3/2/2012	Lydia		Pat	I loaded data for probes b and c and then went to plot the data and realised I should have loaded a and b for the tests. I returned to the load data panel and loaded the probe a data before deleting the probe c data. After saving as a themis document and reopening, the c data was loaded but not deleted. The data that was loaded and deleted using delete all data following the testscript does not appear when you reopen the document (as you'd expect).		
4460	Add New Routines from Lynn Wilson	3/22/2012	Vassilis	1	Pat			
4460-1	Include: safe, minimal effort, obvious benefit. (21)		Vassilis	1	Pat		3-4 days	
	Documentation only: LW3 has documented a routine that didn't have documentation previously, but incorporating routine body is not worthwhile.(possible bugs or too much effort) (12)		Vassilis	1	Pat		1 day	
	Not sure: Need a scientist's opinion on the benefits of the routine. (26)		Vassilis	?	Pat	Vassilis will talk to Lynn Wilson and ask the benefits of these routines		
	Not sure: Need more programmer time to make confident recommendation. (14)		Vassilis	?	Pat	Vassilis will talk to Lynn Wilson and ask the benefits of these routines		
4460-6	Helper, only include if required by an included routine. (9)		Vassilis	1	Pat			

Task #	Task Description	Date Opened	Reported By	Pri	Assigned To		Estimate	A&E crib; script; suite; UG; DevG; Qref; AdmG
	SST: Andrei did some work that makes it look like we may need to look at the inter-anode calibrations for probes B & C.(This may be more Drew than me)	5/17/2012	Vassilis	1	Pat	Complete 4627a - d by August 1		
4627c	SST: We need to generate a combined spectrum product that includes the FTO(low) channel. This would be adding the FTO(low) channel to the F+FT combined spectrum that we've already created.	5/17/2012	Vassilis	1	Pat			
4267d	Write code to remove proton and electron contamination from the electron and proton distributions using data and efficiencies from the F & O channels.	6/27/2011	Pat	1	Pat	Working on noise removal, etc.		
4627e	SST: After #a-d are done, we need to reprocess SST L2 with sun contamination removed and new calibrations applied.	5/17/2012	Vassilis	1	Pat	need 4267c to be completed		
4603	make new SST Cal standard	3/22/2012	Vassilis	1	Pat	Revisit in July ** on hold **		
	A limitation for tplot came up for the EMIC plots. If you want to use the var_label feature(for example, to plot spacecraft position below spacecraft data) you can only put the var labels at the very bottom of the plot. In the case of EMIC, what we actually want to do is a layout that looks like this (from top to bottom) Plot1PrbA Plot2PrbA VarLabelPrbA Plot2PrbB VarLabelPrbB Plot2PrbC VarLabelPrbC VarLabelPrbC etc	8/2/2012	Pat	2	Pat	You can't actually do this in tplot right now. To work around this limitation for the EMIC plots, I'm going to do some tricks making separate plots in the z-buffer and concatenating them then reposting them to the z-buffer. This will work for the overviews, but it is an ugly kluge. We should consider a task that adds this feature to tplot.(The task would be to add the feature to tplot and to add examples to the tplot cribs showing how to use the features) 8/6/2012: Workaround exists for EMIC plots, assess level of effort for more general solution. Will need Davin's approval if changes are nontrivial. Probably 2-4 days effort.		
4686	There were several reports that the dproc window was too small in IDL 8+. It looks like this is a side effect of the font change.	6/27/2012	Pat	2	Pat	For whatever reason, many widget sizes are specified in characters, instead of more standard units. This means that if the base font size of a character changes, so does the size of a viewable area. Just an FYI, I'm going to be rolling this one into the font size one. I'll list it as a reason why the font size change is such a pain in the rear.		
	Major ticks by number/major ticks by interval: It might be nice to have major ticks by interval default to something logical rather than $1 n^{1}$. If you change 'Major ticks every' then 'Major ticks by number' is updated to something that closely matches that interval, but the reverse isn't true. I'm not sure if we necessarily need 'Major ticks every' to update when 'Major ticks by number' is changed, but it might be good to have it default at the beginning to something that sort of matched.	3/15/2012	Lydia	2	Pat			

Task #	Task Description	Date Opened	Reported By	Pri	Assigned To	Notes	Estimate	A&E crib; script; suite; UG; DevG; Qref; AdmG
	The bug that Drew had reported yesterday turned out to be not a bug, but because the bins that the sun decontamination code selected differed depending on the date selected and this wasn't clearly reported to the end-user. I put an informational message in to clarify what is happening, but after talking with Drew there are two other solutions that don't fit within the scope of QA, but would be good to consider later. There features are: #1 Add a keyword that returns the the bins that were flagged by automatic sunlight decontamination to the end user. #2 Provide an option to window the automatic sunlight decontamination code so that one test is not applied to the entire time period.	2/22/2012	Pat	2	Pat			
2060	L2 cdf Quality Flags: for SST		Vassilis	2	Pat			
4208b	Enhanced SST Instrument Web Pages	3/5/2010	David	2		See current ESA Instrument Web Pages - Make recommendations to Vassilis to improve.		