Task#	Task Description	Date	Reported By	Pri	Assigned To	Notes		A&E crib;
		Opened					Estimate	script; suite; UG; DevG; Qref; AdmG
	To be Assigned or Discussed							
4700	Trouble opening eps files exported from GUI	5/3/2013	Aaron			Exports from slices gui OK, main gui not OK. Can be opened with OpenOffice on Linux, but not in Adobe Reader or Illustrator on Windows. IDL 7.0.6		
4701	thm_part_moments2 very slow with certain options	5/3/2013	Pat		Pat	Possibly related to new SST calibrations?		
	Possible problem with neutral sheet model	5/3/2013	Cindy		Cindy			
	thm_map_add needs directory separator when building path to .sav file	5/3/2013	Harald		Cindy			
4704								
4705								
	General							
	Tips of the Month		David		Jim L	Next Candidates: Lynn Wilson Routines; Eclipse auto processing; FGM Reprocessing, CDF library 3.4.1 released (fixes memory issue for Linux users), Simplified eclipse spin model corrections, new SST calibrations, specplot datagap		
4664	Laptop locks UCB and UCLA	6/6/2012	David	0	Team			
	I tried to load 3dp datatype pm for 2012 - the testscript says to check availability at http://sprg.ssl.berkeley.edu/data/wind/3dp/ and test different combinations. There are cdfs for 3dp pm for 2012 on that site, but the have are _v05 and don't load. Should they load?	6/6/2012	Lydia	1	Jim L	Wait till after WIND reprocessing and see what happens to version numbers, if they're all consistent then 5 minute change to load routine. Will not do "load highest version" responsibility of WIND developers.		
4464	All plug-ins for v7.10 - add a section to User's Guide for Plug-ins	3/22/2012	David	1	Jim L	Discuss at the appropriate time what the content would be. Also add a link for VM on the Software Web Page or Developers web page?		
	Hannes							
	maintenance of gmag stations "Exclude List"	10/11/2010	David	0	Hannes	Exclude List up to date as of 9/20/2012		
4018a	New Calibration FGM parameters and spin axis offsets	5/10/2010	Hannes	1	Hannes	12/06/2012: Cal files updates, all probes from mid-August 2012 on.		
4080	Attitude Determination next few months	6/21/2010	Hannes	1	Hannes	10-22-2012 Updated for 2012-04-01 – 2012-06-30		
4472	Inter-spacecraft FGM calibration for ARTEMIS.	1/4/2012	Vassilis	1	Hannes	6/4/12 from Hannes: Artemis inter spacecraft differences show good results with current calibration		
	quality flag for FGM data. Dependencies on Ben's tasks 3093 and JWL's tasks 4142 and 2266 .		Vassilis	2	Hannes	quality flags for FGM data: Hannes talked to Ferdinand and suggests some flags in the state CDF: times when eclipse spin model adjustments were performed; times when spin fit & FGL data used to refine the eclipse spin model; times when V03 attitude corrections are available; times when spin fit timing had problems. Some of these flags already present in state CDF spin model variables. JWL will document in L1 file definition document. Final item not so easy, since we have trouble even detecting the timing problem in spin fits. Keep task open, Vassilis says we can come back to it when we have clarity on the spin fit timing.		
	Aaron							
	Ongoing - Review all commits by Davin, Peter, etc for impact to TDAS.	3/27/2012	David	0	Aaron	Provide weekly report and spreadsheet		
	The draw object takes a long time to render spectrograms when they are very zoomed in. It should be possible to put a special case in that would make this work more quickly.		Pat	1		Relatively easy partial workaround possible		
4719	ESA energy table updates – TDAS mods (ESA packet processing, calibration, summary plots, etc)	8/2/2012	Jim L	1	Aaron	Coding done, waiting for FLATSAT/probe data to test		

			_					
Task#	Task Description	Date Opened	Reported By	Pri	Assigned To	Notes	Estimate	A&E crib; script; suite; UG; DevG; Qref; AdmG
	One-count removal for velocity slices – make cutoff value a parameter	2/22/2013	Aaron	1	Aaron	Implement at lower level so can be used in more places		
	Add a TDAS routine to do 1-d cuts - when ready to work send Aaron Bennenman an email for clarity of task and then review at the S/W meeting again with Vassilis.	2/6/2012	Aaron Breneman	2	Aaron	You could obtain a 1D cut of a slice by aligning the custom orientation vector (slice_orient keyword) such that the desired cut is along the x or y axis. The data could then be pulled directly from the array returned by thm_part_slice2d via the 'part_slice' keyword. This returns an R x R array containing the interpolated slice data (R=resolution). The x & y axis values for the array are returned in the 'xgrid' and 'ygrid' keywords.	1 hr	
	combination of ESA and SST data could only be done in the Geometric mode. Would be great if it could be done in other modes as well.	8/11/2011	Xuzhi	4	Aaron	on hold	1 hr	
	Cindy							
	Every 6 months check that the UCLA Mag Cal have not changed.	9/6/2011	David	0	Cindy	Next September 2013		
	GMAG station status: troubleshoot stations with no data reported				Cindy			
	Ping Sasha for status of back AE station data					Next March 2013		
4687	Check with Ian Schofield about status of Dr. Hayashi's 1-sec STEP data set.	41369	Cindy		Cindy	September 2013		
4859	Double check processing & mirroring of Greenland GMAG data	3/6/2013	Cindy		Cindy	Some data for site "upn" was missing at Berkeley but present at UCLA		
	Check inventory of Berkeley vs. UCLA GMAG CDFs and transfer any missing files	3/6/2013	Jim L		Cindy	On the Berkeley server, we have data for site "upn" for every day in 2010-06 *except* for 2010-06-06, the date used in the test. I'm looking in:		
	GUI API – Plugin access to GUI configuration settings dialog (remote, local data dirs, etc)	1/18/2013		1	Cindy	Another item for the master plugin config file (add a new mission to the dropdown in the configuration settings dialog) On hold until after TDAS 8.0		
	Add support to GUI configuration settings panel for editing/saving cdf_leap_second configuration. (See also: tasks 4516 and 1315 for ACE, WIND, ISTP).	4/17/2012		1	Cindy	May or may not make sense to combine with 4842, if too hard to integrate we can defer to a future release. On hold until after TDAS 8.0		
4761	Add STEP polar magnetometer network (6 sites) to our data set.	9/17/2012	Vassilis		Cindy	4/04/2013: May take a year or more for lan Schofield to collect and process Kanji Hayashi's data. Some 1-min data available for public use at step-p.dyndns.org/~khay (Dr. Hayashi's web portal).		
4481	New data product, AE index from THEMIS+std sites	1/9/2012	Vassilis	1	Cindy	awaiting Russian data 7/2/2012: Still need data from 2007- 2010. 7/27/2012: Getting current data again, still waiting for older data. 12/17/2012: Older data in different formats, Sasha is getting some other people involved and expects to deliver by Spring 2013. Sasha pinged 04/2013		
	AE Stations: I am interested in including the "standard AE ground stations" i.e. the ones that go into the computation of the AE index - there are 12 - into the THEMIS pipeline. This is because we can then include them into the computation of our own pseudoAE. They include: FCC: Fort Churchill, LRV: Leirvorgur, a couple in Russia and one in Scandinavia etc. They should be available somehow. The ones in Russia have been made available through APL, and THEMIS has contributed to their refurbishment. I think we have established communication with APL's Kazue Takahashi and he said a couple of years ago that routine delivery of the Russian stations was impending. So by now they should be readyI think he should be a good source of information about the other stations as well, if you cannot find them on the web by searching or at WDC Kyoto.	10/19/2011	Vassilis	2+	Cindy			
4409b	Dixon (DIK) (AARI, Russia)	10/19/2011	Vassilis	2+	Cindy	Downloads in progress. Data from 2011 on has been made available; they have agreed to provide data back to 2007. No 1 sec data available (minimum 1 minute sample interval). Sasha pinged 04/2013.		

T1-2	Tools December 2	D-4-	D	D.::	A:	N-4		
Task#	Task Description	Date Opened	Reported By	Pri	Assigned To	notes	Estimate	A&E crib; script; suite; UG; DevG; Qref; AdmG
4409c	Cape Chelyuskin (CCS) (AARI, Russia)	10/19/2011	Vassilis	2+	Cindy	see 4409b		
4409d	Tixie Bay (TIK) (AARI, Russia)	10/19/2011	Vassilis	2+	Cindy	see 4409b		
	Cape Wellen (CWE) - closed, replaced with Pebek (?) (AARI, Russia)	10/19/2011	Vassilis	2+	Cindy	see 4409b		
	Eric							
4764	Steps/Sawtooth pattern in FGS data near perigee	9/24/2012	Vassilis	1	Eric	Sudden changes at packet boundaries, probably a spin fit timing issue. On hold pending Jim L's analysis		
	Script to identify time intervals with FGL/FGH/FGE coverage in high B field	9/24/2012	Vassilis	1	Eric	Look at THD starting from early March 2013 (after full reset), see when glitches start happening. Anything to do with eclipse periods?		
4764b	Look at FGS dB/dt and FGS header times to identify when glitches are occurring	9/24/2012	Vassilis	1	Eric			
	When glitches are present, compare FGS and waveform data looking for time offsets (off by 1 spin in FGS?)	9/24/2012	Vassilis	1	Eric	Seems to be happening intermittently, every other packet?		
	Add load routine for Kp index data.	4/8/2013	Xuzhi		Eric	ssl_general/key_param/load_kp.pro is obsolete, but Kp data is ava		
	need to keep clicking "yes to all" when replaying document that overwrites data. Also need to track deletions of data.	03/27/13	Pat		Eric	Looking into this one, I found that quite a few operations don't have overwrite queries tracked: Interpolate pwrspc calc nudge getspec Some seem to default to overwriting, some default to repeated queries to user. Original report: I loaded data for probes b and c and then went to plot the data and realised I should have loaded a and b for the tests. I returned to the load data panel and loaded the probe a data before deleting the probe c data.		
	Omni load, if no data available for selected interval, loads whatever is available for that month	04/26/13	Eric		Eric	After saving as a themis document and reopening, the c data was loaded but not deleted. The data that was loaded and deleted using delete all data following the testscript does not appear when you reopen the document (as you'd expect). May be intentional to keep from producing empty tplot variables, but time_clip should at least produce a prominent warning.		
1266	Open legend options by clicking in legend box Our numerical entry fields only accept exponential notation entries of the form (1.23e-3) but not the more traditional format(1.23*10^- 3). We may want to leverage the code base from the mini language so that we can interpret these entries as numbers.	4/18/2013	Eric Pat	2	Eric	Similar to axis, panel, page options Still happening?	3 days	
	Jim L							
	Repeated prompts to load STATE support data	4/12/2013	Aaron		Jim L	I'm unsure on whether or not I'm seeing the correct behavior when state support data is loaded for cotrans operations. For SSE/SEL transforms the SLP data is loaded once, kept in the gui, and the user is not prompted again. For transforms that require state the user is prompted every time, unless all the required state data has been loaded manually. Might be related to thm_ui_check4spin, which never checks the spin model common block?		
4693	xtickinterval, ytickinterval for specplot.pro	4/15/2013	Andrew Poppe		Jim L	Suggest using plotxyz instead of specplotJWL to mail AP and see if that meets his needs. I've been using specplot.pro directly to make plots and have noticed that it doesn't seem to accept the 'xtickinterval' or 'ytickinterval' keywords as part of the limits keyword structure. Can someone confirm this, and if so, would it		
	Change L0->L1 code to prevent out-of-order timestamps in iesa and isst configuration history.	1/29/2013	Nick		Jim L	Include configs from previous and next day, then clip to the desired day before writing into L1 CDFs.		

Task#	Task Description	Date Opened	Reported By	Pri	Assigned To		Estimate	A&E crib; script; suite; UG; DevG; Qref; AdmG
4802	GOES particle data	11/19/2012	Vassilis			Adam Kellerman has already brought in Goes particle data. Having a crib sheet, plus a gui tool to plot them would be great. We can then create GOES overview plots. The gui api can be helpful towards that end.		
4805	GOES magnetometer data from additional satellites - make available through TDAS somehow?	11/20/2012	Vassilis			So the NGDC GOES website is: http://www.ngdc.noaa.gov/stp/sal		
	CLUSTER load routine?	11/27/2012	Johnathan Eastwood			There may be a way of importing this data into tplot already, but maybe under a non-obvious name? Ask Jim McFadden, Tai Phan, French team?		
	Admin guide updates: eclipse spin corrections, chk_bfds_archive	1/3/2013			Jim L			
	Developer guide updates for GUI API, placeholders for rest of SPEDAS to plugin interface	12/7/2012	Vassilis					
4816	Eclipse spin model processing: some eclipses not being processed with current code, but Ferdinand's code is giving results?	12/7/2012	Ferdinand		Jim L	Ferdinand has updated eclipse model parameters for inner probes		
	Manual eclipse processing resets "last processed" date for automated processing; some processing logs not preserved	7/24/2012	Jim L	1	Jim L	If the automated processing is up to date, and I manually reprocess a time range early in the mission, the "last processed" date will get reset to the earlier date, which could trigger an unintended reprocessing of the full mission. "last processed" date should only be updated if it moves forward in time.		
	Add examples of eclipse spin model corrections to crib sheets (fgm, efi, scm, fit, mom)	7/27/2012	Vassilis	1	Jim L	fgm, fit, mom, updated; efi, scm, new eclipse crib in progress.		
4735	Socware ksh directory cleanup	8/24/2012	Jim L	1	Jim L	/disks/socware/thmsoc_dp_current/src/ksh out of sync with repository; some files/subdirectories not present in SVN; some junk files (emacs backups, etc)		
4326c	L1->L2 reprocessing for eclipse spin model corrections	8/18/2011	Vassilis	1	Jim L	After 4034a2, when eclipse spin model corrections are trustworthy enough to enable by default for L1->L2.		
4451	operating the particle instruments in "accumulate" rather than "snapshot" mode. So we'd be getting into some unexplored territory. The time tagging code in the LO->L1 particle distribution processing would need some slight modifications to support "accumulate" mode. The ESA load routines use the LO packets directly, and probably also assume "snapshot" mode, so that's another potential set of required modifications. I wouldn't be surprised if the ESA and SST calibration code also assumes snapshot mode. It would need to be tested with real data (since we have no way to generate a realistic particle data stream on FLATSAT).	12/1/2011	Vassilis	1	Jim L	5/21/12 as per Vassilis - give it a shot; Awaiting flatsat availability - after SST table updates and ESA energy table updates. Probably will have to wait until NuStar launch/EOC. In Progress		
4451b	Modify instrument scripts to enable accumulate mode, flatsat testing	6/12/2011	Jim L	1	Jim L / Ops	When MOC support available, probably after NuStar.		
4451c	tdas mods - if accumulate mode approved discuss at S/W meeting	12/1/2011	Vassilis	1	Jim L	double chech slices and getspec as per Aaron (next up)		
4451d	Put one probe in accumulate mode and verify correct L0->L1 and L1->L2 processing with live data.	6/12/2011	Jim L	1	Jim L			
4142	issue with FGS processing - timestamps	9/30/2010	Vassilis	1	Jim L	not trivial. After 4764		
2266	Timing of Spin Fit data	10/16/2009	Jim McFadden	1	Jim L	See 4142 After 4764		
	Discuss thmsoc_dp_current deployment process, avoid unintended updates from trunk	1/5/2012	Jim L,David	1	Jim L	After QA, review CDF "software version" requirement with SPDF.		
4465	Diagnose, repair? Spikes in FGS data.	12/14/2011	Vassilis	1	Jim L	No code changes required. Document on web site (anomalies/watch out fors) as something to be aware of when		
2074c	quality flag for FGM data - Jim L perform analysis, define task - someone else to do development		Vassilis	1	Jim L	quality flags for FGM data: Hannes talked to Ferdinand and suggests some flags in the state CDF: times when eclipse spin		
4034a3	awaiting feedback and performing analysis	11/22/2010	Vassilis	1	Jim L	Tips of the Month at some point?		

Tools "	Tools Decembring	Data	Denominal Des	D:	Assistant T-	Notes		
Task#	Task Description	Date Opened	Reported By	Pri	Assigned To	Notes	Estimate	A&E crib; script; suite; UG; DevG; Qref; AdmG
	Ferdinand P. suggests that we make available a diagnostic quantity produced by the eclipse spin modeling procedure. Add "phase" diagnostic quantity (from eclipse spin modeling process) to L1 STATE CDF, to give end users a sense of the expected angular error in the eclipse spin model.	5/23/2011	Ferdinand	1	Jim L		1-3 days	
2047	Separate E and B timestamps for spin fits: a) make a revised V02	before the	Vassilis	1	Jim L	Hard for SPDF to deal with, with their plotting tools - review		
4030	cross-check SST psir6 and psif data types for excess counts in psir6	4/8/2010	Jim McFadden	1	Jim L	Jim L talked to Davin and sounds like we can shut the data off. Jim L will send email on the time saved by shutting this off.		
4030b	Correct Existing Data	5/17/2010	Jim McFadden	1	Jim L	4030a prerequsite		
4030c	If scripts change - make changes to processing scripts	5/17/2010	Jim Lewis	1	Jim L	4030a prerequsite	4-5 days	
	as you know we have a few folks here in our SPDF group who are using the THEMIS-B and C data for a lunar project. They have found and I've confirmed through CDAWeb, that the time stamps and associated data measurements for October, 9, 2010 THEMIS-BESA, after time 15:58:40.695 are of a different resolution and the data values are either 0.0 or -NaN.	2/7/2011	Tami	1	Jim L	Web Site - instruments will have a web page with "Sources of Data Anamolies". The first one being the ESA issue		
4301	"bad" themis thg I2 files - instrument files; L0->L1 processing produces incomplete/empty CDFs	8/1/2011	Tami	2	Jim L	one fixed - one priority 2 (data type VBx appeared once due to corrupted packet, produced empty CDF)		
	once in a while (maybe 10-20 occurrences per probe during the entire mission), the FGM range doesn't change on all three axes at once:	9/10/2009	Jim L	2	Jim L			
	Jim M							
4690	thm_mom_cotrans_citestsuite is obsolete, either needs a complete rewrite to conform to current thm_load_mom usage, or merge any non-redundant tests into existing test scripts.	03/04/13	Jim M		Jim M	This test script can be dropped. In fact, most of the "cotrans" CL test scripts should be folded into the instrument "load" CL tests, with the exception of tests like cotrans_all_combos.		
4698	time_clip/tclip	4/26/2013	Pat		Jim M	tclip is for clipping y-axis data, and doesn't do time clipping at all. Needs better documentation.		
4784	Add RBSP orbit data to THEMIS plots	10/16/2012	Vassilis		Jim M	2/01/2013: Permission problem in JBT's code, putting SPICE kernel files in his home directory.		
4820	Need IDL-only FITS reader code suitable for inclusion in SPEDAS	12/11/2012	Mini-GEM		Jim M	Checked into SVN, needs to be documented in developers guide.		
4821	Use improved IDLDOC procedure to generate TDAS HTML documentation?	12/11/2012	Mini-GEM		Jim M	better format, more web-friendly? IDL 8.0+ versions OK since it won't be distributed with TDAS, only the HTML output.		
	SVN commit hooks for updating "Help->About" screen with current revision number. Possible for TDAS version string as well?	10/9/2012		1	Jim McT	It might be a good idea to add some functions like "get_tdas_revision" or "get_tdas_version_string", so that only a couple of files would be subject to version string updates, rather than having version string literals scattered around the TDAS code base that would all have to be updated. Will try making an ASCII file in bleeding_edge and release builds, see how that works before implementing SVN hooks.		
	change the ESA tables such that the minimum magnetospheric electron energy becomes lower (about 3eV, or lower). McFadden can specify the lower energy	10/20/2011	Vassilis	0	Jim M	only ARTEMIS probes - Need to talk to Jim McFadden. Also need MOC Support. 5/03/2013: Need to update additional TOC checksums to prevent errors in instrument startup scripts.		
	change the ESA tables such that electrons and ions can be changed separately into magnetospheric and solar wind modes.	10/20/2011	Vassilis	0	Jim M			

Task#	Task Description	Date	Reported By	Pri	Assigned To	Notes		
Task#	rask Description	Opened	керопец Бу	PII	Assigned 10	Notes	Estimate	A&E crib; script; suite; UG; DevG; Qref; AdmG
4694	Developers guide/admin guide update: troubleshooting SSH (SVN/rsync) access	7/6/2012	Jim L	1	Jim M	When setting up SVN access for a new user (or an old user using a new computer), or if a host key has changed, might need to do an interactive SSH login to answer the host key verification prompt before SVN or rsync will work. Dev guide due to SVN+SSH issue, Admin guide due to rsync over SSH issue. Additional note: people using putty/pageant on 64-bit machines should make sure they're using the latest version of putty, otherwise will have hard-to-diagnose access problems. 10/10/2012: Recent versions of MacOS ship with a different version of OpenSSH which causes problems for svn+ssh URLs. Resolution: edit .subversion/config [tunnels] section, add new 'tdas' protocol with "tdas = ssh -T -p 36867", then use "svn+tdas" instead of "svn+ssh" URLs.		
4003	Document: ESA File and Calibation Processing	3/5/2010	David	1	Jim M			
4312	Quality flags for efi are wrong including electric field offsets in computation. On hold until Michael Hartinger sorts out.	8/8/2011	Vassilis	1	Jim M	discuss with Vassilis		
2035	Split L1 ESA (using Thomas's routine) in master ESA data cdf		Vassilis	2	Jim M	On Hold - awaiting Jim McFadden release: Then send David Sub Task List; Calibration variables removed from L1 data master CDF. (Side note: found and reported a bug in SKTEditor, which the Goddard team has agreed to fix) Waiting for feedback from Jim McFadden about how calibration data should be handled (TH-A ASCII calibration file (used for all probes) doesn't match anything I removed from the data CDF).		
4208a	Enhanced MOM Instrument Web Pages	3/5/2010	David	2	Jim M	Talked to David first.		
	Nick							
	Update FBK, FFT, ESA, SST configuration history HTML pages				Nick	Update monthly for now.		
4691	Use TLB_FRAME_ATTR in thm_ui_prompt_widget to avoid need for looping around overwrite/confirmation dialogs (by disabling [X] close button).	4/10/2013	Nick		Nick	Implement on one dialog first, test on all supported platforms, if it works everywhere, then convert the rest of the dialogs.		
4834	Add additional links to instrument configuration history pages	1/10/2013	Bob McGuire	1	Nick	1) From ESA, SST, other instrument pages 2) L1/L2 master CDFs 3) Possibly from one of the "Data" dropdown menu items? Emmanuel working on web site updates		
2078	bau_sunpulse_met assumes x86 endiannes (BugzID=13)		Vassilis	3	Nick	Tmtools libdecom code. On first call, do runtime call to check whether floats are big-endian or little-endian, set a static flag in that routine, then do appropriate conversion. JWL to test.		
4683	Change L2 FIT master CDF to allow different sample counts for efs and efs dot0		Jim L			In progress.		
4684	thm_cal_fit: clean up NaNs in fgs and efs, reprocess L2 FIT		Jim L			After 4683. Will need to change code that writes variables to L2 CDF.		
	Pat							
	Updated FGM calibrations for solar array currents vs. spin phase?	5/30/2012	Vassilis	0	Pat	Last Recieved – Jan 2013. May need to remind FGM team if we go a long time without updates. Check again in late June 2013		
4713	Since the diode degradation will be modeled as shifting the minimum energy of the SST up, we'll need to interpolate the SST efficiency parameters to the new energy bins.	7/24/2012	Vassilis	0	Pat	This may not actually be done by someone on the software team, but I thought I'd report it anyway, so that it doesn't get lost in the shuffle once the other calibrations are completed.		

Table #	Took Decementary	Data	Demonted Div	Dei	Assissad To	Notes		
Task#	Task Description	Date Opened	Reported By	Pri	Assigned To	Notes	Estimate	A&E crib; script; suite; UG; DevG; Qref; AdmG
4844	Different SST look directions no longer line up in energy with original calibration factors	1/24/2013	Pat	0	Pat	What we came up with is to interpolate the esa to match SST(in time & look direction), then smooth the ESA data to account for poor count statistics, then interpolate between the SST and the ESA to shift the SST to a regular energy grid. This will be a decent amount of effort to code up, but it seems promising. Will probably not make it into TDAS 8.		
4771	Writeup for new SST calibration	9/28/2012		0	Pat/Drew	For senior review. After 4844. (But 4844 will likely not be ready for TDAS 8 releaseready when senior review is due?)		
4861	Code maintenance issue – GUI coordinate systems				Pat	But there may be a code maintenance issue since we maintain two lists of supported coordinate systems. (One in thm_ui_req_spin.pro & one in thm_ui_cotrans_new.pro I just used a comment to future programmers, but a single list would probably be more durable.		
4696	Reorganize crib sheets	04/03/13	Pat		Pat	Maybe separate directories for "basic", "advanced", experimental" functions? (Will also need to update users guide and quick reference guide to reflect new crib locations)		
4699	improve time series handling in plotxyz	4/29/2013	Pat		Pat	Add x-is-time, y-is-time keywords		
4832	Allow keywords in calc function calls	1/7/2013	Vassilis	1	Pat	e.g. calc, 'a=total(b,/nan)'		
4519	getspec (CL) rewrite for maintainability	2/21/2012	Pat, Aaron, Jim M	1	Pat/Vassilis	Code has become prone to bugs, very difficult to understand and maintain, would benefit greatly from rewriting from scratch with "lessons learned" up to this point. Level of effort? Pat and Vassilis to go over code, improve documentation, and identify areas that could be improved.		
	Aaron has identified some "cut points" for sections that can be pulled out as separate procedures.				Pat	Extract procedures, figure out which variables are used/required in each section.		
4506	GUI Getspec: Some regrid values yield all while plots (noticed in GUI getspec test suite for TDAS 7). If a re-write of thm_part_getspec this would be done as part of it.	2/8/2012	Aaron			In this case phi/theta values of 40x20, 45x20, and 64x20 yield plots but 50x20 and 49x20 do not. All energy fluxes appear normal. This is certainly something strange happening in thm_part_moments2, so we probably want to wait until after QA to fix it. After		
4521	GUI getspec: issues when setting phi limits and starting phi at same time -	2/8/2012	Aaron			I produced two phi plots with the phi limits set to 45 - 180; the second plot also had the start angle set to 90 degrees. That plot begins at 90 degrees and appears as it should until just past 160 degrees at which point the remainder appears to be 'smeared' and ends at a maximum of ~440. Because of this it is also hard to tell if it looped back to the data between 45-90 correctly. After 4519		
4507	GUI getspec: no way to return just an energy spectrogram	2/8/2012	Aaron			Formerly QA099 After 4519		
4825	Implement error estimates (/get_error) for angular spectrograms	12/10/2012	Vassilis			After 4519		
4460	Add New Routines from Lynn Wilson	3/22/2012	Vassilis	1	Pat			
4460-1	Include: safe, minimal effort, obvious benefit. (21)		Vassilis	1	Pat		3-4 days	
4460-2	Documentation only: LW3 has documented a routine that didn't have documentation previously, but incorporating routine body is not worthwhile.(possible bugs or too much effort) (12)		Vassilis	1	Pat		1 day	
4460-4	Not sure: Need a scientist's opinion on the benefits of the routine. (26)		Vassilis	?	Pat	Vassilis will talk to Lynn Wilson and ask the benefits of these routines		
	Not sure: Need more programmer time to make confident recommendation. (14)		Vassilis	?	Pat	Vassilis will talk to Lynn Wilson and ask the benefits of these routines		
4460-6	Helper, only include if required by an included routine. (9)		Vassilis	1	Pat			

	T				ı			1
Task#	Task Description	Date Opened	Reported By	Pri	Assigned To	Notes	Estimate	A&E crib; script; suite; UG; DevG; Qref; AdmG
	SST: We need to generate a combined spectrum product that includes the FTO(low) channel. This would be adding the FTO(low) channel to the F+FT combined spectrum that we've already created.	5/17/2012	Vassilis	1	Pat			
	Write code to remove proton and electron contamination from the electron and proton distributions using data and efficiencies from the F & O channels.	6/27/2011	Pat	1	Pat	Working on noise removal, etc.		
4627e	SST: After #a-d are done, we need to reprocess SST L2 with sun contamination removed and new calibrations applied.	5/17/2012	Vassilis	1	Pat	need 4267c to be completed		
4603	make new SST Cal standard	3/22/2012	Vassilis	1	Pat	Revisit in July ** on hold **		
	A limitation for tplot came up for the EMIC plots. If you want to use the var_label feature(for example, to plot spacecraft position below spacecraft data) you can only put the var labels at the very bottom of the plot. In the case of EMIC, what we actually want to do is a layout that looks like this (from top to bottom) Plot1PrbA Plot2PrbA VarLabelPrbA Plot1PrbB Plot2PrbB VarLabelPrbB Plot2PrbC VarLabelPrbC etc	8/2/2012	Pat	2	Pat	You can't actually do this in tplot right now. To work around this limitation for the EMIC plots, I'm going to do some tricks making separate plots in the z-buffer and concatenating them then reposting them to the z-buffer. This will work for the overviews, but it is an ugly kluge. We should consider a task that adds this feature to tplot.(The task would be to add the feature to tplot and to add examples to the tplot cribs showing how to use the features) 8/6/2012: Workaround exists for EMIC plots, assess level of effort for more general solution. Will need Davin's approval if changes are nontrivial. Probably 2-4 days effort.		
4686	There were several reports that the dproc window was too small in IDL 8+. It looks like this is a side effect of the font change.	6/27/2012	Pat	2	Pat	For whatever reason, many widget sizes are specified in characters, instead of more standard units. This means that if the base font size of a character changes, so does the size of a viewable area. Just an FYI, I'm going to be rolling this one into the font size one. I'll list it as a reason why the font size change is such a pain in the rear.		
	The bug that Drew had reported yesterday turned out to be not a bug, but because the bins that the sun decontamination code selected differed depending on the date selected and this wasn't clearly reported to the end-user. I put an informational message in to clarify what is happening, but after talking with Drew there are two other solutions that don't fit within the scope of QA, but would be good to consider later. There features are: #1 Add a keyword that returns the the bins that were flagged by automatic sunlight decontamination to the end user. #2 Provide an option to window the automatic sunlight decontamination code so that one test is not applied to the entire time period.	2/22/2012	Pat	2	Pat			
2060	L2 cdf Quality Flags: for SST		Vassilis	2	Pat			
4208b	Enhanced SST Instrument Web Pages	3/5/2010	David	2	Pat	See current ESA Instrument Web Pages - Make recommendations to Vassilis to improve.		